



Status Report

PHENOM 300

S/N 50500154 N899EE

OWNER: LATITUDE 33 AVIATION, LLC
ADDRESS: 2056 PALOMAR AIRPORT ROAD
CARLSBAD CA 92011
OFFICE:
FAX: 760-278-2168

OPERATOR: LATITUDE 33 AVIATION, LLC
ADDRESS: 2056 PALOMAR AIRPORT ROAD
CARLSBAD CA 92011
OFFICE:
FAX: 760-278-2168

ANALYST: ANDREY KORSUKOV
EMAIL: AKORSUKOV@CAMPSYSTEMS.COM

514-636-2020 (OFFICE)
514-636-7866 (FAX)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE

AIRCRAFT SERIAL/REGNO: 50500154/N899EE MODEL: PHENOM 300 MANUFACTURER: EMBRAER

CERTIFICATION DATE: 11-SEP-2013

LAST ACTUALS:
1865 A/C HRS as of 27-MAR-2023
1168 AFL as of 27-MAR-2023

ENGINE NO. 1 SERIAL/PART: PCE-DG0318/A3072913-01 MODEL: PW535E MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 24-JUN-2013

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1865 ENG. HRS as of 27-MAR-2023
1168 ENC as of 27-MAR-2023

ENGINE NO. 2 SERIAL/PART: PCE-DG0320/A3072913-01 MODEL: PW535E MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 27-JUN-2013

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1865 ENG. HRS as of 27-MAR-2023
1168 ENC as of 27-MAR-2023



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z210-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:87	
Z210-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:--
	MOS	13-Oct-18	120 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-41-00			PKG:87	
Z220-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:--
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-41-00			PKG:84	
Z220-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:87	
Z230-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	13-Oct-18	120 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-42-00			PKG:87	
Z230-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-42-00			PKG:87	
Z240-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-42-00			PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z240-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:--
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-42-00			PKG:84	
Z310-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	13-Oct-18	120 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-43-00			PKG:87	
Z310-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-43-00			PKG:87	
Z320-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-43-00			PKG:87	
Z320-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:--
	MOS	13-Oct-18	120 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-43-00			PKG:87	
Z330-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:87	
Z330-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z340-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER							Service	ATA:--
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-44-00			PKG:84	
Z340-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:87	
Z410-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:87	
Z410-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:87	
Z430-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE							Service	ATA:--
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:87	
Z430-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE							Service	ATA:--
	MOS	13-Oct-18	120 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-46-00			PKG:87	
Z500-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service	ATA:--
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
					PROC. REF: AMM 05-45-00			PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z500-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service	ATA:--
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
				PROC. REF: AMM 05-45-00				PKG:84	
Z700-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE MAIN LANDING GEAR BAY							Service	ATA:--
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
				PROC. REF: AMM 05-47-00				PKG:84	
ATA 00 - INFORMATION									
00-CUS-0701 ^U	RENEWAL OF AIRCRAFT REGISTRATION							Service	ATA:00
	MOS	22-Nov-21	36		30-Nov-24 (M)		611 d		
	HRS								
	AFL								
E53E-160530	NO. 1 ENGINE - REVIEW PW535E MM REV 11.0							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
				PROC. REF: RCF E53E					
E53E-160530	NO. 2 ENGINE - REVIEW PW535E MM REV 11.0							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
				PROC. REF: RCF E53E					
EM55-160520	REVIEW EMBRAER PHENOM 300 AMM 2757 TIME LIMITS / MAINTENANCE CHECKS (TLMC) CHAPTER 5 REVISION 40 DATED MAY 20/16							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
				PROC. REF: RCF EM55-160520					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-160705	REVIEW EMBRAER PHENOM 300 (EM55) - CHAPTER 4 - AIRWORTHINESS LIMITATIONS REVISION 09 DATED JUL 05/16 FREQUENCY CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160705								
EM55-160705-1	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 41 DATED JUL 05/16 REQUIREMENT CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160705-1								
EM55-160822	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS MAINTENANCE CHECKS (TLMC) REVISION 42 DATED AUGUST 22/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160822								
EM55-161022	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 43 DATED OCT 22/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161022								
EM55-161122	REVIEW EMBRAER 505 - PHENOM 300 (EM55) AIR WORTHINESS LIMITATIONS CHAPTER-4 REVISION 10 DATED NOV. 22/2016							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161122								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-161122-1	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 44 DATED NOV 22/2016							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161122-1								
EM55-161202	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) / CHAPTER-5 ADVANCE REVISION DATED DECEMBER 02/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161202								
EM55-180219	REVIEW EMBRAER PHENOM 300 (EM55) SCHEDULE MAINTENANCE REQUIREMENTS (SMR 2757 - CHAPTER 5) PART III REV 01, DATED FEB 19/18							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55								
EM55-190218A	REVIEW EMBRAER PHENOM 300 (EM55) CHAPTER 04 AIRWORTHINESS LIMITATIONS REVISION 11 DATED FEB 18/2019							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55								
EM55-210514-ALS	REVIEW EMBRAER PHENOM 300 - AMM - CHAPTER 04- REV. 14, DATED MAY 14TH, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-211103-SMR	REVIEW EMBRAER PHENOM 300 - AMM 2757, SMR REV. 04, DATED NOV 3, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
EM55-220505-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED MAY 05/2022 FOR EMBRAER PHENOM 300							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
EM55-220630-CAMP ADJUSTMENT	REVIEW EMBRAER EMB-505 - PHENOM 300 CAMP ADJUSTMENT, DATED JUN 30, 2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF -				
EM55-220812-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 12/2022 FOR MODEL EMB-505 - PHENOM 300							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
EM55-221017-AWL	REVIEW EMB-505 - PHENOM 300 AMM - PART IV - AIRWORTHINESS LIMITATIONS (AWL) REV 1 DATED OCT 17/2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-221103-SMR	REVIEW EMB-505 - PHENOM 300 AMM - PART III - SCHEDULE MAINTENANCE REQUIREMENTS (SMR) REV 5 DATED NOV 03/2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
				PROC. REF: RCF 00					
EM55-230201-CAMP ADJUSTMENT	REVIEW EMB-505 - PHENOM 300 CAMP ADJUSTMENT, DATED FEB 01, 2023							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
				PROC. REF: RCF 00					
EM55-230216-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 16/2023 FOR EMB-505 - PHENOM 300							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
				PROC. REF: RCF 00					
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01	800 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)		1998.1	2028.1	133.1 (+30)		
	AFL	730							
				PROC. REF: SMR 05-30-01				PKG:1	
05-30-10	1600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)		2798.1	2828.1	933.1 (+30)		
	AFL	730							
				PROC. REF: SMR 05-30-10				PKG:10	
05-30-20	2400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)		2400	2430	535 (+30)		
	AFL	0							
				PROC. REF: SMR 05-30-20				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-40	3200 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)		3200	3230	1335 (+30)		
	AFL	0							
	PROC. REF: SMR 05-30-40							PKG:40	
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	13-Oct-18	60 (+1m/-1m)		13-Oct-23	13-Nov-23	197 d (+31)		
	HRS	1016.6	3200 (+30/-30)		4216.6	4246.6	2351.6 (+30)		
	AFL	610							
	PROC. REF: SMR 05-30-42							PKG:42	
05-30-50	5600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)		5600	5630	3735 (+30)		
	AFL	0							
	PROC. REF: SMR 05-30-50							PKG:50	
05-30-60	6400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)		
	AFL	0							
	PROC. REF: SMR 05-30-60							PKG:60	
05-30-80	12 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	29-Oct-22	12 (+1m/-1m)	Adj -7d	22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1712.9							
	AFL	1072							
	PROC. REF: SMR 05-30-80							PKG:80	
05-30-81	24 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	22-Oct-21	24 (+1m/-1m)		22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1468.2							
	AFL								
	PROC. REF: SMR 05-30-81							PKG:81	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-82	36 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	29-Oct-22	36 (+1m/-1m)	Adj 13d	11-Nov-25	11-Dec-25	957 d (+30)		
	HRS	1712.9							
	AFL	1072							
	PROC. REF: SMR 05-30-82							PKG:82	
05-30-83	48 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	22-Oct-21	48 (+1m/-1m)		22-Oct-25	22-Nov-25	937 d (+31)		
	HRS	1468.2							
	AFL								
	PROC. REF: SMR 05-30-83							PKG:83	
05-30-84	60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	13-Oct-18	60 (+1m/-1m)		13-Oct-23	13-Nov-23	197 d (+31)		
	HRS	1016.6							
	AFL	610							
	PROC. REF: SMR 05-30-84							PKG:84	
05-30-87	120 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Sep-13	120 (+1m/-1m)		11-Sep-23	11-Oct-23	165 d (+30)		
	HRS	0							
	AFL	0							
	PROC. REF: SMR 05-30-87							PKG:87	
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Sep-13	T:120 (+1m/-1m)		11-Sep-23	11-Oct-23	165 d (+30)		
	HRS	0							
	AFL	0							
	PROC. REF: SMR 05-30-90							PKG:90	
05-50-00-210-802	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) FAULTS							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-802	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) FAULTS							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-803	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-803	NO. 2 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-804	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-804	NO. 2 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-805	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-805	NO. 2 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service	ATA:05
	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-806	NO. 1 ENGINE - LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-806	NO. 2 ENGINE - LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-807	NO. 1 ENGINE - DROPPED ENGINE							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-807	NO. 2 ENGINE - DROPPED ENGINE							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-808	NO. 1 ENGINE - HEAVY LANDING							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-808	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-809	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-809	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-810	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-810	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-811	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-811	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-812	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-812	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-813	NO. 1 ENGINE - LOSS OF OIL							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-813	NO. 2 ENGINE - LOSS OF OIL							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-815	NO. 1 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-815	NO. 2 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-816	NO. 1 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-816	NO. 2 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-817	NO. 1 ENGINE - HIGH OR LOW OIL PRESSURE							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-817	NO. 2 ENGINE - HIGH OR LOW OIL PRESSURE							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-818	NO. 1 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-818	NO. 2 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-819	NO. 1 ENGINE - FUEL FILTER CONTAMINATION							Service	ATA:05
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-819	NO. 2 ENGINE - FUEL FILTER CONTAMINATION							Service	ATA:05
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-820	NO. 1 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-820	NO. 2 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-821	NO. 1 ENGINE - STARTER GENERATOR UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	02-Feb-23	A/R					
	HRS	1820.4						
	ENC	1137						
	PROC. REF: MM 05-50-00							
05-50-00-210-821	NO. 2 ENGINE - STARTER GENERATOR UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-822	NO. 1 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	26-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-822	NO. 2 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	31-May-13	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-823	NO. 1 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-823	NO. 2 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-824	NO. 1 ENGINE - TAKE-OFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-824	NO. 2 ENGINE - TAKE-OFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-22	12 (+30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	
	HRS	1712.9	800 (+10%)		(2512.9) 2512.9	2592.9	647.9 (+80)	
	ENC	1072						
	PROC. REF: MM 05-20-00							
	PKG:1							
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-22	12 (+30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	
	HRS	1712.9	800 (+10%)		(2512.9) 2512.9	2592.9	647.9 (+80)	
	ENC	1072						
	PROC. REF: MM 05-20-00							
	PKG:1							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H140-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service	ATA:05
	MOS		120 (+1m/-1m)						
	HRS								
	AFL								
	PROC. REF: AMM 05-42-00							PKG:87	
H242-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service	ATA:05
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00							PKG:87	
H430-001 ^S	INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS							Service	ATA:05
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: AMM 05-46-00							PKG:84	
H700-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service	ATA:05
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: AMM 05-47-00							PKG:84	
H700-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service	ATA:05
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: AMM 05-47-00							PKG:84	
H700-003 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WOW SENSORS ELECTRICAL BONDING							Service	ATA:05
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: AMM 05-47-00							PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 08 - LEVELING AND WEIGHING									
8-10-00-500-801-A	PERFORM WEIGHT AND BALANCE							Service	ATA:08
	MOS	14-Nov-21	36		14-Nov-24		595 d	RBHA	
	HRS								
	AFL								
PROC. REF: AMM 08-10-00									
ATA 21 - AIR CONDITIONING									
21-01-01	RH INSC ILLUM PANEL							Component	ATA:21
PN:441-42629-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1163	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-01-01, AMM 21-01-01									
21-20-01	AVIONICS BLOWER							Component	ATA:21
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-07, AMM 31-41-07									
21-20-02	AVIONICS/DISPLAY COOLING FAN							Component	ATA:21
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-02, AMM 31-61-02									
21-20-03	NO. 1 FLOW CONTROL & SHUTOFF VALVE/MUFFLER ASSY							Component	ATA:21
PN:1300250-9	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:593	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-20-03	NO. 2 FLOW CONTROL & SHUTOFF VALVE/MUFFLER ASSY							Component	ATA:21
PN:1300250-9	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:594	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-01, AMM 21-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-20-05		GROUND COOLING FAN						Component	ATA:21
PN:1133660-3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:303	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-05, AMM 21-23-05									
21-21-02-001 ^S		OPERATIONAL CHECK NO. 1 INLET AIR CHECK VALVE						Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
21-21-02-001 ^S		OPERATIONAL CHECK NO. 2 INLET AIR CHECK VALVE						Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
21-23-01		ELECTROMECHANICAL LINEAR ACTUATOR						Component	ATA:21
PN:100000-77	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:27367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-23-03		RAM AIR VALVE						Component	ATA:21
PN:505-18030-405	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000760199	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-23-03-002 ^S		OPERATIONAL CHECK OF RAM AIR VALVE						Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-03									
21-23-03-003 ^S		OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION						Service	ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 21-23-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-23-04-001 ^S	OPERATIONAL CHECK OF RAM AIR CHECK VALVES							Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 21-23-04				PKG:60	
21-23-05-001 ^S	GENERAL VISUAL INSPECTION OF GROUND COOLING FAN							Service	ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)						
	AFL	730							
				PROC. REF: AMM 21-23-05				PKG:10	
21-24-01-001 ^S	OPERATIONAL CHECK OF IFE COOLING FAN							Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 21-24-01				PKG:60	
21-31-00-002 ^S	OPERATIONAL CHECK OF MANUAL PRESSURIZATION CONTROL MODE							Service	ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
				PROC. REF: AMM 21-31-00				PKG:1	
21-31-00-003 ^S	OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE)							Service	ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
				PROC. REF: AMM 21-31-00				PKG:1	
21-31-00-004 ^S	OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS							Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 21-31-00				PKG:50	
21-31-00-005 ^S	OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL							Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 21-31-00				PKG:50	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-01		(ECMU) - ELECTRONIC CONTROL AND MONITORING UNIT						Component	ATA:21
PN:2119286-5	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:2119286-00791	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-01, AMM 21-31-01									
21-31-01-001		RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU)						Service	ATA:21
PN:2119286-5	MOS	11-Sep-13							
SN:2119286-00791	HRS	0	5600 (+30/-30)		6000 (M)	6030	4135 (+30)		
	AFL	0							
PROC. REF: AMM 21-31-01									
21-31-02		OUTFLOW VALVE						Component	ATA:21
PN:103922-1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:103922-00180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02, AMM 21-31-02									
21-31-02-001		RESTORATION (REPAIR) OF OUTFLOW VALVE						Service	ATA:21
PN:103922-1	MOS	11-Sep-13							
SN:103922-00180	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
PROC. REF: AMM 21-31-02									
21-31-03		NEGATIVE PRESSURE RELIEF (NPR) VALVE						Component	ATA:21
PN:130664-2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:34163-0509	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03, AMM 21-31-03									
21-31-03-001 ^S		OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE						Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-03									
21-31-04		PRESSURE RELIEF (PRV) VALVE						Component	ATA:21
PN:103918-2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:103918-00164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-04, AMM 21-31-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-04-001 ^S	FUNCTIONAL CHECK OF PRESSURE RELIEF VALVE							Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 21-31-04				PKG:50	
21-41-01	BHS SHUT-OFF VALVE							Component	ATA:21
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 21-41-01, AMM 21-41-01					
21-41-04	RH REAR W302, BASIC / BASIC G1000 / BASIC G3000 HARNESS							Component	ATA:21
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 21-41-04, AMM 21-41-04					
21-52-01	VCS COMPRESSOR DRIVE MODULE							Component	ATA:21
PN:1133640-5	MOS/MSC	25-May-17	O/C						
SN:201	HRS	733.5							
	AFL	424							
				PROC. REF: AMM 21-52-01, AMM 21-52-01					
21-52-01-002	DISCARD OF COMPRESSOR DRIVE MODULE BELT							Service	ATA:21
	MOS	11-Sep-13							
	HRS	0	2000 (+30/-30)		2000	2030	135 (+30)		
	AFL	0							
				PROC. REF: AMM 21-52-01					
21-52-01-003 ^S	FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION							Service	ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
				PROC. REF: AMM 21-52-01				PKG:1	
21-52-01-004	RESTORATION (OVERHAUL) COMPRESSOR							Service	ATA:21
PN:1133640-5	MOS	25-May-17							
SN:201	HRS	733.5	2000 (+30/-30)		2733.5	2763.5	868.5 (+30)		
	AFL	424							
				PROC. REF: AMM 21-52-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-52-02		CDM COMPRESSOR MODULE					Component	ATA:21	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-01, AMM 21-52-01									
21-52-03		SYSTEM AIR CONDITION CABIN EVAPORATOR MODULE					Component	ATA:21	
PN:1133860-4	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-03, AMM 21-52-03									
21-52-03-001 ^S		GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES					Service	ATA:21	
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 21-52-03									
PKG:1									
21-52-04		FORWARD FUSELAGE FWD EVAPORATOR, VCS SYSTEM BLOWER					Component	ATA:21	
PN:1133850-104	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:620	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-04, AMM 21-52-04, AMM 21-52-04, AMM 21-52-04									
21-52-05		COMPRESSOR DRIVE MODULE BELT					Component	ATA:21	
PN:PN	MOS/MSC	11-Sep-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
21-52-06-001 ^S		SERVICING OF VCS REFRIGERANT FLUID					Service	ATA:21	
	MOS	29-Oct-22	12 (+1m/-1m)						
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 12-17-00									
PKG:80									
21-52-08		AIR CONDITION CONDENSER ASSEMBLY					Component	ATA:21	
PN:1133760-2	MOS/MSC	07-Mar-17	O/C	TSN 0					
SN:518	HRS	682.5		TSN 0					
	AFL	397		TSN 0					
PROC. REF: AMM 21-52-08, AMM 21-52-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-52-08-001 ^S		GENERAL VISUAL INSPECTION OF VCS CONDENSER							Service ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)						
	AFL	730							
PROC. REF: AMM 21-52-08								PKG:10	
21-52-09		AIR CONDITION MIX FLOW CONDENSER FAN							Component ATA:21
PN:1133720-4	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:307	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-52-09, AMM 21-52-09									
21-52-10		AIR CONDITION BLEED AIR HEAT EXCHANGER							Component ATA:21
PN:1320260-2	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:272	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-52-10, AMM 21-52-10									
21-61-00-001 ^S		OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM							Service ATA:21
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 21-61-00								PKG:1	
21-61-01		ECS TEMPERATURE CONTROLLER							Component ATA:21
PN:1300670-6	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:00352	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-61-01, AMM 21-61-01									
21-61-03		LEFT REAR DUCT TEMPERATURE SENSOR/SWITCH							Component ATA:21
PN:1300450-10	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:2114	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-03		RIGHT REAR DUCT TEMPERATURE SENSOR/SWITCH							Component ATA:21
PN:1300450-10	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:2118	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-61-04		COCKPIT DUCT TEMPERATURE SENSOR/SWITCH					Component	ATA:21	
PN:1300450-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:2178	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-04, AMM 21-61-04									
21-61-05		CABIN PASSENGER DUCT TEMPERATURE SENSOR/SWITCH					Component	ATA:21	
PN:1300450-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:2116	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-05, AMM 21-61-05									
21-61-06-001 ^S		OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR					Service	ATA:21	
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-61-06									
21-CUS-0701 ^U		CHECK THE AIR CONDITIONING HOBBS TIME					Service	ATA:21	
	MOS		12		22-Oct-23 (M)		206 d		
	HRS								
	AFL								
PKG:60									
ATA 22 - AUTO FLIGHT									
22-11-00		GMC 715 GUIDANCE PANEL					Component	ATA:22	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
22-11-00-001		FUNCTIONAL CHECK AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO					Service	ATA:22	
	MOS	29-Oct-22	12 (+30d/-30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS	
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 22-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-00-001 FUNCTIONAL CHECK ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO Service ATA:22								
	MOS	29-Oct-22	12 (+30d/-30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 22-11-00								
22-11-00-001 FUNCTIONAL CHECK RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO Service ATA:22								
	MOS	29-Oct-22	12 (+30d/-30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 22-11-00								
22-11-00-001 FUNCTIONAL CHECK TAIL CONE GSA 80 HIGH SPEED AUTOPILOT SERVO Service ATA:22								
	MOS	29-Oct-22	12 (+30d/-30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 22-11-00								
22-11-00-002^S LUBRICATION OF SERVO ACTUATORS Service ATA:22								
	MOS	29-Oct-22	12 (+1m/-1m)					
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 22-11-00								
22-11-00-003^S DETAILED INSPECTION OF AUTOPILOT SERVO CABLE Service ATA:22								
	MOS	13-Oct-18	60 (+1m/-1m)					
	HRS	1016.6	3200 (+30/-30)					
	AFL	610						
PROC. REF: AMM 22-11-00								
22-11-01 TAIL CONE GSA 80 HIGH SPEED AUTOPILOT SERVO Component ATA:22								
PN:011-00877-21	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:1A0006006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-02, AMM 22-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-11-02		AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO					Component	ATA:22	
PN:011-00878-20	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1A1008367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-02, AMM 22-11-02									
22-11-02		ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO					Component	ATA:22	
PN:011-00878-20	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1A1008376	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-02, AMM 22-11-02									
22-11-02		RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO					Component	ATA:22	
PN:011-00878-20	MOS/MSC	08-Sep-16	O/C	TSN 1					
SN:1A1015762	HRS	616.8		TSN 0					
	AFL	358		TSN 0					
PROC. REF: AMM 22-11-02, AMM 22-11-02									
22-11-03		AILERON GSM 86 AUTOPILOT SERVO MOUNT					Component	ATA:22	
PN:011-01904-00	MOS/MSC	26-Sep-14	O/C	TSN 12					
SN:1GK007540	HRS	264.7		TSN 264.7					
	AFL	171		TSN 171					
PROC. REF: AMM 22-11-03, AMM 22-11-03									
22-11-06		ELEVATOR GSM 86 AUTOPILOT SERVO MOUNT					Component	ATA:22	
PN:011-01904-00	MOS/MSC	26-Sep-14	O/C	TSN 12					
SN:1GK008513	HRS	264.7		TSN 264.7					
	AFL	171		TSN 171					
PROC. REF: AMM 22-11-06, AMM 22-11-06									
22-11-09		RUDDER GSM 86 AUTOPILOT SERVO MOUNT					Component	ATA:22	
PN:011-01904-00	MOS/MSC	26-Sep-14	O/C	TSN 12					
SN:1GK008551	HRS	264.7		TSN 264.7					
	AFL	171		TSN 171					
PROC. REF: AMM 22-11-09, AMM 22-11-09									
22-11-12		TAILCONE GSM 86 AUTOPILOT SERVO (VENTRAL-RUDDER) MOUNT					Component	ATA:22	
PN:011-01904-00	MOS/MSC	26-Sep-14	O/C	TSN 12					
SN:1GK008506	HRS	264.7		TSN 264.7					
	AFL	171		TSN 171					
PROC. REF: AMM 22-11-12, AMM 22-11-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-10-01		VHF ANTENNA					Component		ATA:23
PN:S65-8280-41	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:322-3224	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-11-01		PS440 HF CONTROL DISPLAY UNIT					Component		ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01, AMM 23-11-01									
23-11-02		REAR FUS KRX1053 W/SELCA HF COMMUNICATION TRANSCEIVER					Component		ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02, AMM 23-11-02									
23-11-03		KPA 1052 POWER AMPLIFIER					Component		ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03, AMM 23-11-03									
23-11-04		HF ANTENNA COUPLER					Component		ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-04, AMM 23-11-04									
23-12-02		BOTTOM VHF 2 ANTENNA					Component		ATA:23
PN:S65-8280-41	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:322-3227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-21-01		SELCAL CSD DECODER					Component		ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-21-01, AMM 23-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-50-01		LEFT GMA 1347D AUDIO PANEL					Component	ATA:23
PN:011-01257-20	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:17107362	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01								
23-50-02		COPILOT HEADSET					Component	ATA:23
PN:026-55-999-0131	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00201644	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-07, AMM 44-13-07								
23-50-02		PILOT HEADSET					Component	ATA:23
PN:026-55-999-0131	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00201639	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-13-07, AMM 44-13-07								
23-50-03		LH CONSOLE COCKPIT HAND MICROPHONE					Component	ATA:23
PN:85-03-12369-04	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:297632	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
23-50-04		COCKPIT SPEAKER					Component	ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-02, AMM 23-51-02								
23-50-05		CDVR MICROPHONE					Component	ATA:23
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-07, AMM 31-31-07								
23-51-00-001 ^S		OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE					Service	ATA:23
	MOS	11-Sep-13						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 23-51-00								

PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-51-01		RIGHT GMA 1347D AUDIO PANEL					Component	ATA:23	
PN:011-01257-20	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:17107358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									
23-51-05		LEFT CONTROL PANEL					Component	ATA:23	
PN:441-40943-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0991	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-05		RIGHT CONTROL PANEL					Component	ATA:23	
PN:441-40943-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1012	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-61-00-001 ^S		FUNCTIONAL CHECK OF STATIC DISCHARGERS					Service	ATA:23	
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 23-61-00									
PKG:83									
ATA 24 - ELECTRICAL POWER									
24-01-01		LEFT CONSOLE CONTROL PANEL					Component	ATA:24	
PN:441-40929-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0491	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-01-01, AMM 24-01-01									
24-31-01		NO. 1 ENGINE STARTER/GENERATOR					Component	ATA:24	
PN:400SG180Q-4	MOS/MSC	02-Feb-23	O/C	TSN 0					
SN:S04249	HRS	1820.4		TSN 0					
	AFL	1137		TSN 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-31-01	NO. 2 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:400SG180Q	MOS/MSC	14-Apr-22	O/C						
SN:S00844XL	HRS	1549							
	AFL	971							
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01-001	NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 505 ACFT WITH STARTER GENERATOR PN MG103C-4 OR PN 400SG180Q SERIES OR POST-MOD SB 505-24-0017							Service	ATA:24
PN:400SG180Q-4	MOS	02-Feb-23							
SN:S04249	HRS	1820.4	800 (+30/-30)		2620.4	2650.4	755.4 (+30)		
	AFL	1137							
PROC. REF: AMM 24-31-01									
24-31-01-001	NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 505 ACFT WITH STARTER GENERATOR PN MG103C-4 OR PN 400SG180Q SERIES OR POST-MOD SB 505-24-0017							Service	ATA:24
PN:400SG180Q	MOS	29-Aug-19							
SN:S00844XL	HRS	1183.9	800 (+30/-30)		2383.9 (M)	2413.9	518.9 (+30)		
	AFL	720							
PROC. REF: AMM 24-31-01									
24-31-01-003	RESTORATION NO. 1 ENGINE STARTER/GENERATOR - (FOR STARTER GENERATOR P/N MG103C-3 OR PRE MOD SB 505-24-0017)							Service	ATA:24
PN:400SG180Q-4	MOS/MSC		N/A						
SN:S04249	HRS								
	AFL								
PROC. REF: AMM 24-31-01									
24-31-01-003	RESTORATION NO. 2 ENGINE STARTER/GENERATOR - (FOR STARTER GENERATOR P/N MG103C-3 OR PRE MOD SB 505-24-0017)							Service	ATA:24
PN:400SG180Q	MOS/MSC		N/A						
SN:S00844XL	HRS								
	AFL								
PROC. REF: AMM 24-31-01									
24-31-02	LEFT 28V DC GENERATOR CONTROL UNIT							Component	ATA:24
PN:GCSG550-12B	MOS/MSC	18-Feb-22	O/C	TSR 30					
SN:60675	HRS	1542.6		TSR 358.7					
	AFL	968		TSR 248					
PROC. REF: AMM 24-31-02, AMM 24-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-31-02		RIGHT 28V DC GENERATOR CONTROL UNIT					Component	ATA:24	
PN:GCSG550-12B	MOS/MSC	09-Dec-22	O/C	TSR 8					
SN:60834	HRS	1747.4	TSR 0						
	AFL	1092	TSR 0						
PROC. REF: AMM 24-31-02, AMM 24-31-02									
24-31-07-001 ^S		RESTORATION (CLEANING) OF LH SHUNT GENERATOR					Service	ATA:24	
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: AMM 24-31-07									
24-31-07-001 ^S		RESTORATION (CLEANING) OF RH SHUNT GENERATOR					Service	ATA:24	
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: AMM 24-31-07									
24-36-01		AFT MAIN BATTERY					Component	ATA:24	
PN:RG-380E/44	MOS/MSC	22-Oct-21	H/T						
SN:41176277	HRS	1468.2							
	AFL								
PROC. REF: AMM 24-36-01, AMM 24-36-01									
24-36-01		FORWARD MAIN BATTERY					Component	ATA:24	
PN:RG-390E/30	MOS/MSC	01-Mar-23	H/T		TSN 0				
SN:41256311	HRS	1848.3	TSN 0						
	AFL	1156	TSN 0						
PROC. REF: AMM 24-36-01, AMM 24-36-01									
24-36-01-003		DISCARD AFT MAIN BATTERY					Service	ATA:24	
PN:RG-380E/44	MOS/MSC	N/A							
SN:41176277	HRS								
	AFL								
PROC. REF: AMM 24-36-01									
24-36-01-003		DISCARD FORWARD MAIN BATTERY					Service	ATA:24	
PN:RG-390E/30	MOS/MSC	N/A							
SN:41256311	HRS								
	AFL								
PROC. REF: AMM 24-36-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-004 FUNCTIONAL CHECK AFT MAIN BATTERY - (PRE-MOD SB 505-24-0015) Service ATA:24								
PN:RG-380E/44	MOS/MSC		N/A					
SN:41176277	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
24-36-01-004 FUNCTIONAL CHECK FORWARD MAIN BATTERY - (PRE-MOD SB 505-24-0015) Service ATA:24								
PN:RG-390E/30	MOS/MSC		N/A					
SN:41256311	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
24-36-01-005 FUNCTIONAL CHECK AFT MAIN BATTERY - (POST-MOD SB 505-24-0015) Service ATA:24								
PN:RG-380E/44	MOS/MSC		N/A					
SN:41176277	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
24-36-01-005 FUNCTIONAL CHECK FORWARD MAIN BATTERY - (POST-MOD SB 505-24-0015) Service ATA:24								
PN:RG-390E/30	MOS/MSC		N/A					
SN:41256311	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
24-36-02-001^S OPERATIONAL CHECK OF BATTERY CURRENT SENSOR (HB2) Service ATA:24								
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 24-36-02								
PKG:60								
24-36-STC-003^U DISCARD AFT MAIN BATTERY (CONCORDE BATTERY) Service ATA:24								
PN:RG-380E/44	MOS/MSC		N/A					
SN:41176277	HRS							
	AFL							
24-36-STC-003^U DISCARD FORWARD MAIN BATTERY (CONCORDE BATTERY) Service ATA:24								
PN:RG-390E/30	MOS/MSC		N/A					
SN:41256311	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-STC-005^U CAPACITY CHECK AFT MAIN BATTERY (CONCORDE BATTERY) Service ATA:24								
PN:RG-380E/44	MOS	16-Feb-23	6 (+1m/-1m)		16-Aug-23	16-Sep-23	139 d (+31)	
SN:41176277	HRS	1828.7						
	AFL	1142						
24-36-STC-005^U CAPACITY CHECK FORWARD MAIN BATTERY (CONCORDE BATTERY) Service ATA:24								
PN:RG-390E/30	MOS	01-Mar-23	T:12 (+1m/-1m)		01-Mar-24	01-Apr-24	337 d (+31)	
SN:41256311	HRS	1848.3						
	AFL	1156						
24-54-05 28 VDC / 115 VAC STATIC INVERTER Component ATA:24								
PN:AS-24-0026-001	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0546	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-54-05, AMM 24-54-05								
24-65-00 W109 LEFT POWER DISTRIBUTION UNIT (LPDU) / RIGHT POWER DISTRIBUTION UNIT (RPDU) FEEDER CABLE Component ATA:24								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-02, AMM 24-65-02								
24-65-01 LEFT POWER DISTRIBUTION BOX Component ATA:24								
PN: SX7EG20-3	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0209	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-01, AMM 24-65-01								
24-65-02 RIGHT POWER DISTRIBUTION BOX Component ATA:24								
PN: SX7EG21-3	MOS/MSC	13-Oct-18	O/C	TSR 0				
SN:0293	HRS	1016.6		TSR 0				
	AFL	610		TSR 0				
PROC. REF: AMM 24-65-02, AMM 24-65-02								
24-65-04 NOSE POWER DISTRIBUTION BOX Component ATA:24								
PN: SX7EG22-3	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0209	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-04, AMM 24-65-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01		COPILOT SEAT							Component ATA:25
PN:1419-02AN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:388-1419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01		PILOT SEAT							Component ATA:25
PN:1419-01AN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:391-1419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01-001 ^S		DETAILED INSPECTION COPILOT SEAT							Service ATA:25
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-11-01									
25-11-01-001 ^S		DETAILED INSPECTION PILOT SEAT							Service ATA:25
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-11-01									
25-11-01-002 ^S		DETAILED INSPECTION OF COCKPIT SEAT BELTS							Service ATA:25
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-11-01									
25-21-01		PAX 1 - RH AFT FACE SEAT							Component ATA:25
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01		PAX 2 - LH AFT FACE SEAT							Component ATA:25
PN:403174-1D2FZ	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:54626	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01	PAX 3 - RH AFT FACE SEAT							Component	ATA:25
PN:403174-2D2FZ	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:54628	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01	PAX 6 - LH FWD FACE SEAT							Component	ATA:25
PN:403174-3D2FZ	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:54629	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01	PAX 7 - RH FWD FACE SEAT							Component	ATA:25
PN:403174-4D2FZ	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:54630	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER SEATS							Service	ATA:25
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01									
25-21-01-002 ^S	DETAILED INSPECTION OF PASSENGER SEAT BELTS							Service	ATA:25
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01									
25-21-02	DIVAN							Component	ATA:25
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-02, AMM 25-21-02									
25-21-02-001 ^S	DETAILED INSPECTION DIVAN							Service	ATA:25
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-02-002 ^S		DETAILED INSPECTION DIVAN SEAT BELTS						Service	ATA:25
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-02								PKG:40	
25-21-03		PAX 4 - LH FWD FACE SEAT						Component	ATA:25
PN:403174-1D2FZ	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:54625	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-03		PAX 5 - RH FWD FACE SEAT						Component	ATA:25
PN:403174-2D2FZ	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:54627	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-04		(DIVAN AIRBAG SYSTEM)ELECTRONIC MODULE ASSY						Component	ATA:25
PN:508358-415	MOS/MSC	27-May-21	O/C	TSN 0					
SN:A04DEC20-10	HRS	1441.4		TSN 0					
	AFL	880		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04									
25-21-04-001		RESTORATION (REPAIR) OF SEAT BELT AIRBAG ELECTRONIC MODULE ASSEMBLY (EMA) - NOTE: REPLACE THE EMA (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY						Service	ATA:25
PN:508358-415	MOS	27-May-21	84		27-May-28		1885 d		
SN:A04DEC20-10	HRS	1441.4							
	AFL	880							
PROC. REF: AMM 25-21-04, AMM 25-21-04									
25-21-04-002		DISCARD OF SEAT BELT AIRBAG INFLATOR GAS CYLINDER						Service	ATA:25
PN:5140184-401	MOS	27-Mar-21	120		27-Mar-31		2919 d	LIFE LIMIT	
SN:35977590	HRS								
	AFL								
PROC. REF: AMM 25-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-04-003 DETAILED VISUAL INSPECTION OF SEAT BELT AIRBAG ASSEMBLY Service ATA:25								
	MOS	27-May-21	48 (+1m/-1m)		27-May-25	27-Jun-25	789 d (+31)	
	HRS	1441.4						
	AFL	880						
PROC. REF: AMM 25-21-04								
25-21-04-004 OPERATIONAL CHECK OF SEAT BELT AIRBAG ASSEMBLY Service ATA:25								
	MOS	27-May-21	48 (+1m/-1m)		27-May-25	27-Jun-25	789 d (+31)	
	HRS	1441.4						
	AFL	880						
PROC. REF: AMM 25-21-04								
25-21-10 AIRBAG CYLINDER INFLATOR, ACH COLD Component ATA:25								
PN:5140184-401	MOS/MSC	27-May-21	H/T	TSN 0				
SN:35977590	HRS	1441.4		TSN 0				
	AFL	880		TSN 0				
PROC. REF: GENERIC NO REF								
25-43-01-001^S DETAILED VISUAL INSPECTION BELTED TOILET UNIT Service ATA:25								
	MOS	11-Sep-13						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-43-02								
PKG:40								
25-43-01-002^S DETAILED VISUAL INSPECTION BELTED TOILET SEAT BELT Service ATA:25								
	MOS	11-Sep-13						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-43-02								
PKG:40								
25-60-01 EMERGENCY LOCATOR TRANSMITTER Component ATA:25								
PN:S1821502-02	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:LX1100047523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-01, AMM 25-61-01								
25-60-03 ELT ANTENNA Component ATA:25								
PN:S65-8282-406	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:401-2218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-61-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-11		EMERGENCY LOCATOR TRANSMITTER BATTERY						Component	ATA:25
PN:S1820506-01	MOS/MSC	12-Jul-22	H/T	TSN 0					
SN:21460789	HRS	1619.9		TSN 0					
	AFL	1016		TSN 0					
PROC. REF: AMM 25-61-01, AMM 25-61-01									
25-61-00-001		OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER OF ELT SYSTEM						Service	ATA:25
PN:S1821502-02	MOS	12-Jul-22	12		12-Jul-23		104 d		
SN:LX1100047523	HRS	1619.9							
	AFL	1016							
PROC. REF: AMM 25-61-00									
25-61-00-002		GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER						Service	ATA:25
PN:S1821502-02	MOS	12-Jul-22	12	Adj -18d	24-Jun-23		86 d		
SN:LX1100047523	HRS	1619.9							
	AFL	1016							
PROC. REF: AMM 25-61-00									
25-61-04-001		DISCARD EMERGENCY LOCATOR TRANSMITTER BATTERY						Service	ATA:25
PN:S1820506-01	MOS/MSC	12-Jul-22	DUE		01-Dec-28 (M)		2073 d	LIFE LIMIT	
SN:21460789	HRS	1619.9							
	AFL	1016							
PROC. REF: AMM 25-61-04									
25-61-05		CS144-A ELT/NAV INTERFACE MODULE						Component	ATA:25
PN:S1825502-02	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:TM0000036771	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-05, AMM 25-61-05									
25-61-05-001		RESTORATION (REPAIR) OF ELT/NAV INTERFACEMODULE						Service	ATA:25
PN:S1825502-02	MOS	11-Sep-13	120		11-Sep-23		165 d		
SN:TM0000036771	HRS	0	16000		16000		14135		
	AFL	0							
PROC. REF: AMM 25-61-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-01 FIRST AID KIT Component ATA:25								
PN:PN-UNKNOWN	MOS/MSC	19-Jul-22	H/T					
SN:UNKNOWN	HRS	1619.9						
	AFL	1016						
PROC. REF: GENERIC NO REF								
25-62-01-001 VISUAL CHECK FIRST AID KIT Service ATA:25								
PN:PN-UNKNOWN	MOS/MSC	01-Mar-23	DUE		29-Feb-24 (M)		336 d	
SN:UNKNOWN	HRS	1848.3						
	AFL	1156						
PROC. REF: AMM 25-62-01								
25-62-02 COPILOT LIFE VEST Component ATA:25								
PN:66601-505	MOS/MSC	29-Oct-22	O/C					
SN:L5277586	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02 NO. 1 PASSENGER LIFE VEST Component ATA:25								
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:L2141494	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02 NO. 2 PASSENGER LIFE VEST Component ATA:25								
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:L2141505	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02 NO. 3 PASSENGER LIFE VEST Component ATA:25								
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:L2141506	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02 NO. 4 PASSENGER LIFE VEST Component ATA:25								
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:L2141507	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02		NO. 5 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:L2141508	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 6 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:L2141509	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 7 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:L2141510	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 8 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:L2199774	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		PILOT LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	29-Oct-22	O/C						
SN:L5060846	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF CO-PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS		120		01-Jul-31 (M)		3015 d	OVERHAUL	
SN:L5277586	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST							Service ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST							Service	ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
	PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST							Service	ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
	PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST							Service	ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
	PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 5 LIFE VEST							Service	ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
	PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 6 LIFE VEST							Service	ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
	PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 7 LIFE VEST							Service	ATA:25
	MOS	01-May-13	120		01-May-23		32 d	OVERHAUL	
	HRS								
	AFL								
	PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001 RESTORATION (OVERHAUL) OF NO. 8 LIFE VEST								
	MOS	01-Jul-13	120		01-Jul-23		93 d	Service ATA:25 OVERHAUL
	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-001 RESTORATION (OVERHAUL) OF PILOT LIFE VEST								
PN:66601-505	MOS		120		01-Mar-30 (M)		2528 d	Service ATA:25 OVERHAUL
SN:L5060846	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-04-001^S DETAILED DIMENSIONAL INSPECTION OF WATER BARRIER								
	MOS	22-Oct-21	24 (+1m/-1m)					Service ATA:25
	HRS	1468.2						
	AFL							
PROC. REF: AMM 25-62-04								
25-66-01 LIFE RAFT								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:25
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
ATA 26 - FIRE PROTECTION								
26-11-01 LEFT ENGINE FIRE DETECTOR								
PN:3951-51-565/215C-5.1M	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:26
SN:47799	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01								
26-11-01 RIGHT ENGINE FIRE DETECTOR								
PN:3951-51-565/215C-5.1M	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:26
SN:47798	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-11-01-001^S DETAILED VISUAL INSPECTION LEFT ENGINE FIRE DETECTOR Service ATA:26								
	MOS	11-Oct-19						
	HRS	1198.1	1600 (+30/-30)					
	AFL	730						
PROC. REF: AMM 26-11-01								PKG:10
26-11-01-001^S DETAILED VISUAL INSPECTION RIGHT ENGINE FIRE DETECTOR Service ATA:26								
	MOS	11-Oct-19						
	HRS	1198.1	1600 (+30/-30)					
	AFL	730						
PROC. REF: AMM 26-11-01								PKG:10
26-11-01-002^S OPERATIONAL CHECK LEFT ENGINE FIRE DETECTOR Service ATA:26								
	MOS	11-Oct-19						
	HRS	1198.1	800 (+30/-30)					
	AFL	730						
PROC. REF: AMM 26-11-01								PKG:1
26-11-01-002^S OPERATIONAL CHECK RIGHT ENGINE FIRE DETECTOR Service ATA:26								
	MOS	11-Oct-19						
	HRS	1198.1	800 (+30/-30)					
	AFL	730						
PROC. REF: AMM 26-11-01								PKG:1
26-15-01 MODEL 602 SMOKE DETECTOR Component ATA:26								
PN:8930-223B60L014	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:21431	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-15-01, AMM 26-15-01								
26-21-01 ENGINE FIRE EXTINGUISHER BOTTLE Component ATA:26								
PN:33000073-1	MOS/MSC	04-Mar-23	O/C	TSO 0				
SN:53507A1	HRS	1848.3		TSO 0				
	AFL	1156		TSO 0				
PROC. REF: AMM 26-21-03, AMM 26-21-03								
26-21-01-001 FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHING PANEL Service ATA:26								
	MOS	11-Sep-13						AIRWORTHINESS
	HRS	0	2400 (+30/-30)		2400	2430	535 (+30)	
	AFL	0						
PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-01A	FIRE/ENGINE/TRIM/IGNITION CONTROL PANEL							Component	ATA:26
PN:441-42702-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0547	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-01, AMM 26-21-01									
26-21-03-001	FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHER BOTTLE							Service	ATA:26
PN:33000073-1	MOS	03-Mar-23	120		03-Mar-33		3626 d	AIRWORTHINESS	
SN:53507A1	HRS								
	AFL								
PROC. REF: AMM 26-21-03									
26-21-05-001 ^S	OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service	ATA:26
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-21-05									
26-21-07	NO. 1 CARTRIDGE							Component	ATA:26
PN:M30903962-1	MOS/MSC	04-Mar-23	H/T	TSN 7					
SN:00437	HRS	1848.3							
	AFL	1156							
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07	NO. 2 CARTRIDGE							Component	ATA:26
PN:M30903963-1	MOS/MSC	04-Mar-23	H/T	TSN 10					
SN:00292	HRS	1848.3							
	AFL	1156							
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07-001	DISCARD NO. 1 CARTRIDGE							Service	ATA:26
PN:M30903962-1	MOS	01-Aug-22	120		01-Aug-32		3412 d	LIFE LIMIT	
SN:00437	HRS								
	AFL								
PROC. REF: AMM 26-21-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-07-001		DISCARD NO. 2 CARTRIDGE						Service	ATA:26
PN:M30903963-1	MOS	01-May-22	120		01-May-32		3320 d	LIFE LIMIT	
SN:00292	HRS								
	AFL								
PROC. REF: AMM 26-21-07									
26-21-09-001 ^S		DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING						Service	ATA:26
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-21-09									
PKG:20									
26-24-01		CABIN PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:RT-A1200	MOS/MSC	27-Oct-20	H/T	TSN 6					
SN:Y-502654	HRS	1371.2		TSN 0					
	AFL	838		TSN 0					
PROC. REF: AMM 26-24-01, AMM 26-24-01									
26-24-01		COCKPIT PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:RT-A1200	MOS/MSC	27-Oct-20	H/T	TSN 6					
SN:Y-502653	HRS	1371.2		TSN 0					
	AFL	838		TSN 0					
PROC. REF: AMM 26-24-01, AMM 26-24-01									
26-24-01-001		WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:RT-A1200	MOS	12-Oct-22	12		12-Oct-23		196 d		
SN:Y-502654	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-001		WEIGHT CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:RT-A1200	MOS	12-Oct-22	12		12-Oct-23		196 d		
SN:Y-502653	HRS								
	AFL								
PROC. REF: AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-24-01-002	DISCARD CABIN PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS		144		01-Sep-31 (M)		3077 d	LIFE LIMIT	
SN:Y-502654	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-002	DISCARD OF COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS		144		01-Sep-31 (M)		3077 d	LIFE LIMIT	
SN:Y-502653	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-003	DISCARD CABIN PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC		N/A						
SN:Y-502654	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-003	DISCARD OF COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC		N/A						
SN:Y-502653	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-004	WEIGHT CHECK OF CABIN PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC		N/A						
SN:Y-502654	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-004	WEIGHT CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC		N/A						
SN:Y-502653	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
ATA 27 - FLIGHT CONTROLS									
27-001	DISCARD LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Service	ATA:27
PN:475100-1013	MOS/MSC		N/A						
SN:1591	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-001	DISCARD RIGHT NO. 3 OUTBOARD FLAP ACTUATOR							Service	ATA:27
PN:475100-1013	MOS/MSC		N/A						
SN:1594	HRS								
	AFL								
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-002	DISCARD LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service	ATA:27
PN:475000-2013	MOS/MSC		N/A						
SN:0811	HRS								
	AFL								
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-002	DISCARD RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service	ATA:27
PN:475000-2013	MOS/MSC		N/A						
SN:0808	HRS								
	AFL								
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-003	DISCARD LEFT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
PN:475000-1013	MOS/MSC		N/A						
SN:3170	HRS								
	AFL								
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-003	DISCARD RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
PN:475000-1013	MOS/MSC		N/A						
SN:3169	HRS								
	AFL								
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-004	ROLL TRIM ACTUATOR							Component	ATA:27
PN:470500-1005	MOS	11-Sep-13		TSN 0			LIFE LIMIT		
SN:0196	HRS	0	12000	TSN 0	12000		10135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-02, AMM 27-14-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-005		YAW TRIM ACTUATOR						Component	ATA:27
PN:470600-1005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0197	HRS	0	12000	TSN 0	12000		10135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-24-02, AMM 27-24-02									
27-006		PITCH TRIM ACTUATOR						Component	ATA:27
PN:467500-1003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0200	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-41-01, AMM 27-41-01									
27-007		LEFT SPOILER ACTUATOR						Component	ATA:27
PN:456800-1003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0388	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02									
27-007		RIGHT SPOILER ACTUATOR						Component	ATA:27
PN:456800-1003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0389	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02									
27-008		ELECTRO - RUDDER GUST LOCK ACTUATOR						Component	ATA:27
PN:09762P000-03	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00253	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-70-01, AMM 27-70-01									
27-009		RUDDER BOOSTER ACTUATOR						Component	ATA:27
PN:9125-3	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0187T	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-23-02, AMM 27-23-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-01-01		LEFT CONTROL WHEEL					Component	ATA:27	
PN:83912139	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00737	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01		RIGHT CONTROL WHEEL					Component	ATA:27	
PN:83912141	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00677	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-02		LH PEDAL ASSEMBLY					Component	ATA:27	
PN:505-15420-427	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000754674	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-02, AMM 27-01-02									
27-01-02		RH PEDAL ASSEMBLY					Component	ATA:27	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-02, AMM 27-01-02									
27-01-03-001 ^S		LUBRICATION OF ROTARY BALL SPLINE					Service	ATA:27	
	MOS	22-Oct-21	24 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									
PKG:81									
27-010		LEFT TOGGLE LINK					Component	ATA:27	
PN:456870-1001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0389	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-65-02, AMM 27-65-02									
27-010		RIGHT TOGGLE LINK					Component	ATA:27	
PN:456870-1001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0390	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-65-02, AMM 27-65-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-011		STICK PUSHER ACTUATOR						Component	ATA:27
PN:9124-1	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0081T	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-36-02, AMM 27-36-02									
27-012		POWER DRIVE UNIT						Component	ATA:27
PN:467700-1003	MOS	09-Jul-18		TSR 0				LIFE LIMIT	
SN:0231	HRS	979	35000	TSN 1841, TSR 0	34138		32273		
	AFL	591		TSN 1407, TSR 0					
PROC. REF: AMM 27-51-07, AMM 27-51-07									
27-013		LEFT FLAP POSITION SENSOR UNIT						Component	ATA:27
PN:457310-1001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0433	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-013		RIGHT FLAP POSITION SENSOR UNIT						Component	ATA:27
PN:457310-1001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:0437	HRS	0	35000	TSN 0	35000		33135		
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-014		DISCARD LEFT CENTER FLAP FLEXIBLE 2 SHAFT						Service	ATA:27
PN:457360-1007	MOS/MSC	11-Sep-13	N/A						
SN:SSW0365	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014		DISCARD LEFT INBOARD FLAP FLEXIBLE 1 SHAFT						Service	ATA:27
PN:457360-1005	MOS	11-Sep-13						LIFE LIMIT	
SN:SSW743	HRS	0	35000		35000		33135		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-014	DISCARD LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS	11-Sep-13						LIFE LIMIT	
SN:SSW735	HRS	0	35000		35000		33135		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014	DISCARD RIGHT CENTER FLAP FLEXIBLE 2 SHAFT							Service	ATA:27
PN:457360-1007	MOS/MSC	11-Sep-13	N/A						
SN:SSW0364	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014	DISCARD RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS	11-Sep-13						LIFE LIMIT	
SN:SSW742	HRS	0	35000		35000		33135		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS	11-Sep-13						LIFE LIMIT	
SN:SSW736	HRS	0	35000		35000		33135		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015	DISCARD LEFT CENTER FLAP FLEXIBLE 2 SHAFT							Service	ATA:27
PN:457360-1007	MOS	11-Sep-13						LIFE LIMIT	
SN:SSW0365	HRS	0	35000		35000		33135		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015	DISCARD LEFT INBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	N/A						
SN:SSW743	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-015		DISCARD LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Service	ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	N/A						
SN:SSW735	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015		DISCARD RIGHT CENTER FLAP FLEXIBLE 2 SHAFT						Service	ATA:27
PN:457360-1007	MOS	11-Sep-13						LIFE LIMIT	
SN:SSW0364	HRS	0	35000		35000		33135		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015		DISCARD RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT						Service	ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	N/A						
SN:SSW742	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015		DISCARD RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Service	ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	N/A						
SN:SSW736	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-016		DISCARD LEFT NO. 3 OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:475100-1013	MOS	02-Feb-23						LIFE LIMIT	
SN:1591	HRS	1820.4	7200		9020.4		7155.4		
	AFL	1137							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-016		DISCARD RIGHT NO. 3 OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:475100-1013	MOS	02-Feb-23						LIFE LIMIT	
SN:1594	HRS	1820.4	7200		9020.4		7155.4		
	AFL	1137							
PROC. REF: AMM 27-51-01, AMM 27-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-017		DISCARD LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-2013	MOS	02-Feb-23						LIFE LIMIT	
SN:0811	HRS	1820.4	7200		9020.4		7155.4		
	AFL	1137							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-017		DISCARD RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-2013	MOS	02-Feb-23						LIFE LIMIT	
SN:0808	HRS	1820.4	7200		9020.4		7155.4		
	AFL	1137							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-018		DISCARD LEFT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-1013	MOS	02-Feb-23						LIFE LIMIT	
SN:3170	HRS	1820.4	7200		9020.4		7155.4		
	AFL	1137							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-018		DISCARD RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-1013	MOS/MSC	02-Feb-23	N/A						
SN:3169	HRS	1820.4							
	AFL	1137							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-03-01		NO. 1 ELECTRONICS FLIGHT CONTROL							Component ATA:27
PN:462900-1017	MOS/MSC	10-Jul-18	O/C						
SN:0783	HRS	979			TSN 300				
	AFL	591			TSN 185				
PROC. REF: AMM 27-03-01, AMM 27-03-01									
27-03-01		NO. 2 ELECTRONICS FLIGHT CONTROL							Component ATA:27
PN:462900-1017	MOS/MSC	12-Dec-21	O/C		TSR 3				
SN:1370	HRS	1482.4			TSR 0				
	AFL	929			TSR 0				
PROC. REF: AMM 27-03-01, AMM 27-03-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-03-01-002^S FUNCTIONAL CHECK OF PITCH TRIM ELECTRICAL STOP Service ATA:27								
	MOS	11-Sep-13						
	HRS	0	5600 (+30/-30)					
	AFL	0						
				PROC. REF: AMM 27-03-01				PKG:50
27-03-01-003^S FUNCTIONAL CHECK OF PITCH TRIM ACTUATION TIME LIMITER Service ATA:27								
	MOS	11-Sep-13						
	HRS	0	5600 (+30/-30)					
	AFL	0						
				PROC. REF: AMM 27-03-01				PKG:50
27-03-01-004 OPERATIONAL CHECK OF SPOILER SURFACE POSITION MONITOR Service ATA:27								
	MOS	11-Sep-13						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)	
	AFL	0						
				PROC. REF: AMM 27-03-01				
27-04-01 TRIM ACTUATOR CONTROLLER Component ATA:27								
PN:475200-1009	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0263	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 27-04-01, AMM 27-04-01				
27-04-01-001^S FUNCTIONAL CHECK OF ROLL/ YAW TRIM ACTUATION TIME LIMITER Service ATA:27								
	MOS	11-Sep-13						
	HRS	0	5600 (+30/-30)					
	AFL	0						
				PROC. REF: AMM 27-04-01				PKG:50
27-04-01-002^S FUNCTIONAL CHECK OF ROLL/ YAW TRIM TABS ELECTRICAL STOP Service ATA:27								
	MOS	11-Sep-13						
	HRS	0	5600 (+30/-30)					
	AFL	0						
				PROC. REF: AMM 27-04-01				PKG:50
27-11-00 AILERON CABLES ASSY. Component ATA:27								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 27-11-02, AMM 27-11-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-11-00-001 ^S	GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS							Service	ATA:27
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6	3200 (+30/-30)						
	AFL	610							
PROC. REF: AMM 27-11-00								PKG:42	
27-11-01	LEFT AILERON							Component	ATA:27
PN:505-14735-615	MOS/MSC	27-Oct-20	O/C						
SN:0000767541	HRS	1371.2							
	AFL	838							
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-01	RIGHT AILERON							Component	ATA:27
PN:505-14740-4001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000758252	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-02-001	FUNCTIONAL CHECK OF AILERON CONTROL CABLES TENSION							Service	ATA:27
	MOS	22-Oct-21	60 (+1m/-1m)		22-Oct-26	22-Nov-26	1302 d (+31)		
	HRS	1468.2	3200 (+30/-30)		4668.2	4698.2	2803.2 (+30)		
	AFL								
PROC. REF: AMM 27-11-02									
27-11-02-001(INITIAL)	FUNCTION CHECK OF AILERON CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service	ATA:27
	MOS/MSC	11-Sep-13	-						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-11-02									
27-11-02-002 ^S	DETAILED INSPECTION OF AILERON CONTROL CABLES							Service	ATA:27
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6	3200 (+30/-30)						
	AFL	610							
PROC. REF: AMM 27-11-02								PKG:42	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-14-02-001 FUNCTIONAL CHECK OF AILERON TRIM BACKLASH/ INTEGRITY								
	MOS	11-Sep-13						Service ATA:27 AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4135 (+30)	
	AFL	0						
PROC. REF: AMM 27-14-03								
27-14-02-002 DETAILED INSPECTION OF ROLL TRIM ACTUATING MECHANISM								
	MOS	11-Sep-13						Service ATA:27 AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)	
	AFL	0						
PROC. REF: AMM 27-14-02								
27-14-03 LEFT AILERON TAB								
PN:505-14773-4001	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:27
SN:0000763533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-14-03, AMM 27-14-03								
27-21-00 RUDDER CABLES ASSY.								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:27
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-02, AMM 27-21-02								
27-21-00-001^S GENERAL VISUAL INSPECTION OF RUDDER ACTUATING SYSTEM MECHANICAL COMPONENTS								
	MOS	13-Oct-18	60 (+1m/-1m)					Service ATA:27
	HRS	1016.6	3200 (+30/-30)					
	AFL	610						
PROC. REF: AMM 27-21-00								
27-21-01 RUDDER ASSEMBLY								
PN:505-39061-613	MOS/MSC	27-Oct-20	O/C					Component ATA:27
SN:0000756090	HRS	1371.2						
	AFL	838						
PROC. REF: AMM 27-21-01, AMM 27-21-01								

PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-21-02-001	FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION							Service	ATA:27
	MOS	22-Oct-21	60 (+1m/-1m)		22-Oct-26	22-Nov-26	1302 d (+31)		
	HRS	1468.2	3200 (+30/-30)		4668.2	4698.2	2803.2 (+30)		
	AFL								
	PROC. REF: AMM 27-21-02								
27-21-02-001(INITIAL)	FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service	ATA:27
	MOS/MSC	11-Sep-13	-						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 27-21-02								
27-21-02-002 ^S	DETAILED INSPECTION OF RUDDER CONTROL CABLES							Service	ATA:27
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6	3200 (+30/-30)						
	AFL	610							
	PROC. REF: AMM 27-21-02							PKG:42	
27-23-00-001 ^S	OPERATIONAL CHECK OF SPRING LOADED RUDDER BOOST SYSTEM							Service	ATA:27
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)						
	AFL	730							
	PROC. REF: AMM 27-23-00							PKG:10	
27-24-02-001	FUNCTIONAL CHECK OF RUDDER TRIM BACKLASH							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	6000 (+30/-30)		6000	6030	4135 (+30)		
	AFL	0							
	PROC. REF: AMM 27-24-03								
27-24-02-002	DETAILED INSPECTION OF YAW TRIM ACTUATING MECHANISM							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)		
	AFL	0							
	PROC. REF: AMM 27-24-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-24-03		RUDDER TRIM TAB							Component ATA:27
PN:505-10450-403	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000754508	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-24-03, AMM 27-24-03									
27-26-01		VENTRAL RUDDER							Component ATA:27
PN:505-07540-417	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000765387	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-26-01, AMM 27-26-01									
27-31-00		ELEVATOR CABLES ASSY							Component ATA:27
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-02, AMM 27-31-02									
27-31-00-001 ^S		GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS							Service ATA:27
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6	3200 (+30/-30)						
	AFL	610							
PROC. REF: AMM 27-31-00									
PKG:42									
27-31-01		LEFT ELEVATOR							Component ATA:27
PN:505-11094-605	MOS/MSC	27-Oct-20	O/C						
SN:0000765288	HRS	1371.2							
	AFL	838							
PROC. REF: AMM 27-31-01, AMM 27-31-01									
27-31-01		RIGHT ELEVATOR							Component ATA:27
PN:505-11094-606	MOS/MSC	27-Oct-20	O/C						
SN:0000765289	HRS	1371.2							
	AFL	838							
PROC. REF: AMM 27-31-01, AMM 27-31-01									
27-31-02-001		FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION							Service ATA:27
	MOS	22-Oct-21	60 (+1m/-1m)		22-Oct-26	22-Nov-26	1302 d (+31)		
	HRS	1468.2	3200 (+30/-30)		4668.2	4698.2	2803.2 (+30)		
	AFL								
PROC. REF: AMM 27-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-31-02-001(INITIAL)		FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	11-Sep-13	-						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-31-02									
27-31-02-002 ^S		DETAILED INSPECTION OF ELEVATOR CONTROL CABLES							Service ATA:27
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6	3200 (+30/-30)						
	AFL	610							
PROC. REF: AMM 27-31-02									
27-31-03		LEFT ELEVATOR TAB							Component ATA:27
PN:505-43073-4001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000762944	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-03, AMM 27-31-03									
27-31-03		RIGHT ELEVATOR TAB							Component ATA:27
PN:505-43073-4002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000762945	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-03, AMM 27-31-03									
27-31-03-001 ^S		FUNCTIONAL CHECK OF ELEVATOR AUTO-TRIM BACKLASH							Service ATA:27
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-31-03									
27-31-03-002 ^S		DETAILED INSPECTION OF ELEVATOR AUTO-TAB MECHANISM							Service ATA:27
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-31-03									
27-36-03-001 ^S		OPERATIONAL CHECK OF PUSHER CUTOUT SWITCH							Service ATA:27
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)						
	AFL	730							
PROC. REF: AMM 27-36-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-41-01-001	DETAILED INSPECTION OF PITCH TRIM ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)		
	AFL	0							
	PROC. REF: AMM 27-41-01								
27-41-01-002	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR BACKLASH							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	6000 (+30/-30)		6000	6030	4135 (+30)		
	AFL	0							
	PROC. REF: AMM 27-40-00								
27-41-01-003 ^S	LUBRICATION OF PITCH TRIM ACTUATOR							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
	PROC. REF: AMM 12-21-00							PKG:83	
27-41-01-004	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR NO- BACK							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)		
	AFL	0							
	PROC. REF: AMM 27-41-01								
27-41-01-005 ^S	SERVICING OF PITCH TRIM ACTUATOR GEAR BOXES							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
	PROC. REF: AMM 12-18-00							PKG:83	
27-41-01-006 ^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR MECHANICAL STOP							Service	ATA:27
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 27-41-01							PKG:50	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-43-02	COCKPIT PITCH TRIM SYS - INSC ILLUM PANEL							Component	ATA:27
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
27-50-01-01-901	DETAILED INSPECTION OF ACTUATOR PINS. FLAP MECHANICAL COMPONENT - INTERNAL							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 27-51-00									
27-51-01-001 ^S	LUBRICATION OF FLAP ACTUATORS BALL SCREWS							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									
27-51-01-002	DETAILED INSPECTION LEFT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
PROC. REF: AMM 27-51-01									
27-51-01-002	DETAILED INSPECTION LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
PROC. REF: AMM 27-51-01									
27-51-01-002	DETAILED INSPECTION LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
PROC. REF: AMM 27-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-01-002	DETAILED INSPECTION RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
	PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
	PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION RIGHT NO. 3 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
	PROC. REF: AMM 27-51-01								
27-51-01-004	FUNCTIONAL CHECK OF FLAP ACTUATOR TORQUE LIMITER							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5335 (+30)		
	AFL	0							
	PROC. REF: AMM 27-51-01								
27-51-01-005 ^S	SERVICING OF FLAP ACTUATOR GEAR BOXES							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
	PROC. REF: AMM 12-18-00							PKG:83	
27-51-01-900-801-01	LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Component	ATA:27
PN:475100-1013	MOS/MSC	02-Feb-23	H/T		TSN 1				
SN:1591	HRS	1820.4			TSN 0				
	AFL	1137			TSN 0				
	PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-900-801-02		RIGHT NO. 3 OUTBOARD FLAP ACTUATOR					Component	ATA:27
PN:475100-1013	MOS/MSC	02-Feb-23	H/T	TSN 1				
SN:1594	HRS	1820.4		TSN 0				
	AFL	1137		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-03		LEFT NO. 2 OUTBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-2013	MOS/MSC	02-Feb-23	H/T					
SN:0811	HRS	1820.4						
	AFL	1137						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-04		RIGHT NO. 2 OUTBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-2013	MOS/MSC	02-Feb-23	H/T					
SN:0808	HRS	1820.4						
	AFL	1137						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-05		LEFT NO. 1 INBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-1013	MOS/MSC	02-Feb-23	H/T	TSN 2				
SN:3170	HRS	1820.4		TSN 0				
	AFL	1137		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-06		RIGHT NO. 1 INBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-1013	MOS/MSC	02-Feb-23	H/T	TSN 2				
SN:3169	HRS	1820.4		TSN 0				
	AFL	1137		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-05		LEFT INBOARD FLAP					Component	ATA:27
PN:505-14401-4001	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0000763227	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								
27-51-05		LEFT OUTBOARD FLAP					Component	ATA:27
PN:505-39079-4001	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0000763225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-05		RIGHT INBOARD FLAP							Component ATA:27
PN:505-14401-4002	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:0000763228	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05									
27-51-05		RIGHT OUTBOARD FLAP							Component ATA:27
PN:505-39079-4002	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:0000758425	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05									
27-51-06-001 ^S		LUBRICATION LEFT CENTER FLAP FLEXIBLE SHAFT							Service ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									
27-51-06-001 ^S		LUBRICATION LEFT OUTBOARD FLAP FLEXIBLE SHAFT							Service ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									
27-51-06-001 ^S		LUBRICATION LH INBOARD FLAP FLEXIBLE SHAFT							Service ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									
27-51-06-001 ^S		LUBRICATION RH INBOARD FLAP FLEXIBLE SHAFT							Service ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									
27-51-06-001 ^S		LUBRICATION RIGHT CENTER FLAP FLEXIBLE SHAFT							Service ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 12-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-06-001 ^S	LUBRICATION RIGHT OUTBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 12-21-00			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION LEFT CENTER FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION LEFT OUTBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION LH INBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION RH INBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION RIGHT CENTER FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION RIGHT OUTBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
					PROC. REF: AMM 27-51-06			PKG:83	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-06-900-801-01		RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:SSW736	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-02		RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:SSW742	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-03		LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:SSW735	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-04		LEFT INBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:SSW743	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-05		LEFT CENTER FLAP FLEXIBLE 2 SHAFT						Component ATA:27
PN:457360-1007	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:SSW0365	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-06		RIGHT CENTER FLAP FLEXIBLE 2 SHAFT						Component ATA:27
PN:457360-1007	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:SSW0364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-53-01		FLAP SELECTOR, PRODUCTION, LEVER						Component ATA:27
PN:780501-9	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:1418	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-01, AMM 27-53-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-64-01-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LUG OF BELL CRANK. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS-INTERNAL							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 27-64-00									
27-64-01-01-902	DETAILED INSPECTION OF BELL CRANK AND FASTENERS. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS - INTERNAL							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 27-64-00									
27-64-01-02-901	SPECIAL DETAILED INSPECTION (MAGNETIC PARTICLE) OF BELL CRANK SAFE PINS. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS- INTERNAL							Service	ATA:27
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 7 27-64-00									
27-65-00-001 ^S	FUNCTIONAL CHECK OF MULTIFUNCTION SPOILER SYSTEM							Service	ATA:27
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-60-00									
27-65-01-001 ^S	GENERAL VISUAL INSPECTION OF MULTIFUNCTION SPOILER POWER CONTROL UNIT (PCU)							Service	ATA:27
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-65-00									
27-66-01	NO. 1 CONTROL WHEEL POSITION SENSOR							Component	ATA:27
PN:456896-1001	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:085745	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 27-66-01, AMM 27-66-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-66-01		NO. 2 CONTROL WHEEL POSITION SENSOR					Component	ATA:27	
PN:456896-1001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:085754	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-66-01, AMM 27-66-01									
27-66-02		LEFT SPOILER SURFACE POSITION SENSOR					Component	ATA:27	
PN:456897-1001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:080600	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-66-02, AMM 27-66-02									
27-66-02		RIGHT SPOILER SURFACE POSITION SENSOR					Component	ATA:27	
PN:456897-1001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:080599	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-66-02, AMM 27-66-02									
ATA 28 - FUEL									
28-11-00-001 ^S		FUNCTIONAL CHECK OF FUEL TANKS FOR MICROORGANISMS					Service	ATA:28	
	MOS	29-Oct-22	12 (+1m/-1m)						
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 28-11-00									
28-11-05		LEFT WING WATER DRAIN VALVE					Component	ATA:28	
PN:L83A13-628	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F59947	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-05		RIGHT WING WATER DRAIN VALVE					Component	ATA:28	
PN:L83A13-628	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F59948	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-11-07	LEFT WING DUMP VALVE							Component	ATA:28
PN:V98A32-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F84360	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-11-07	RIGHT WING DUMP VALVE							Component	ATA:28
PN:V98A32-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F84399	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-12-01-001 ^S	SPECIAL DETAILED INSPECTION OF FUEL VENT NACA							Service	ATA:28
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 28-12-01									
28-12-03	LEFT FUEL TANK FLOAT VENT VALVE							Component	ATA:28
PN:L87-19-001P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F80549	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03									
28-12-03	RIGHT FUEL TANK FLOAT VENT VALVE							Component	ATA:28
PN:L87-19-001P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F80546	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03									
28-12-03-001 ^S	OPERATIONAL CHECK LEFT FLOAT VENT VALVE							Service	ATA:28
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-12-03									
28-12-03-001 ^S	OPERATIONAL CHECK RIGHT FLOAT VENT VALVE							Service	ATA:28
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-12-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-01		LEFT WING FUEL SYSTEM - ENGINE FEED 3/4 IN CHECK VALVE					Component	ATA:28	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-01		RIGHT WING FUEL SYSTEM - ENGINE FEED 3/4 IN CHECK VALVE					Component	ATA:28	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-02		LEFT WING DC AUXILIARY BOOST PUMP CARTRIDGE					Component	ATA:28	
PN:P99C25-606P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F90705	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-02		RIGHT WING DC AUXILIARY BOOST PUMP CARTRIDGE					Component	ATA:28	
PN:P99C25-606P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F90704	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-03		LEFT WING DC AUXILIARY BOOST PUMP CANISTER					Component	ATA:28	
PN:C93R25-606P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:H05411	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-03		RIGHT WING DC AUXILIARY BOOST PUMP CANISTER					Component	ATA:28	
PN:C93R25-606P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:H05410	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-05		LEFT WING JET PUMP FEED LINE					Component	ATA:28	
PN:T99A19-602	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F82480	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-05		RIGHT WING JET PUMP FEED LINE					Component	ATA:28	
PN:T99A19-602	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F82481	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									
28-21-07		LEFT 0.75 SHUTOFF VALVE					Component	ATA:28	
PN:B97-15-601	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F74326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07		RIGHT 0.75 SHUTOFF VALVE					Component	ATA:28	
PN:B97-15-601	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F74323	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-001		OPERATIONAL CHECK LEFT ENGINE FUEL SOV SYSTEM					Service	ATA:28	
	MOS	11-Oct-19						AIRWORTHINESS	
	HRS	1198.1	800 (+30/-30)		1998.1	2028.1	133.1 (+30)		
	AFL	730							
PROC. REF: AMM 28-21-07									
28-21-07-001		OPERATIONAL CHECK RIGHT ENGINE FUEL SOV SYSTEM					Service	ATA:28	
	MOS	11-Oct-19						AIRWORTHINESS	
	HRS	1198.1	800 (+30/-30)		1998.1	2028.1	133.1 (+30)		
	AFL	730							
PROC. REF: AMM 28-21-07									
28-21-08		FORWARD LEFT 28 VDC SOV ACTUATOR					Component	ATA:28	
PN:D97C00-644P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:C701530	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-08		LEFT WING 28 VDC SOV ACTUATOR					Component	ATA:28	
PN:D97C00-644P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:C701529	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-08		REAR RIGHT 28 VDC SOV ACTUATOR							Component ATA:28
PN:D97C00-644P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:C701532	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-09		LEFT WING SCAVENGER JET PUMP							Component ATA:28
PN:T99A19-603	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F33572	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-09, AMM 28-21-09									
28-21-09		RIGHT WING SCAVENGER JET PUMP							Component ATA:28
PN:T99A19-603	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F33571	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-09, AMM 28-21-09									
28-21-10		3/4" (CROSSFEED) SHUT OFF VALVE							Component ATA:28
PN:B97H19-608P2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:H06748	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-10, AMM 28-21-10									
28-21-10-001		OPERATIONAL CHECK OF FUEL XFEED VALVE							Service ATA:28
	MOS	11-Sep-13							
	HRS	0	12000 (+30/-30)		12000	12030	10135 (+30)		
	AFL	0							
PROC. REF: AMM 28-21-10									
28-21-11		LEFT WING 1/2 INCH CHECK VALVE VALVE							Component ATA:28
PN:L96-13-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F89904	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-11		RIGHT WING 1/2 INCH CHECK VALVE VALVE							Component ATA:28
PN:L96-13-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F89908	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-13		INSC ILLUM PANEL					Component		ATA:28
PN:441-42621-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1187	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-21-13, AMM 28-21-13									
28-23-01		REFUEL CONTROL PANEL					Component		ATA:28
PN:742388-1-2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:742388IN00288	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-23-01, AMM 28-23-01									
28-23-03		LEFT WING PRESSURE REFUELING SOLENOID VALVE					Component		ATA:28
PN:L94E31-653P3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F66246	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-23-03, AMM 28-23-03									
28-23-03		RIGHT WING PRESSURE REFUELING SOLENOID VALVE					Component		ATA:28
PN:L94E31-653P3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F66248	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-23-03, AMM 28-23-03									
28-23-04-001 ^S		GENERAL VISUAL INSPECTION OF PRESSURE REFUELING ADAPTER					Service		ATA:28
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-23-05									
PKG:40									
28-23-07		LEFT HIGH LEVEL SENSOR					Component		ATA:28
PN:722860-2-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0524	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-23-07, AMM 28-23-07									
28-23-07		RIGHT HIGH LEVEL SENSOR					Component		ATA:28
PN:722860-2-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0529	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-23-07, AMM 28-23-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-23-09	FUEL PORT AND CAP							Component	ATA:28
PN:K97-63-613	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:F44614	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-09, AMM 28-23-09									
28-41-01	NO. 1 LEFT PROBE							Component	ATA:28
PN:765896-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765896IN00475	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 1 RIGHT PROBE							Component	ATA:28
PN:765896-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765896IN00409	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 LEFT PROBE							Component	ATA:28
PN:765873-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765873IN00491	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 RIGHT PROBE							Component	ATA:28
PN:765873-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765873IN00489	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 LEFT PROBE							Component	ATA:28
PN:765874-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765874IN00485	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 RIGHT PROBE							Component	ATA:28
PN:765874-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765874IN00481	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-41-01	NO. 4 LEFT PROBE							Component	ATA:28
PN:765875-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765875IN00492	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 RIGHT PROBE							Component	ATA:28
PN:765875-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:765875IN00489	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-05	EFCU ELECTRICAL FUEL CONTROL UNIT							Component	ATA:28
PN:738742-1-4	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:738790IN00613	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-05, AMM 28-41-05									
28-43-01	TEMPERATURE SENSOR							Component	ATA:28
PN:798840-1-0	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:03388	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01									
28-43-01-001 ^S	FUNCTIONAL CHECK OF FUEL TEMPERATURE SENSOR							Service	ATA:28
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-43-01									
PKG:60									
28-45-01	LEFT PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0787	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									
28-45-01	RIGHT PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0809	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-12-02		CENTER FUSELAGE HYDRAULIC SYSTEM FLUID BOOTSTRAP RESERVOIR					Component	ATA:29	
PN:3032763-003	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:MX768182	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02									
29-12-02		LEFT ENGINE DRIVEN HYDRAULIC PUMP					Component	ATA:29	
PN:3032249-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:MX768362	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02									
29-12-02		RIGHT ENGINE DRIVEN HYDRAULIC PUMP					Component	ATA:29	
PN:3032249-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:MX769515	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02									
29-12-02-001 ^S		VISUAL CHECK OF MANIFOLD/ RESERVOIR					Service	ATA:29	
	MOS	29-Oct-22	12 (+1m/-1m)						
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 29-12-02									
PKG:80									
29-12-02-002 ^S		OPERATIONAL CHECK LEFT EDP CHECK VALVE					Service	ATA:29	
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 29-10-00									
PKG:50									
29-12-02-002 ^S		OPERATIONAL CHECK RIGHT EDP CHECK VALVE					Service	ATA:29	
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 29-10-00									
PKG:50									
29-15-03		HYDRAULIC ACCUMULATOR					Component	ATA:29	
PN:0860231003	MOS/MSC	13-Oct-18	O/C	TSO 0					
SN:60231-2099	HRS	1016.6		TSO 0					
	AFL	610		TSO 0					
PROC. REF: AMM 29-15-03, AMM 29-15-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-15-03-001 ^S		SERVICING OF HYDRAULIC ACCUMULATOR						Service	ATA:29
PN:0860231003	MOS	29-Oct-22	12 (+1m/-1m)						
SN:60231-2099	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 12-13-00								PKG:80	
29-15-04		NO. 1 FSOV FIRE SHUT OFF VALVE						Component	ATA:29
PN:3032428-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:AA400429	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-15-04, AMM 29-15-04									
29-15-04		NO. 2 FSOV FIRE SHUT OFF VALVE						Component	ATA:29
PN:3032428-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:AA400430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-15-04, AMM 29-15-04									
29-15-04-001		OPERATIONAL CHECK NO. 1 FSOV FIRE SHUT OFF VALVE ENGINE HYDRAULIC SHUT-OFF VALVE						Service	ATA:29
PN:3032428-001	MOS	22-Oct-21	48 (+30d/-30d)		22-Oct-25	21-Nov-25	937 d (+30)	AIRWORTHINESS	
SN:AA400429	HRS	1468.2	3200 (+30/-30)		4668.2	4698.2	2803.2 (+30)		
	AFL								
PROC. REF: AMM 29-15-04									
29-15-04-001		OPERATIONAL CHECK NO. 2 FSOV FIRE SHUT OFF VALVE ENGINE HYDRAULIC SHUT-OFF VALVE						Service	ATA:29
PN:3032428-001	MOS	22-Oct-21	48 (+30d/-30d)		22-Oct-25	21-Nov-25	937 d (+30)	AIRWORTHINESS	
SN:AA400430	HRS	1468.2	3200 (+30/-30)		4668.2	4698.2	2803.2 (+30)		
	AFL								
PROC. REF: AMM 29-15-04									
29-15-05		PRIORITY VALVE						Component	ATA:29
PN:2217-0001-401	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-15-05, AMM 29-15-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-31-02-001 ^S	FUNCTIONAL CHECK OF DIFFERENTIAL PRESSURE INDICATOR, RETURN FILTER BYPASS VALVE AND HP RELIEF VALVE							Service	ATA:29
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 29-31-02							PKG:50	
ATA 30 - ICE AND RAIN PROTECTION									
30-01-01	MD INSC ILLUM PANEL							Component	ATA:30
PN:441-43234-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1143	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 30-01-01, AMM 30-01-01								
30-12-00-001 ^S	OPERATIONAL CHECK OF WING/H-STAB ANTI-ICING SYSTEM							Service	ATA:30
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 30-10-00							PKG:60	
30-12-01-001 ^S	FUNCTIONAL CHECK OF WING/H-STAB ANTI-ICING VALVE PRESSURE TRANSDUCERS							Service	ATA:30
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 30-12-01							PKG:60	
30-12-02	LEFT WING AND HORIZONTAL STABILIZER ANTI-ICE VALVE							Component	ATA:30
PN:RYLB-53534-3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0177	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 30-12-02, AMM 30-12-02								
30-12-02	RIGHT WING AND HORIZONTAL STABILIZER ANTI-ICE VALVE							Component	ATA:30
PN:RYLB-53534-4	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0177	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 30-12-02, AMM 30-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-05 LEFT HORIZONTAL STABILIZER ANTI-ICE PRESSURE TRANSDUCER								Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:7881-3-203	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05 LEFT PYLON ANTI-ICE PRESSURE TRANSDUCER								Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:8013-1-652	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05 LEFT WING TIP ANTI-ICE PRESSURE TRANSDUCER								Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:8013-2-56	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05 RIGHT HORIZONTAL STABILIZER ANTI-ICE PRESSURE TRANSDUCER								Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:8013-2-679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05 RIGHT PYLON ANTI-ICE PRESSURE TRANSDUCER								Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:8013-1-665	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05 RIGHT WING TIP ANTI-ICE PRESSURE TRANSDUCER								Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:8013-2-82	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05-001^S FUNCTIONAL CHECK LEFT WING TIP ANTI-ICING PRESSURE TRANSDUCER								Service ATA:30
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05								

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-05-001^S FUNCTIONAL CHECK RIGHT WING TIP ANTI-ICING PRESSURE TRANSDUCER Service ATA:30								
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05								PKG:60
30-12-05-002^S FUNCTIONAL CHECK LEFT HORIZONTAL STABILIZER ANTI-ICING PRESSURE TRANSDUCER Service ATA:30								
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05								PKG:60
30-12-05-002^S FUNCTIONAL CHECK RIGHT HORIZONTAL STABILIZER ANTI-ICING PRESSURE TRANSDUCER Service ATA:30								
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05								PKG:60
30-21-01 LEFT ENGINE ANTI-ICE PRESUURE VALVE Component ATA:30								
PN:10030295	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0000336	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-01 RIGHT ENGINE ANTI-ICE PRESUURE VALVE Component ATA:30								
PN:10030295	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0000335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-02 LEFT ENGINE ANTI-ICE PRESSURE TRANSDUCER Component ATA:30								
PN:APTE-477F-1000-100GMOS/MSC		11-Sep-13	O/C	TSN 0				
SN:8050-7-125	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02								
30-21-02 RIGHT ENGINE ANTI-ICE PRESSURE TRANSDUCER Component ATA:30								
PN:APTE-477F-1000-100GMOS/MSC		11-Sep-13	O/C	TSN 0				
SN:8050-7-119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-21-02-001	FUNCTIONAL CHECK OF LEFT ENGINE ANTI-ICING PRESSURE TRANSDUCER							Service	ATA:30
	MOS	11-Sep-13							
	HRS	0	12000 (+30/-30)		12000	12030	10135 (+30)		
	AFL	0							
	PROC. REF: AMM 30-21-02								
30-21-02-001	FUNCTIONAL CHECK OF RIGHT ENGINE ANTI-ICING PRESSURE TRANSDUCER							Service	ATA:30
	MOS	11-Sep-13							
	HRS	0	12000 (+30/-30)		12000	12030	10135 (+30)		
	AFL	0							
	PROC. REF: AMM 30-21-02								
30-21-02-720-801-A	TROUBLE SHOOTING ENGINE OPERATING PROBLEMS - ENGINE ANTI-ICING PRESSURE TRANSDUCER FUNCTIONAL CHECK							Service	ATA:30
	MOS/MSC	11-Sep-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 30-21-02								
30-21-03-001 ^S	BORESCOPE INSPECTION OF PICCOLO TUBE							Service	ATA:30
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 30-21-03							PKG:50	
30-21-04-001 ^S	DETAILED INSPECTION OF ENGINE ANTI-ICE DUCTS							Service	ATA:30
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 30-21-00							PKG:20	
30-31-00-002	OPERATIONAL CHECK IASP PROBE AND PITOT STATIC HEATING							Service	ATA:30
	MOS	22-Oct-21	24 (+1m/-1m)		22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1468.2							
	AFL								
	PROC. REF: AMM 30-30-00							PKG:81	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-41-01-002^S DISCARD OF WINDSHIELD RAIN REPELLENT COATING Service ATA:30								
	MOS	29-Oct-22	12 (+1m/-1m)					
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 30-41-01								PKG:80
30-41-01-003^S FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE Service ATA:30								
	MOS	29-Oct-22	12 (+1m/-1m)					
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 30-41-01								PKG:80
30-42-00-001^S OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM Service ATA:30								
	MOS	11-Oct-19						
	HRS	1198.1	800 (+30/-30)					
	AFL	730						
PROC. REF: AMM 30-42-00								PKG:1
30-42-01 LH PANEL WINDSHIELD HEATER (OVERLENGTH) CONTROL Component ATA:30								
PN:EPM-112-3	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:01696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-42-01 RH PANEL WINDSHIELD HEATER (OVERLENGTH) CONTROL Component ATA:30								
PN:EPM-112-3	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:01697	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-81-02 LEFT NOSE ICE DETECTOR Component ATA:30								
PN:0871LM3-1	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0930	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-81-02, AMM 30-81-02								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30-02 CVDR ACCELEROMETER Component ATA:31								
PN:3001-01-111	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0912-DTM1348	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PROC. REF: AMM 31-31-05, AMM 31-31-05									
31-30-03	REAR CVDR IMPACT SWITCH							Component	ATA:31
PN:5930-4-000	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:6025	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-04, AMM 31-31-04									
31-31-00-002	OPERATIONAL CHECK OF CVR (COCKPIT VOICE RECORDER)							Service	ATA:31
	MOS	29-Oct-22	12 (+1m/-1m)	Adj -7d	22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 31-31-00									
31-31-01	(CVR / CVDR) COCKPIT VOICE RECORDER							Component	ATA:31
PN:2100-3083-50	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:SER000855100	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-01, AMM 31-31-01									
31-31-03	CVDR/ULB - COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component	ATA:31
PN:DK120/90	MOS/MSC	01-Apr-19	H/T	TSN 6					
SN:AT117315	HRS	1095.5		TSN 0					
	AFL	665		TSN 0					
PROC. REF: AMM 31-31-03, AMM 31-31-03									
31-31-03-001	DISCARD CVDR/ULB - COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY							Service	ATA:31
PN:DK120/90	MOS/MSC	19-Oct-18	DUE		01-Aug-25 (M)		855 d	LIFE LIMIT	
SN:AT117315	HRS								
	AFL								
PROC. REF: AMM 31-31-03									
31-31-09	CVDR CONTROL PANEL							Component	ATA:31
PN:441-42635-003	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0486	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-09, AMM 31-31-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-33-01		FDR - FLIGHT DATA RECORDER						Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-33-01, AMM 31-33-01									
31-33-03		FDR/ULB - FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON						Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-33-03, AMM 31-33-03									
31-33-03-001^S		DISCARD FDR/ULB - FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY (NOTE: FOR AIRCRAFT WITH FDR INSTALLED)						Service	ATA:31
PN:PN	MOS/MSC		DUE					LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 31-33-03									
31-33-04		FORWARD CVDR IMPACT SWITCH						Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-33-04, AMM 31-33-04									
31-33-05		ELEVATOR FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER						Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-33-05, AMM 31-33-05									
31-33-05		RUDDER FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER						Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-33-05, AMM 31-33-05									
31-33-05-001		FUNCTIONAL CHECK OF RUDDER FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER						Service	ATA:31
	MOS/MSC	11-Sep-13	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 31-33-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-33-05-002	FUNCTIONAL CHECK OF ELEVATOR FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER							Service	ATA:31
	MOS/MSC	11-Sep-13	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 31-33-05									
31-40-01	LH DCU UNIT							Component	ATA:31
PN:011-01457-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:16905810	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-01, AMM 31-41-01									
31-40-01	RH DCU UNIT							Component	ATA:31
PN:011-01457-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:16905812	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-01, AMM 31-41-01									
31-40-02	LEFT GIA 63W INTEGRATED AVIONICS UNIT							Component	ATA:31
PN:011-01105-20	MOS/MSC	25-Oct-21	O/C	TSN 97					
SN:1HQ007399	HRS								
	AFL								
PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05									
31-40-02	RIGHT GIA 63W INTEGRATED AVIONICS UNIT							Component	ATA:31
PN:011-01105-20	MOS/MSC	25-Oct-21	O/C	TSN 97					
SN:1HQ007398	HRS								
	AFL								
PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05									
31-41-01	LH COCKPIT PARTITION MAINTNANCE SYSTEM INSC ILLUM PANEL							Component	ATA:31
PN:441-42627-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1175	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31-42-00-001 ^S	OPERATIONAL CHECK OF HSDB SWITCH REVERSION							Service	ATA:31
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-42-00									

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-50-01	(GEA 71) ENGINE AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-50-01	1 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:46715917	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-50-01	2 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:46716053	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-50-01	3 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:46716075	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-61-00-001 ^S	OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S	OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S	OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-61-01	MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component	ATA:31
PN:011-01440-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:18T006258	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01	PFD 1 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:011-01440-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:18T006256	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01	PFD 2 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:011-01440-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:18T006289	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-05	TAWS SYSTEM INSC ILLUMINATED PANEL ASSEMBLY							Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-05, AMM 31-61-05									
31-61-06	NO. 1 BARO INSC ILLUMINATED PANEL							Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-06, AMM 31-61-06									
31-61-06	NO. 2 BARO INSC ILLUMINATED PANEL							Component	ATA:31
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-06, AMM 31-61-06									
ATA 32 - LANDING GEAR									
32-00-00-001 ^S	GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR POLYURETHANE FILMS							Service	ATA:32
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: AMM 32-00-20						PKG:1			
32-001	LEFT MLG SHOCK STRUT LEFT MAIN FITTING							Component	ATA:32
PN:2317-1201-503	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1475206/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-002	RIGHT MLG SHOCK STRUT RIGHT MAIN FITTING							Component	ATA:32
PN:2317-1201-504	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1472601/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-003	LEFT PINTLE PIN							Component	ATA:32
PN:2317-1101-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1469577/011	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-003	RIGHT PINTLE PIN							Component	ATA:32
PN:2317-1101-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1469577/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-004	LEFT PINTLE PIN							Component	ATA:32
PN:2317-1102-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1466154/006	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-004	RIGHT PINTLE PIN							Component	ATA:32
PN:2317-1102-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1464874/003	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-005		LEFT MLG SHOCK STRUT (MF - AS) AXLE						Component	ATA:32
PN:2317-1103-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1462787/005	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-005		RIGHT MLG SHOCK STRUT (MF - AS) AXLE						Component	ATA:32
PN:2317-1103-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1473169/008	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-006		LEFT MLG SHOCK STRUT (TR - AS) AXLE						Component	ATA:32
PN:2317-1107-005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1455542/001	HRS	0		TSN 0					
	AFL	0	15300	TSN 0	15300		14132		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-006		RIGHT MLG SHOCK STRUT (TR - AS) AXLE						Component	ATA:32
PN:2317-1107-005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467976/008	HRS	0		TSN 0					
	AFL	0	15300	TSN 0	15300		14132		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-007		LEFT MAIN LANDING GEAR SHOCK STRUT (LOCKING ACT) PIN						Component	ATA:32
PN:2317-1109-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1460606/004	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-007		RIGHT MAIN LANDING GEAR SHOCK STRUT (LOCKING ACT) PIN						Component	ATA:32
PN:2317-1109-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1465592/003	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-02, AMM 32-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-008 LEFT MAIN LANDING GEAR SHOCK STRUT (TRAILING) BOLT Component ATA:32								
PN:2317-1126-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1470389/010	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-008 RIGHT MAIN LANDING GEAR SHOCK STRUT (TRAILING) BOLT Component ATA:32								
PN:2317-1126-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1465212/004	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-10-00 LEFT MAIN LANDING GEAR Component ATA:32								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-00								
32-10-00 RIGHT MAIN LANDING GEAR Component ATA:32								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-00								
32-10-01 LEFT MAIN LANDING GEAR LEG STRUT ASSY Component ATA:32								
PN:2317-1100-405	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00161	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-10-01 RIGHT MAIN LANDING GEAR LEG STRUT ASSY Component ATA:32								
PN:2317-1100-406	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00163	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-100 LEFT MAIN LANDING GEAR TRAILING ARM ASSY Component ATA:32								
PN:2317-1500-405	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-100		RIGHT MAIN LANDING GEAR TRAILING ARM ASSY						Component	ATA:32
PN:2317-1500-406	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101		LEFT MAIN LANDING GEAR TRAILING ARM WHEEL AXLE						Component	ATA:32
PN:2317-1502-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467913/005	HRS	0		TSN 0					
	AFL	0	15300	TSN 0	15300		14132		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101		RIGHT MAIN LANDING GEAR TRAILING ARM WHEEL AXLE						Component	ATA:32
PN:2317-1502-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467913/006	HRS	0		TSN 0					
	AFL	0	15300	TSN 0	15300		14132		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-102		LEFT MAIN LANDING GEAR TRAILING ARM AXLE						Component	ATA:32
PN:2317-1503-005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467909/004	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-102		RIGHT MAIN LANDING GEAR TRAILING ARM AXLE						Component	ATA:32
PN:2317-1503-005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467909/002	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-103		LEFT MAIN LANDING GEAR TRAILING ARM BOLT						Component	ATA:32
PN:2317-1509-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1464065/009	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-103 RIGHT MAIN LANDING GEAR TRAILING ARM BOLT Component ATA:32								
PN:2317-1509-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1464065/007	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-104 LEFT MAIN LANDING GEAR TRAILING ARM Component ATA:32								
PN:2317-1513-501	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1470402/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-105 RIGHT MAIN LANDING GEAR TRAILING ARM Component ATA:32								
PN:2317-1513-502	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1470404/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-106 LEFT MAIN LANDING GEAR TRAILING ARM JACKING PIN Component ATA:32								
PN:2317-1505-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1470369/011	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-106 RIGHT MAIN LANDING GEAR TRAILING ARM JACKING PIN Component ATA:32								
PN:2317-1505-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1470369/005	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-11-00-001^S GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR Service ATA:32								
	MOS	29-Oct-22	12 (+1m/-1m)					
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 32-11-00								
PKG:80								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-003 LUBRICATION OF MAIN LANDING GEAR Service ATA:32								
	MOS	29-Oct-22	12 (+1m/-1m)	Adj -7d	22-Oct-23	22-Nov-23	206 d (+31)	
	HRS	1712.9						
	AFL	1072	650 (+30/-30)		1722	1752	554 (+30)	
PROC. REF: AMM 12-21-00								
32-11-01-001 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH) Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-11-00								
32-11-01-002 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH) Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-11-00								
32-11-02-001 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH) Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-11-00								
32-11-02-002 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH) Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-11-00								
32-11-02-900-801-05 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON Component ATA:32								
PN:2117-3001-001	MOS/MSC		H/T	TSN 0				
SN:1471064/010	HRS			TSN 0				
	AFL	EFF		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-02-900-801-06		LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON					Component	ATA:32	
PN:2117-3001-001	MOS/MSC		H/T	TSN 0					
SN:1462766/003	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-07		LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER					Component	ATA:32	
PN:2117-3010-001	MOS/MSC		H/T	TSN 0					
SN:1466737/003	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-08		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER					Component	ATA:32	
PN:2117-3010-001	MOS/MSC		H/T	TSN 0					
SN:1474298/010	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-13		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN					Component	ATA:32	
PN:2117-3019-001	MOS/MSC		H/T	TSN 0					
SN:1467210/011	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-14		LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN					Component	ATA:32	
PN:2117-3019-001	MOS/MSC		H/T	TSN 0					
SN:1467481/005	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-15		LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE					Component	ATA:32	
PN:2117-3007-001	MOS/MSC		H/T	TSN 0					
SN:1469574/003	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-16		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE					Component	ATA:32	
PN:2117-3007-001	MOS/MSC		H/T	TSN 0					
SN:1465209/010	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-03-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)							Service	ATA:32
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL	
	HRS								
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)		
	PROC. REF: AMM 32-11-00								
32-11-03-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)							Service	ATA:32
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL	
	HRS								
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)		
	PROC. REF: AMM 32-11-00								
32-11-03-004	SERVICING OF MAIN LANDING GEAR SHOCK ABSORBER							Service	ATA:32
	MOS	29-Oct-22	12 (+1m/-1m)	Adj -7d	22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1712.9							
	AFL	1072	650 (+30/-30)		1722	1752	554 (+30)		
	PROC. REF: AMM 12-14-02								
32-11-04-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)							Service	ATA:32
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL	
	HRS								
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)		
	PROC. REF: AMM 32-11-00								
32-11-04-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)							Service	ATA:32
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL	
	HRS								
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)		
	PROC. REF: AMM 32-11-00								
32-20-01	NOSE LANDING GEAR							Component	ATA:32
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 32-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-200 LEFT MAIN LANDING GEAR MLG SHOCK ABSORBER Component ATA:32								
PN:2317-3000-403	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-200 RIGHT MAIN LANDING GEAR MLG SHOCK ABSORBER Component ATA:32								
PN:2317-3000-403	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00363	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-201 LEFT MAIN LANDING GEAR SHOCK ABSORBER CYLINDER Component ATA:32								
PN:2317-3011-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1461289/010	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-201 RIGHT MAIN LANDING GEAR SHOCK ABSORBER CYLINDER Component ATA:32								
PN:2317-3011-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1464041/006	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-202 LEFT MAIN LANDING GEAR SHOCK ABSORBER SLIDING TUBE Component ATA:32								
PN:2317-3021-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1466136/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-202 RIGHT MAIN LANDING GEAR SHOCK ABSORBER SLIDING TUBE Component ATA:32								
PN:2317-3021-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1466136/002	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15632	
PROC. REF: AMM 32-11-03, AMM 32-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-203		LEFT MAIN LANDING GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2317-3001-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467731/008	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-203		RIGHT MAIN LANDING GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2317-3001-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467731/007	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-204		LEFT MAIN LANDING GEAR SHOCK ABSORBER NUT						Component	ATA:32
PN:2317-3004-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1461183/007	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-204		RIGHT MAIN LANDING GEAR SHOCK ABSORBER NUT						Component	ATA:32
PN:2317-3004-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1463945/014	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15632		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-21-00-001^S		GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR						Service	ATA:32
	MOS	29-Oct-22	12 (+1m/-1m)						
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 32-21-00									
32-21-00-003		LUBRICATION OF NOSE LANDING GEAR						Service	ATA:32
	MOS	29-Oct-22	12 (+1m/-1m)	Adj -7d	22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1712.9							
	AFL	1072	650 (+30/-30)		1722	1752	554 (+30)		
PROC. REF: AMM 12-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-01-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-21-00								
32-21-02 NLG RETRACTION ACTUATOR Component ATA:32								
PN:2117-1000-401	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00179	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-02, AMM 32-21-02								
32-21-03 NLG DOWNLOCK ACTUATOR Component ATA:32								
PN:2117-2000-401	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00181	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-03, AMM 32-21-03								
32-21-04-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-21-00								
32-21-05-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-21-00								
32-21-05-004 SERVICING OF NOSE LANDING GEAR SHOCK ABSORBER Service ATA:32								
	MOS	29-Oct-22	12 (+1m/-1m)	Adj -7d	22-Oct-23	22-Nov-23	206 d (+31)	
	HRS	1712.9						
	AFL	1072	650 (+30/-30)		1722	1752	554 (+30)	
PROC. REF: AMM 12-14-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-06-005^S VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER Service ATA:32								
	MOS	29-Oct-22	12 (+1m/-1m)					
	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 32-21-06						PKG:80		
32-21-09-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY Service ATA:32								
	MOS	EFF	120 (+1m/-1m)		11-Sep-23 *	11-Oct-23	165 d (+30)	OVERHAUL
	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	10832 (+30)	
PROC. REF: AMM 32-21-00								
32-23-03 NLG DOOR - TORQUE TUBE ASSEMBLY Component ATA:32								
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-300 LEFT MAIN LANDING GEAR MLG LOCKING ACTUATOR Component ATA:32								
PN:2117-3000-405	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00341	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-300 RIGHT MAIN LANDING GEAR MLG LOCKING ACTUATOR Component ATA:32								
PN:2117-3000-405	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00350	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-301 LEFT MAIN LANDING GEAR LOCKING ACTUATOR CYLINDER Component ATA:32								
PN:2117-3034-501	MOS			TSN 0				LIFE LIMIT
SN:1472477/003	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-301 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR CYLINDER								
PN:2117-3034-501	MOS			TSN 0				Component ATA:32 LIFE LIMIT
SN:1473140/002	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-302 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON								
PN:2117-3001-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1462766/003	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-302 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON								
PN:2117-3001-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1471064/010	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-303 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER								
PN:2117-3010-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1466737/003	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-303 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER								
PN:2117-3010-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1474298/010	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-304 LEFT MAIN LANDING GEAR LOCKING ACTUATOR ROD								
PN:2117-3008-901	MOS			TSN 0				Component ATA:32 LIFE LIMIT
SN:70023-0013	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-304 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR ROD								
PN:2117-3008-901	MOS			TSN 0				Component ATA:32 LIFE LIMIT
SN:70023/0026	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-305 LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING PISTON								
PN:2117-3009-007	MOS			TSN 0				Component ATA:32 LIFE LIMIT
SN:1468886/014	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-305 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING PISTON								
PN:2117-3009-007	MOS			TSN 0				Component ATA:32 LIFE LIMIT
SN:1468886/011	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-306 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN								
PN:2117-3019-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1467481/005	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-306 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN								
PN:2117-3019-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1467210/011	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-307 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE								
PN:2117-3007-001	MOS	11-Sep-13						Service ATA:32 LIFE LIMIT
SN:1469574/003	HRS	0						
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-307 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE								
PN:2117-3007-001	MOS	11-Sep-13						Service ATA:32
SN:1465209/010	HRS	0						LIFE LIMIT
	AFL	0	12000		12000		10832	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-308 LEFT MAIN LANDING GEAR LOCKING ACTUATOR STOP								
PN:2117-3011-001	MOS			TSN 0				Component ATA:32
SN:1465577/006	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-308 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR STOP								
PN:2117-3011-001	MOS			TSN 0				Component ATA:32
SN:1470374/014	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-309 LEFT MAIN LANDING GEAR LOCKING ACTUATOR CAP BEARING								
PN:2117-3013-001	MOS			TSN 0				Component ATA:32
SN:1471063/010	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-309 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR CAP BEARING								
PN:2117-3013-001	MOS			TSN 0				Component ATA:32
SN:1473264/008	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-31-01 LANDING GEAR CONTROL LEVER								
PN:827101-7	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:32
SN:1189	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-31-04 CENTER FUSELAGE LANDING GEAR SELECTOR VALVE								
Component ATA:32								
PN:7342-1	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0194T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04, AMM 32-31-04								
32-31-05 LH MLG UPLOCK BOX ASSY								
Component ATA:32								
PN:2617-1000-401	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00339	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-31-05 NLG UPLOCK BOX ASSY								
Component ATA:32								
PN:2617-1000-401	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00347	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-31-05 RH MLG UPLOCK BOX ASSY								
Component ATA:32								
PN:2617-1000-402	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:00173	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-310 LEFT MAIN LANDING GEAR LOCKING ACTUATOR (ROD) NUT								
Component ATA:32								
PN:2117-3015-001	MOS			TSN 0				LIFE LIMIT
SN:1462763/002	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-310 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR (ROD) NUT								
Component ATA:32								
PN:2117-3015-001	MOS			TSN 0				LIFE LIMIT
SN:1470376/006	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12004 *		10836	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-311	LEFT MAIN LANDING GEAR LOCKING ACTUATOR ROD END							Component	ATA:32
PN:MTMKS14ALGA1	MOS			TSN 0				LIFE LIMIT	
SN:00249	HRS			TSN 0					
	AFL	EFF	10500	TSN 0	10504 *		9336		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-311	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR ROD END							Component	ATA:32
PN:MTMKS14ALGA1	MOS			TSN 0				LIFE LIMIT	
SN:00256	HRS			TSN 0					
	AFL	EFF	10500	TSN 0	10504 *		9336		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-312	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Service	ATA:32
PN:2117-3010-001	MOS/MSC	11-Sep-13	N/A						
SN:1466737/003	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-312	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Service	ATA:32
PN:2117-3010-001	MOS/MSC	11-Sep-13	N/A						
SN:1474298/010	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-313	LEFT MAIN LANDING GEAR LOCKING ACTUATOR (CYLINDER) NUT							Component	ATA:32
PN:PN	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	28000	TSN 0	28000		26832		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-313	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR (CYLINDER) NUT							Component	ATA:32
PN:PN	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	28000	TSN 0	28000		26832		
PROC. REF: AMM 32-11-02, AMM 32-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-314		DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN						Service	ATA:32
PN:2117-3019-001	MOS/MSC	11-Sep-13	N/A						
SN:1467481/005	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-314		DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN						Service	ATA:32
PN:2117-3019-001	MOS/MSC	11-Sep-13	N/A						
SN:1467210/011	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-315		DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE						Service	ATA:32
PN:2117-3007-001	MOS/MSC	11-Sep-13	N/A						
SN:1469574/003	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-315		DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE						Service	ATA:32
PN:2117-3007-001	MOS/MSC	11-Sep-13	N/A						
SN:1465209/010	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-316		DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON						Service	ATA:32
PN:2117-3001-001	MOS/MSC	11-Sep-13	N/A						
SN:1462766/003	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-316		DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON						Service	ATA:32
PN:2117-3001-001	MOS/MSC	11-Sep-13	N/A						
SN:1471064/010	HRS	0							
	AFL	0							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-35-00-001		FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM						Service	ATA:32
	MOS	22-Oct-21	24 (+30d/-30d)		22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS	
	HRS	1468.2	1600 (+30/-30)		3068.2	3098.2	1203.2 (+30)		
	AFL								
PROC. REF: AMM 32-35-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-35-00-002		GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES						Service	ATA:32
	MOS	22-Oct-21	24 (+30d/-30d)		22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS	
	HRS	1468.2	1600 (+30/-30)		3068.2	3098.2	1203.2 (+30)		
	AFL								
PROC. REF: AMM 32-35-00									
32-35-02		CENTER FUSELAGE FREE FALL VALVE						Component	ATA:32
PN:7343-2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0194T	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-35-02, AMM 32-35-02									
32-400		NOSE LANDING GEAR SHOCK STRUT						Component	ATA:32
PN:2317-5100-403	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-401		NOSE LANDING GEAR SHOCK STRUT AXLE BOLT						Component	ATA:32
PN:2310-1144-005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:00004	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-402		NOSE LANDING GEAR SHOCK STRUT SHIMMY DAMPER BOLT						Component	ATA:32
PN:2310-1173-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1455525/007	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-06, AMM 32-21-06									
32-403		LEFT NOSE LANDING GEAR SHOCK STRUT PINTLE PIN						Component	ATA:32
PN:2317-5105-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1465578/010	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-01, AMM 32-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-403 RIGHT NOSE LANDING GEAR SHOCK STRUT PINTLE PIN								
PN:2317-5105-001	MOS	11-Sep-13		TSN 0				Component LIFE LIMIT
SN:1465578/016	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-404 NOSE LANDING GEAR SHOCK STRUT MAIN FITTING								
PN:2317-5301-503	MOS	11-Sep-13		TSN 0				Component LIFE LIMIT
SN:1471096/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-405 NOSE LANDING GEAR SHOCK STRUT SHIMMY DAMPER								
PN:2117-4000-403	MOS	11-Sep-13		TSN 0				Component LIFE LIMIT
SN:00176	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-406 NOSE LANDING GEAR SHOCK STRUT WHEEL AXLE								
PN:2317-5101-001	MOS	11-Sep-13		TSN 0				Component LIFE LIMIT
SN:1464053/002	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-407 LOWER NOSE LANDING GEAR SHOCK STRUT TORQUE LINK								
PN:2317-5201-001	MOS	11-Sep-13		TSN 0				Component LIFE LIMIT
SN:1469591/008	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-407 UPPER NOSE LANDING GEAR SHOCK STRUT TORQUE LINK								
PN:2317-5201-001	MOS	11-Sep-13		TSN 0				Component LIFE LIMIT
SN:1469591/006	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-07, AMM 32-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-408		NOSE LANDING GEAR SHOCK STRUT DRAG BRACE PIN					Component	ATA:32	
PN:2317-6003-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1465584/006	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-409		NOSE LANDING GEAR SHOCK STRUT TORQUE LINK AXLE					Component	ATA:32	
PN:2310-1165-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1466730/005	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-07, AMM 32-21-07									
32-41-00		BRAKE CONTROL UNIT					Component	ATA:32	
PN:DAP00100-10	MOS/MSC	13-Oct-18	O/C						
SN:343450357	HRS	1016.6							
	AFL	610							
PROC. REF: AMM 32-41-01, AMM 32-41-01									
32-41-00-001^S		FUNCTIONAL CHECK OF MAIN BRAKE SYSTEM					Service	ATA:32	
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 32-41-00									
PKG:50									
32-41-01		BRAKE CONTROL UNIT TRAY					Component	ATA:32	
PN:DAP00134-01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1012	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-01, AMM 32-41-01									
32-41-02		LH BRAKE PEDAL TRANSDUCER					Component	ATA:32	
PN:Q3008	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:063331	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-02, AMM 32-41-02									
32-41-02		RH BRAKE PEDAL TRANSDUCER					Component	ATA:32	
PN:Q3008	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:063334	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-02, AMM 32-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-02-001^S OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-41-02								PKG:60
32-41-02-001^S OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	11-Sep-13						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-41-02								PKG:60
32-41-02-002^S FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	11-Oct-19						
	HRS	1198.1	1600 (+30/-30)					
	AFL	730						
PROC. REF: AMM 32-41-02								PKG:10
32-41-02-002^S FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	11-Oct-19						
	HRS	1198.1	1600 (+30/-30)					
	AFL	730						
PROC. REF: AMM 32-41-02								PKG:10
32-41-06 LH MLG WHEEL SPEED TRANSDUCER Component ATA:32								
PN:DAP00103-01	MOS/MSC	11-Sep-13	O/C		TSN 0			
SN:74MF	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-06 RH MLG WHEEL SPEED TRANSDUCER Component ATA:32								
PN:DAP00103-01	MOS/MSC	11-Sep-13	O/C		TSN 0			
SN:75MF	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-07 BRAKE CONTROL MODULE Component ATA:32								
PN:DAP00101-02	MOS/MSC	11-Sep-13	O/C		TSN 0			
SN:41MA	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-41-07, AMM 32-41-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-410 NOSE LANDING GEAR SHOCK STRUT TORQUE LINK LOCK PIN								Component ATA:32
PN:57675-1	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:00552	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-411 NOSE LANDING GEAR SHOCK STRUT TORQUE LINK BOLT								Component ATA:32
PN:2310-1183-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:00017	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-412 NOSE LANDING GEAR SHOCK STRUT STEERING BELLCRANK								Component ATA:32
PN:2317-5191-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT
SN:1467788/002	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10032	
PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-23-03, AMM 32-23-03								
32-43-00-001^S FUNCTIONAL CHECK OF EMERGENCY/ PARKING BRAKE SYSTEM								Service ATA:32
	MOS	11-Sep-13						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-43-00								
32-43-01-001^S GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM								Service ATA:32
	MOS	12-Oct-15						
	HRS	427.3	5600 (+30/-30)					
	AFL	253						
PROC. REF: AMM 32-43-00								
32-43-02 PRESSURE SWITCH								Component ATA:32
PN:DAP00108-01	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:70LW	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-03, AMM 29-12-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-43-04		EMERGENCY/PARKING BRAKE ACCUMULATOR					Component		ATA:32
PN:DAP00106-01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:193	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-04, AMM 32-43-04									
32-43-05		EMERGENCY/PARKING BRAKE VALVE					Component		ATA:32
PN:DAP00107-01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:23MC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-02									
32-43-06		PRESSURE TRANSDUCER					Component		ATA:32
PN:DAP00109-01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:7962-8-56	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-06, AMM 32-43-06									
32-43-08		THERMAL RELIEF VALVE					Component		ATA:32
PN:DAP00110-01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:178	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-08, AMM 32-43-08									
32-43-10		EMERGENCY/PARKING BRAKE SUPPLY CHECK VALVE					Component		ATA:32
PN:DAP00202-01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:214	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-02, AMM 32-43-02									
32-43-11		FORWARD FUSELAGE 2 WAY 2 POSITION SHUT-OFF VALVE					Component		ATA:32
PN:2216-0001-401	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00481	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-11, AMM 32-43-11									
32-43-11-001		OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE					Service		ATA:32
	MOS	11-Oct-19						AIRWORTHINESS	
	HRS	1198.1	800 (+30/-30)		1998.1	2028.1	133.1 (+30)		
	AFL	730							
PROC. REF: AMM 32-43-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-00		LH MAIN WHEEL AND TIRE ASSY						Component	ATA:32
PN:505-19517-601	MOS/MSC	29-Jun-20	O/C						
SN:5055RB	HRS	1320							
	AFL	807							
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-00		NOSE WHEEL AND TIRE ASSY						Component	ATA:32
PN:505-19601-605	MOS/MSC	22-Oct-21	O/C	TSN 109, TSO 30					
SN:5066LW	HRS	1468.2		TSN 1468.2, TSO 372.7					
	AFL								
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-00		RH MAIN WHEEL AND TIRE ASSY						Component	ATA:32
PN:505-19517-611	MOS/MSC	27-Oct-20	O/C	TSO 27					
SN:5031LH	HRS	1371.2		TSO 383.7					
	AFL	838		TSO 243					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-01		LEFT MAIN WHEEL						Component	ATA:32
PN:DAP00098-02	MOS/MSC	22-Jul-21	O/C						
SN:5056RB	HRS	1465.6							
	AFL	914							
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-01		RIGHT MAIN WHEEL						Component	ATA:32
PN:DAP00098-02	MOS/MSC	22-Jul-21	O/C						
SN:5081LH	HRS	1465.6							
	AFL	914							
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-01-003		RESTORATION (OVERHAUL) OF LH MAIN LANDING GEAR WHEEL ASSEMBLY						Service	ATA:32
PN:DAP00098-02	MOS/MSC		T/C						
SN:5056RB	HRS								
	AFL		1500 (+30/-30)		?		?		
PROC. REF: AMM 32-45-00									
32-45-01-003		RESTORATION (OVERHAUL) OF RH MAIN LANDING GEAR WHEEL ASSEMBLY						Service	ATA:32
PN:DAP00098-02	MOS/MSC	21-Jul-18	T/C						
SN:5081LH	HRS	987.5							
	AFL	595	1500 (+30/-30)		2095	2125	927 (+30)		
PROC. REF: AMM 32-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-02		LEFT MAIN WHEEL TIRE					Component		ATA:32
PN:258K63-2	MOS/MSC	08-Apr-22	O/C	TSN 0					
SN:20810572	HRS	1549		TSN 0					
	AFL	971		TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-02		RIGHT MAIN WHEEL TIRE					Component		ATA:32
PN:258K63-2	MOS/MSC	08-Apr-22	O/C	TSN 0					
SN:20810546	HRS	1549		TSN 0					
	AFL	971		TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-03		LH MLG HUB CAP					Component		ATA:32
PN:DAP00131-02	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:7MB	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-45-03, AMM 32-45-03									
32-45-03		RH MLG HUB CAP					Component		ATA:32
PN:DAP00131-02	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:8MB	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-45-03, AMM 32-45-03									
32-45-11		NOSE WHEEL					Component		ATA:32
PN:DAP00099-02	MOS/MSC	22-Oct-21	O/C	TSN 109, TSO 30					
SN:5066LW	HRS	1468.2		TSN 1468.2, TSO 372.7					
	AFL								
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11-003		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR WHEEL ASSEMBLY					Service		ATA:32
PN:DAP00099-02	MOS	01-Apr-19							
SN:5066LW	HRS	1095.5							
	AFL	665	T:1500 (+30/-30)		2165	2195	997 (+30)		
PROC. REF: AMM 32-45-00									
32-45-12		NOSE TIRE					Component		ATA:32
PN:156E23-1	MOS/MSC	22-Oct-21	O/C	TSN 0					
SN:90813003	HRS	1468.2		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 32-45-11, AMM 32-45-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-21		LH MLG CARBON BRAKE ASSY					Component	ATA:32	
PN:DAP00097-04	MOS/MSC	01-Jun-21	O/C	TSO 0					
SN:5148NX	HRS	1441.1		TSO 0					
	AFL	880		TSO 0					
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-45-21		RH MLG CARBON BRAKE ASSY					Component	ATA:32	
PN:DAP00097-04	MOS/MSC	01-Jun-21	O/C	TSO 0					
SN:5032NL	HRS	1441.1		TSO 0					
	AFL	880		TSO 0					
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-500		NOSE LANDING GEAR SHOCK ABSORBER					Component	ATA:32	
PN:2317-5170-403	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00181	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-501		NOSE LANDING GEAR SHOCK ABSORBER STEEL FORK					Component	ATA:32	
PN:2317-5227-501	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1470407/001	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: GENERIC NO REF									
32-502		NOSE LANDING GEAR SHOCK ABSORBER LOWER BEARING					Component	ATA:32	
PN:2317-5113-005	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1467736/005	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: GENERIC NO REF									
32-503		NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER					Component	ATA:32	
PN:2317-5237-501	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1480695/001	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-600		NOSE LANDING GEAR DRAG BRACE						Component	ATA:32
PN:2317-6000-403	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-601		NOSE LANDING GEAR UPPER DRAG BRACE						Component	ATA:32
PN:2317-6114-501	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1475216/001	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-602		NOSE LANDING GEAR LOWER DRAG BRACE						Component	ATA:32
PN:2317-6201-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1454657/013	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-603		LEFT NOSE LANDING GEAR DRAG BRACE PINTLE PIN						Component	ATA:32
PN:2317-6001-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1464057/003	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-603		RIGHT NOSE LANDING GEAR DRAG BRACE PINTLE PIN						Component	ATA:32
PN:2317-6001-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1464057/005	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-604		NOSE LANDING GEAR DRAG BRACE PIN						Component	ATA:32
PN:2317-6003-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1465584/008	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-09, AMM 32-21-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-61-01	LH WING PROXIMITY SWITCH							Component	ATA:32
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-61-01	NO. 1 LEFT MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:32377	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-61-01	NO. 1 NLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:28955	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-61-01	NO. 1 RIGHT MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:32378	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-61-01	NO. 2 LEFT MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:32382	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-61-01	NO. 2 NLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:32383	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-61-01	NO. 2 RIGHT MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:32381	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-61-01		NO. 3 LEFT MLG PROXIMITY SWITCH					Component	ATA:32	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-61-01		NO. 3 RIGHT MLG PROXIMITY SWITCH					Component	ATA:32	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-61-01		RH WING PROXIMITY SWITCH					Component	ATA:32	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-700		NOSE LANDING GEAR LOCKING STAY					Component	ATA:32	
PN:2317-6500-403	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00169	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-701		NOSE LANDING GEAR UPPER LOCKING STAY					Component	ATA:32	
PN:2317-6521-003	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1468151/005	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-702		NOSE LANDING GEAR LOWER LOCKING STAY					Component	ATA:32	
PN:2317-6531-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1472940/001	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-04, AMM 32-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-703		LOWER NOSE LANDING GEAR LOCKING STAY BOLT					Component	ATA:32	
PN:2310-1734-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1466825/005	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-703		UPPER NOSE LANDING GEAR LOCKING STAY BOLT					Component	ATA:32	
PN:2310-1734-001	MOS	11-Sep-13		TSN 0				LIFE LIMIT	
SN:1464846/001	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10032		
PROC. REF: AMM 32-21-04, AMM 32-21-04									
ATA 33 - LIGHTS									
33-01-01		OVERHEAD LIGHTS CONTROL PANEL					Component	ATA:33	
PN:441-43246-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1195	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-01-01, AMM 33-01-01									
33-12-01		COCKPIT DIMMER					Component	ATA:33	
PN:81-01760-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0567	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-01, AMM 33-12-01									
33-12-02		INSC ILLUM - TEST PANEL					Component	ATA:33	
PN:441-42631-003	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1181	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-02, AMM 33-12-02									
33-31-02		NOSE (WITH/WITHOUT FDR) W001,ELECTRICAL HARNESS					Component	ATA:33	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-42-01		LH LWR FWD TAXI LIGHT ASSY					Component ATA:33		
PN:81017-3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:000239	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-42-01, AMM 33-42-01									
33-42-01		RH LWR FWD TAXI LIGHT ASSY					Component ATA:33		
PN:81017-4	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:000153	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-42-01, AMM 33-42-01									
33-47-01		LEFT LANDING LIGHT ASSY					Component ATA:33		
PN:81017-5	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:000229	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-47-01, AMM 33-47-01									
33-47-01		RIGHT LANDING LIGHT ASSY					Component ATA:33		
PN:81017-6	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:000235	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-47-01, AMM 33-47-01									
33-48-00		LEFT NO. 1 NAVIGATION LIGHT					Component ATA:33		
PN:84004-7	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:000400	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00		LEFT NO. 2 NAVIGATION LIGHT					Component ATA:33		
PN:84075-1	MOS/MSC	26-Oct-15	O/C	TSN 0					
SN:000215	HRS	427.3	TSN 0						
	AFL	253	TSN 0						
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00		RIGHT NO. 1 NAVIGATION LIGHT					Component ATA:33		
PN:84004-7	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:000397	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-48-00	RIGHT NO. 2 NAVIGATION LIGHT							Component	ATA:33
PN:84075-2	MOS/MSC	26-Oct-15	O/C	TSN 0					
SN:000216	HRS	427.3		TSN 0					
	AFL	253		TSN 0					
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00-001	DISCARD LEFT NO. 1 NAVIGATION LIGHT							Service	ATA:33
PN:84004-7	MOS	11-Sep-13							
SN:000400	HRS	0	12000 (+30/-30)		12000	12030	10135 (+30)		
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-001	DISCARD LEFT NO. 2 NAVIGATION LIGHT							Service	ATA:33
PN:84075-1	MOS	26-Oct-15							
SN:000215	HRS	427.3	12000 (+30/-30)		12427.3	12457.3	10562.3 (+30)		
	AFL	253							
PROC. REF: AMM 33-48-00									
33-48-00-001	DISCARD RIGHT NO. 1 NAVIGATION LIGHT							Service	ATA:33
PN:84004-7	MOS	11-Sep-13							
SN:000397	HRS	0	12000 (+30/-30)		12000	12030	10135 (+30)		
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-001	DISCARD RIGHT NO. 2 NAVIGATION LIGHT							Service	ATA:33
PN:84075-2	MOS	26-Oct-15							
SN:000216	HRS	427.3	12000 (+30/-30)		12427.3	12457.3	10562.3 (+30)		
	AFL	253							
PROC. REF: AMM 33-48-00									
33-48-00-002 ^S	GENERAL VISUAL INSPECTION LEFT NO. 1 NAVIGATION LIGHT							Service	ATA:33
	MOS	11-Sep-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-48-00									
								PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-48-00-002^S GENERAL VISUAL INSPECTION LEFT NO. 2 NAVIGATION LIGHT Service ATA:33								
	MOS	26-Oct-15						
	HRS	427.3	2400 (+30/-30)					
	AFL	253						
PROC. REF: AMM 33-48-00								PKG:20
33-48-00-002^S GENERAL VISUAL INSPECTION RIGHT NO. 1 NAVIGATION LIGHT Service ATA:33								
	MOS	11-Sep-13						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 33-48-00								PKG:20
33-48-00-002^S GENERAL VISUAL INSPECTION RIGHT NO. 2 NAVIGATION LIGHT Service ATA:33								
	MOS	26-Oct-15						
	HRS	427.3	2400 (+30/-30)					
	AFL	253						
PROC. REF: AMM 33-48-00								PKG:20
33-49-00 NO. 1 STROBE LIGHT Component ATA:33								
PN:84036-3	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:000253	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02								
33-49-00 NO. 2 STROBE LIGHT Component ATA:33								
PN:84036-4	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:000136	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02								
33-49-00-001 DISCARD NO. 1 STROBE LIGHT Service ATA:33								
PN:84036-3	MOS	11-Sep-13						
SN:000253	HRS	0	8000 (+30/-30)		8000	8030	6135 (+30)	
	AFL	0						
PROC. REF: AMM 33-49-00								
33-49-00-001 DISCARD NO. 2 STROBE LIGHT Service ATA:33								
PN:84036-4	MOS	11-Sep-13						
SN:000136	HRS	0	8000 (+30/-30)		8000	8030	6135 (+30)	
	AFL	0						
PROC. REF: AMM 33-49-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-49-00-002^S GENERAL VISUAL INSPECTION NO. 1 STROBE LIGHT Service ATA:33								
	MOS	11-Sep-13						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 33-49-00								PKG:20
33-49-00-002^S GENERAL VISUAL INSPECTION NO. 2 STROBE LIGHT Service ATA:33								
	MOS	11-Sep-13						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 33-49-00								PKG:20
33-52-01 LH REAR EMERGENCY LIGHT BATTERY Component ATA:33								
PN:7450LS-00	MOS/MSC	19-Jul-22	O/C					
SN:005595	HRS	1619.9						
	AFL	1016						
PROC. REF: AMM 33-52-01, AMM 33-52-01								
33-52-01 RH FWD EMERGENCY LIGHT BATTERY Component ATA:33								
PN:7450LS-00	MOS/MSC	19-Jul-22	O/C	TSN 0				
SN:006069	HRS	1619.9		TSN 0				
	AFL	1016		TSN 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01								
33-52-01-001 FUNCTIONAL CHECK LH REAR EMERGENCY LIGHT BATTERY (AIRCRAFT WITH BE AEROSPACE BATTERY) Service ATA:33								
PN:7450LS-00	MOS	29-Oct-22	12		29-Oct-23		213 d	
SN:005595	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 33-52-01								
33-52-01-001 FUNCTIONAL CHECK RH FWD EMERGENCY LIGHT BATTERY (AIRCRAFT WITH BE AEROSPACE BATTERY) Service ATA:33								
PN:7450LS-00	MOS	29-Oct-22	12		29-Oct-23		213 d	
SN:006069	HRS	1712.9						
	AFL	1072						
PROC. REF: AMM 33-52-01								
33-52-01-002 FUNCTIONAL CHECK LH REAR EMERGENCY LIGHT BATTERY (AIRCRAFT WITH DLE BATTERY) Service ATA:33								
PN:7450LS-00	MOS/MSC		N/A					
SN:005595	HRS							
	AFL							
PROC. REF: AMM 33-52-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-52-01-002		FUNCTIONAL CHECK RH FWD EMERGENCY LIGHT BATTERY (AIRCRAFT WITH DLE BATTERY)							Service ATA:33
PN:7450LS-00	MOS/MSC		N/A						
SN:006069	HRS								
	AFL								
PROC. REF: AMM 33-52-01									
33-52-01-003		DISCARD OF LH REAR EMERGENCY LIGHT BATTERY							Service ATA:33
PN:7450LS-00	MOS/MSC		N/A						
SN:005595	HRS								
	AFL								
PROC. REF: AMM 33-52-01									
33-52-01-003		DISCARD OF RH FWD EMERGENCY LIGHT BATTERY							Service ATA:33
PN:7450LS-00	MOS/MSC		N/A						
SN:006069	HRS								
	AFL								
PROC. REF: AMM 33-52-01									
33-52-05		SELF-ILLUMINATED UNIT							Component ATA:33
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 33-52-05, AMM 33-52-05									
33-52-17-001 ^S		OPERATIONAL CHECK OF INERTIAL SWITCH (AIRCRAFT WITH INERTIAL SWITCH INSTALLED)							Service ATA:33
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)						
	AFL	730							
PROC. REF: AMM 33-52-17									
PKG:10									
ATA 34 - NAVIGATION									
34-00-01 ^U		ACSS TRANSPONDER							Component ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
34-00-02		TRANSPONDER RF RELAY							Component ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-00-03		NO.1 IASP SMART PROBE					Component		ATA:34
PN:2015L-4B	MOS/MSC	03-Mar-16	O/C	TSR 4					
SN:0308	HRS	496		TSN 2661, TSR 0					
	AFL	292		TSN 1788, TSR 0					
PROC. REF: AMM 34-15-07, AMM 34-15-07									
34-00-03		NO.2 IASP SMART PROBE					Component		ATA:34
PN:2015L-4B	MOS/MSC	22-Jul-21	O/C	TSR 0					
SN:0444	HRS	1465.6		TSN 4967, TSR 0					
	AFL	914		TSN 4056, TSR 0					
PROC. REF: AMM 34-15-07, AMM 34-15-07									
34-00-04		SD CARD DATABASE					Component		ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-10-01		RADIO ALTIMETER					Component		ATA:34
PN:066-01153-0101	MOS/MSC	10-Mar-21	O/C	TSR 2					
SN:KRA405B-16663	HRS	1419		TSN 3859, TSR 0					
	AFL	865		TSN 3073, TSR 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02									
34-10-02		LEFT RADIO ALTIMETER TRANSMIT ANTENNA					Component		ATA:34
PN:S67-2002-45	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:553-4591	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02									
34-10-02		RIGHT RADIO ALTIMETER RECEIVE ANTENNA					Component		ATA:34
PN:S67-2002-45	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:553-4611	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02									
34-11-00		IESI - INTEGRATED ELECTRONIC STANDBY INSTRUMENT					Component		ATA:34
PN:C16786DA01	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:C16786004947	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-01, AMM 34-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11-00-001	FUNCTIONAL CHECK OF (IESI) INTEGRATED ELECTRONIC STANDBY INSTRUMENT NOTE: ACCOMPLISH THIS REQUIREMENT AFTER CLEANING PROCEDURE (34-11-02-001)							Service	ATA:34
PN:C16786DA01	MOS	22-Jul-21	24 (+1m/-1m)		22-Jul-23	22-Aug-23	114 d (+31)		
SN:C16786004947	HRS	1465.6							
	AFL	914							
PROC. REF: AMM 34-11-00									
34-11-02	PITOT/STATIC PROBE							Component	ATA:34
PN:0856UT4	MOS/MSC	22-Jul-21	O/C	TSN 94					
SN:280651	HRS	1465.6		TSN 1465.6					
	AFL	914		TSN 914					
PROC. REF: AMM 34-11-02, AMM 34-11-02									
34-11-02-001	RESTORATION (CLEANING) OF PITOT/STATIC PROBE NOTE: ACCOMPLISH THIS REQUIREMENT PRIOR TO THE FUNCTIONAL CHECK (34-11-00-001)							Service	ATA:34
PN:0856UT4	MOS	22-Jul-21	24 (+1m/-1m)		22-Jul-23	22-Aug-23	114 d (+31)		
SN:280651	HRS	1465.6							
	AFL	914							
PROC. REF: AMM 34-11-02									
34-15-00-001 ^S	FUNCTIONAL CHECK OF AIR DATA SYSTEM							Service	ATA:34
	MOS	22-Oct-21	24 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 34-15-00									
34-15-00-002	SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS							Service	ATA:34
	MOS	11-Oct-19	60 (+1m/-1m)		11-Oct-24	11-Nov-24	561 d (+31)		
	HRS	1198.1							
	AFL	730							
PROC. REF: AMM 34-15-00									
34-15-00-003	DETAILED INSPECTION OF IASP							Service	ATA:34
	MOS	22-Oct-21	24 (+1m/-1m)		22-Oct-23	22-Nov-23	206 d (+31)		
	HRS	1468.2							
	AFL								
PROC. REF: AMM 34-15-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-20-01		LH GRS-77 ATTITUDE AND HEADING REFERENCE SYSTEM					Component	ATA:34	
PN:011-00868-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:42022575	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-20-01		RH GRS-77 ATTITUDE AND HEADING REFERENCE SYSTEM					Component	ATA:34	
PN:011-00868-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:42022615	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-20-02		LEFT MAGNETOMETER					Component	ATA:34	
PN:011-00870-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1CM009274	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-20-02		RIGHT MAGNETOMETER					Component	ATA:34	
PN:011-00870-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1CM009282	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-21-00-001 ^S		FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER					Service	ATA:34	
PN:011-00870-10	MOS	29-Oct-22	36 (+1m/-1m)						
SN:1CM009274	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 34-21-02									
34-21-00-001 ^S		FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER					Service	ATA:34	
PN:011-00870-10	MOS	29-Oct-22	36 (+1m/-1m)						
SN:1CM009282	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 34-21-02									
34-23-00		MAGNETIC COMPASS					Component	ATA:34	
PN:KCA0120W	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:BH6320312	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-23-01, AMM 34-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-23-00-001 ^S		FUNCTIONAL CHECK MAGNETIC COMPASS OF STANDBY COMPASS						Service	ATA:34
PN:KCA0120W	MOS	29-Oct-22	36 (+1m/-1m)						
SN:BH6320312	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 34-23-00								PKG:82	
34-30-01		LEFT VOR/LOC 2 & 3 BLADE ANTENNA						Component	ATA:34
PN:S65-247170	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:173-3436	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-30-01		RIGHT VOR/LOC 2 AND 3 ANTENNA BLADE						Component	ATA:34
PN:S65-247170	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:173-3442	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-40-01		GDL-69A SATELLITE WEATHER AND RADIO RECEIVER						Component	ATA:34
PN:011-00987-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:47766482	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-01, AMM 34-57-01									
34-40-02		AFT GA 37 GPS WAAS & SATELLITE WEATHER AND RADIO ANTENNA						Component	ATA:34
PN:013-00245-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:10500	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02									
34-40-02		FWD GA 37 GPS WAAS & SATELLITE WEATHER AND RADIO ANTENNA						Component	ATA:34
PN:013-00245-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:10494	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02									
34-40-03		WEATHER RADAR RECEIVER/TRANSMITTER ANTENNA						Component	ATA:34
PN:011-00883-20	MOS/MSC	20-Dec-17	O/C	TSO 20					
SN:47203594	HRS	868.8		TSO 0					
	AFL	509		TSO 0					
PROC. REF: AMM 34-42-01, AMM 34-42-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-40-04		TCAS II UNIT					Component ATA:34		
PN:9003500-55905	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:TSE01787	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01, AMM 34-43-01									
34-40-05		TCAS II TOP ANTENNA					Component ATA:34		
PN:7514060-902	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:ANE41386	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-02		LOWER TCAS L BAND ANTENNA					Component ATA:34		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-02, AMM 34-43-02									
34-50-02		BOTTOM DME/XPDR/TCAS NON-DIRECTIONAL ANTENNA					Component ATA:34		
PN:S65-5366-7L	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:261-110035	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02, AMM 34-52-02									
34-50-02		TOP XPDR L BAND ANTENNA					Component ATA:34		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02, AMM 34-52-02									
34-50-03		KN 63 DISTANCE MEASURING UNIT					Component ATA:34		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-50-05		PHASING COUPLER					Component ATA:34		
PN:SSPD-113-10	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:7541	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-01, AMM 34-32-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-50-06		MARKER BEACON ANTENNA					Component		ATA:34
PN:S35-1000-2	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:102-9869	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-04, AMM 34-32-04									
34-50-07		MARKER BEACON ANTENNA SPLITTER					Component		ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-05, AMM 34-32-05									
34-50-08		VOR/LOC/GS ANTENNA SPLITTER					Component		ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-02, AMM 34-32-02									
34-50-09		VOR/LOC/GS ANTENNA RF CABLE					Component		ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-02, AMM 34-32-02									
34-50-10		GSR 56 IRIDIUM UNIT					Component		ATA:34
PN:011-02268-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1NZ005292	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-01, AMM 23-15-01									
34-50-11		IRIDIUM SATCOM ANTENNA					Component		ATA:34
PN:S67-1575-109	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:11610	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-03, AMM 23-15-03									
34-50-12		GDL 59 DATALINK MANAGEMENT UNIT					Component		ATA:34
PN:011-01746-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1EJ005258	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-23-01, AMM 23-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-50-13		WI-FI - DATALINK ANTENNA					Component ATA:34		
PN:S65-5366-71S	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:258-2492	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-23-03, AMM 23-23-03, AMM 44-31-09, AMM 44-31-09, AMM 44-32-11, AMM 44-32-11									
34-50-14		ADF ANTENNA					Component ATA:34		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-53-02									
34-50-15		ADF UNIT					Component ATA:34		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01									
34-51-02		NO. 1 DME L BAND ANTENNA					Component ATA:34		
PN:S65-5366-7L	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:261-110039	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-52-00		NO. 1 TRANSPONDER					Component ATA:34		
PN:9006000-55000	MOS/MSC	11-Oct-19	O/C	TSO 0					
SN:NXE03603	HRS	1198.1		TSO 0					
	AFL	730		TSO 0					
PROC. REF: AMM 34-52-01, AMM 34-52-01									
34-52-00		NO. 2 TRANSPONDER					Component ATA:34		
PN:9006000-55000	MOS/MSC	13-Oct-18	O/C	TSN 0					
SN:NXE09110	HRS	1016.6		TSN 0					
	AFL	610		TSN 0					
PROC. REF: AMM 34-52-01, AMM 34-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-52-00-001		FUNCTIONAL CHECK OF NO. 1 TRANSPONDER SYSTEM							Service ATA:34
PN:9006000-55000	MOS	20-Jul-21	24		20-Jul-23		112 d		
SN:NXE03603	HRS								
	AFL								
PROC. REF: AMM 34-52-00									
34-52-00-001		FUNCTIONAL CHECK OF NO. 2 TRANSPONDER SYSTEM							Service ATA:34
PN:9006000-55000	MOS	20-Jul-21	24		20-Jul-23		112 d		
SN:NXE09110	HRS								
	AFL								
PROC. REF: AMM 34-52-00									
34-52-04		LOWER COAXIAL UNIT							Component ATA:34
PN:D2-729B005	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:580222	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-04, AMM 34-52-04									
34-52-04		UPPER COAXIAL UNIT							Component ATA:34
PN:D2-729B005	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:580220	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-04, AMM 34-52-04									
34-53-01		ADF MOUNTING TRAY							Component ATA:34
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01									
34-60-03		FLIGHT MANAGEMENT SYSTEM PANEL							Component ATA:34
PN:011-01428-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:194005670	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-61-03, AMM 34-61-03									
34FAR01 ^U		TEST IESI - INTEGRATED ELECTRONIC STANDBY INSTRUMENT IESI (AS PER FAR OR RBHA 91.411)							Service ATA:34
PN:C16786DA01	MOS	22-Jul-21	24		22-Jul-23		114 d	FAA	
SN:C16786004947	HRS	1465.6							
	AFL	914							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34FAR02^U TEST NO.1 IASP (AS PER FAR OR RBHA 91.411) Service ATA:34								
	MOS	22-Jul-21	24		22-Jul-23		114 d	FAR
	HRS	1465.6						
	AFL	914						
34FAR02^U TEST NO.2 IASP (AS PER FAR OR RBHA 91.411) Service ATA:34								
	MOS	22-Jul-21	24		22-Jul-23		114 d	FAR
	HRS	1465.6						
	AFL	914						
34FAR03^U TEST PITOT STATIC PROBE (AS PER FAR OR RBHA 91.411) Service ATA:34								
	MOS	22-Jul-21	24		22-Jul-23		114 d	FAR
	HRS	1419						
	AFL	865						
34FAR04^U TEST NO. 1 TRANSPONDER TRANSPONDER (AS PER FAR OR RBHA 91.413) Service ATA:34								
PN:9006000-55000	MOS	20-Jul-21	24		20-Jul-23		112 d	FAA
SN:NXE03603	HRS	1465.6						
	AFL	914						
34FAR04^U TEST NO. 2 TRANSPONDER TRANSPONDER (AS PER FAR OR RBHA 91.413) Service ATA:34								
PN:9006000-55000	MOS	20-Jul-21	24		20-Jul-23		112 d	FAA
SN:NXE09110	HRS	1465.6						
	AFL	914						
ATA 35 - OXYGEN								
35-00-00-001 FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE Service ATA:35								
	MOS	29-Oct-22	36 (+30d/-30d)	Adj -18d	11-Oct-25	10-Nov-25	926 d (+30)	AIRWORTHINESS
	HRS	1712.9	2400 (+30/-30)		4112.9	4142.9	2247.9 (+30)	
	AFL	1072						
								PROC. REF: AMM 35-00-00
35-01-00-001^S FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION Service ATA:35								
	MOS	13-Oct-18	60 (+1m/-1m)					
	HRS	1016.6						
	AFL	610						
								PROC. REF: AMM 35-01-02

PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-01-02		OXYGEN CYLINDER TRANSDUCER					Component	ATA:35	
PN:4441125-000	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:7941-03-134	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-02, AMM 35-01-02									
35-01-05		CREW OXYGEN SYSTEM LOW PRESSURE SWITCH					Component	ATA:35	
PN:P24151	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0234	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-05, AMM 35-01-05									
35-01-06		OXYGEN SYSTEM CONTROL PANEL					Component	ATA:35	
PN:441-40945-002	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0519	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-06, AMM 35-01-06									
35-01-07		COCKPIT SENSOR					Component	ATA:35	
PN:P24099	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0427	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-07, AMM 35-01-07									
35-01-08		PAX LOW PRESSURE OXYGEN SYSTEM SWITCH					Component	ATA:35	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
35-01-09		ALTITUDE COMPENSATING REGULATOR					Component	ATA:35	
PN:4421135-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00394	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-09, AMM 35-01-09									
35-01-10		LOW PRESSURE OXYGEN VALVE					Component	ATA:35	
PN:4421132-109	MOS/MSC	07-Sep-16	O/C	TSN 7					
SN:00683	HRS	616.8		TSN 0					
	AFL	358		TSN 0					
PROC. REF: AMM 35-01-10, AMM 35-01-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-02-01	OXYGEN CYLINDER							Component	ATA:35
PN:4441122-077	MOS/MSC	13-Sep-17	H/T	TSN 48					
SN:0543-545208401	HRS	811.2		TSN 811.2					
	AFL	467		TSN 467					
PROC. REF: AMM 35-02-01, AMM 35-02-01									
35-02-01-001	FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR							Service	ATA:35
PN:4441122-077	MOS	26-Sep-22	60		26-Sep-27		1641 d		
SN:0543-545208401	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-01-003	DISCARD OF OXYGEN CYLINDER							Service	ATA:35
PN:4441122-077	MOS	01-Nov-12	180		01-Nov-27		1677 d	LIFE LIMIT	
SN:0543-545208401	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-05	OXYGEN PRESSURE REGULATOR							Component	ATA:35
PN:172421-14	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0543	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
35-11-00-001	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service	ATA:35
	MOS	29-Oct-22	12 (+30d/-30d)	Adj -7d	22-Oct-23	21-Nov-23	206 d (+30)	AIRWORTHINESS	
	HRS	1712.9	800 (+30/-30)		2512.9	2542.9	647.9 (+30)		
	AFL	1072							
PROC. REF: AMM 35-11-02									
35-11-01	COPILOT OXYGEN MASK STOWAGE BOX							Component	ATA:35
PN:1186F6-23	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:01019	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-11-01		PILOT OXYGEN MASK STOWAGE BOX						Component	ATA:35
PN:1186F6-23	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00799	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-02		LEFT CREW OXYGEN MASK						Component	ATA:35
PN:174232-93	MOS/MSC	27-Oct-20	O/C	TSN 80, TSO 5					
SN:35814	HRS	1371.2		TSN 1675, TSO 0					
	AFL	838		TSN 1503, TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02		RIGHT CREW OXYGEN MASK						Component	ATA:35
PN:174232-93	MOS/MSC	01-Apr-19	O/C	TSN 67, TSO 0					
SN:34217	HRS	1095.5		TSN 1095.5, TSO 0					
	AFL	665		TSN 665, TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02-001		DETAILED VISUAL INSPECTION OF LEFT CREW OXYGEN MASK						Service	ATA:35
PN:174232-93	MOS	29-Oct-22	24 (+1m/-1m)	Adj -2d	27-Oct-24	27-Nov-24	577 d (+31)		
SN:35814	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 35-11-02									
35-11-02-001		DETAILED VISUAL INSPECTION OF RIGHT CREW OXYGEN MASK						Service	ATA:35
PN:174232-93	MOS	10-Mar-21	24 (+1m/-1m)		10-Mar-23	10-Apr-23	TOL (+11 d)		
SN:34217	HRS	1419							
	AFL	865							
PROC. REF: AMM 35-11-02									
35-11-02-002		RESTORATION (OVERHAUL) OF LEFT CREW OXYGEN MASK						Service	ATA:35
PN:174232-93	MOS	27-Oct-20	72 (+1m/-1m)	TAC 5	27-May-26	27-Jun-26	1154 d (+31)		
SN:35814	HRS	1371.2	3600 (+30/-30)	TAC 0	4971.2	5001.2	3106.2 (+30)		
	AFL	838		TAC 0					
PROC. REF: AMM 35-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-11-02-002	RESTORATION (OVERHAUL) OF RIGHT CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS	01-Apr-19	72 (+1m/-1m)		01-Apr-25	01-May-25	733 d (+30)		
SN:34217	HRS	1095.5	3600 (+30/-30)		4695.5	4725.5	2830.5 (+30)		
	AFL	665							
PROC. REF: AMM 35-11-02									
35-11-02-003	DETAILED VISUAL INSPECTION OF LEFT CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS/MSC		N/A						
SN:35814	HRS								
	AFL								
PROC. REF: AMM 35-11-02									
35-11-02-003	DETAILED VISUAL INSPECTION OF RIGHT CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS/MSC	11-Sep-13	N/A						
SN:34217	HRS	0							
	AFL	0							
PROC. REF: AMM 35-11-02									
35-11-04-001	DETAILED INSPECTION OF CREW GOGGLES - (AIRCRAFT WITH SMOKE GOGGLES INSTALLED)							Service	ATA:35
	MOS/MSC	11-Sep-13	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 35-11-04									
35-21-00-001	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE							Service	ATA:35
	MOS	29-Oct-22	36 (+30d/-30d)	Adj -18d	11-Oct-25	10-Nov-25	926 d (+30)	AIRWORTHINESS	
	HRS	1712.9	2400 (+30/-30)		4112.9	4142.9	2247.9 (+30)		
	AFL	1072							
PROC. REF: AMM 35-21-00									
35-21-00-002	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE							Service	ATA:35
	MOS	29-Oct-22	36 (+30d/-30d)	Adj -18d	11-Oct-25	10-Nov-25	926 d (+30)	AIRWORTHINESS	
	HRS	1712.9	2400 (+30/-30)		4112.9	4142.9	2247.9 (+30)		
	AFL	1072							
PROC. REF: AMM 35-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-21-01	AFT ONE MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	FWD ONE MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411071-012	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:4411071-012-00145	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	NO. 1 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-012	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:4411072-012-00266	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	NO. 2 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-012	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:4411072-012-00334	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	NO. 3 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-012	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:4411072-012-00335	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	NO. 4 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-012	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:4411072-012-00336	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER OXYGEN MASKS							Service	ATA:35
	MOS	29-Oct-22	36 (+1m/-1m)						
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 35-21-01									

PKG:82

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-31-01 PBE - PROTECTIVE BREATHING EQUIPMENT								Component ATA:35
PN:PN	MOS/MSC	11-Sep-13	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-31-01, AMM 35-31-01, AMM 35-31-01								
35-31-01-001 DISCARD OF PROTECTIVE BREATHING EQUIPMENT (PBE)								Service ATA:35
	MOS	11-Sep-13	126 (+1m/-1m)	11-Mar-24	11-Apr-24	347 d (+31)	LIFE LIMIT	
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-31-01								
ATA 36 - PNEUMATIC								
36-00-00-710-801-A TROUBLE SHOOT ENGINE OPERATING PROBLEMS - PNEUMATIC SYSTEM OPERATIONAL CHECK								Service ATA:36
	MOS/MSC	11-Sep-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-00-00								
36-01-01 PNEUMATIC INSC ILLUM PANEL								Component ATA:36
PN:441-42633-002	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:1177	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-01-01, AMM 36-01-01								
36-11-01 LEFT PYLON BLEED PRESSURE REGULATING SHUTOFF VALVE								Component ATA:36
PN:RYLB-53505-3	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0200	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-01 RIGHT PYLON BLEED PRESSURE REGULATING SHUTOFF VALVE								Component ATA:36
PN:RYLB-53505-4	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0191	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-01-001^S RESTORATION (CLEANING) OF BLEED PRESSURE REGULATING SHUTOFF VALVE (PRSOV) FILTER Service ATA:36								
	MOS	11-Sep-13						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-01								PKG:20
36-11-01-002^S OPERATIONAL CHECK OF BLEED MANUAL SHUT-OFF FUNCTION Service ATA:36								
	MOS	11-Oct-19						
	HRS	1198.1	800 (+30/-30)					
	AFL	730						
PROC. REF: AMM 36-11-00								PKG:1
36-11-02-001^S DETAILED INSPECTION OF BLEED LINE WATER DRAINS Service ATA:36								
	MOS	22-Oct-21	24 (+1m/-1m)					
	HRS	1468.2						
	AFL							
PROC. REF: AMM 36-11-02								PKG:81
36-11-03 AMS CONTROLLER Component ATA:36								
PN:SYLZ-53632-204	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-03, AMM 36-11-03								
36-11-04 NO. 1 ENGINE FAN AIR VALVE Component ATA:36								
PN:RYLB-53527-1	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0368	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-04, AMM 36-11-04								
36-11-04 NO. 2 ENGINE FAN AIR VALVE Component ATA:36								
PN:RYLB-53527-1	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:0362	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-04, AMM 36-11-04								
36-11-04-001^S RESTORATION (CLEANING) OF FAN-AIR VALVE (FAV) FILTER Service ATA:36								
	MOS	11-Sep-13						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-04								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-05		LH INCONEL 625 BLEED PRE-COOLER					Component ATA:36		
PN:381256000	MOS/MSC	22-Jul-21	O/C	TSO 0					
SN:T0522	HRS	1465.6		TSO 0					
	AFL	914		TSO 0					
PROC. REF: AMM 36-11-05, AMM 36-11-05									
36-11-05		RH INCONEL 625 BLEED PRE-COOLER					Component ATA:36		
PN:381257000	MOS/MSC	22-Jul-21	O/C	TSO 0					
SN:T0006	HRS	1465.6		TSN 1563, TSO 0					
	AFL	914		TSN 1201, TSO 0					
PROC. REF: AMM 36-11-05, AMM 36-11-05									
36-11-06		CROSS BLEED VALVE					Component ATA:36		
PN:RYLB-53506-1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-06, AMM 36-11-06									
36-11-06-001^S		OPERATIONAL CHECK OF CROSS-BLEED MANUAL SHUT-OFF FUNCTION					Service ATA:36		
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 36-11-06									
36-11-06-002^S		RESTORATION (CLEANING) OF CROSS-BLEED VALVE (XBV) FILTER					Service ATA:36		
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-06									
36-11-07		NO. 1 BLEED PRESSURE TRANSDUCER					Component ATA:36		
PN:APTE-479F-1000-200G	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:8051-11-619	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-07, AMM 36-11-07									
36-11-07		NO. 2 BLEED PRESSURE TRANSDUCER					Component ATA:36		
PN:APTE-479F-1000-200G	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:8051-11-652	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-07, AMM 36-11-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-08	NO. 1 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:DTP0731	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-08, AMM 36-11-08									
36-11-08	NO. 2 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:DTP0734	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-08, AMM 36-11-08									
36-11-08	NO. 3 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:DTP0931	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-08, AMM 36-11-08									
36-11-08	NO. 4 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:DTP6068	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-08, AMM 36-11-08									
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 1 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-08									
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 2 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-08									
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 3 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 4 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	11-Sep-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-08								PKG:60	
36-21-01-001	OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS							Service	ATA:36
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	4535 (+30)		
	AFL	0							
PROC. REF: AMM 36-21-01									
ATA 38 - WATER/WASTE									
38-00-00-001 ^U	CHECK DUMP SERVICE HOSE CLAMP							Service	ATA:38
	MOS/MSC	03-Oct-13	A/R						
	HRS	30.7							
	AFL								
38-33-00	TOILET ASSY							Component	ATA:38
PN:RTA9147-00	MOS/MSC	26-Oct-15	O/C						
SN:UNKNOWN	HRS	427.3							
	AFL	253							
PROC. REF: GENERIC NO REF									
38-33-07	WASTE DRAIN VALVE							Component	ATA:38
PN:0218-0032-1	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:183534	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-33-07, AMM 38-33-07									
ATA 44 - CABIN SYSTEMS									
44-12-07	3-CHANNEL AUDIO AMPLIFIER							Component	ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-12-07, AMM 44-12-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
44-21-03		DC-DC CONVERTER					Component ATA:44		
PN:35-192-00	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:248	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-03, AMM 44-21-03									
44-21-09		IFE INSC ILLUM PANEL					Component ATA:44		
PN:441-42725-001	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0222	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-09, AMM 44-21-09									
44-21-11		XM RECEIVER					Component ATA:44		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-21, AMM 44-23-21, AMM 44-21-11, AMM 44-21-11									
44-21-13		XM HEAD CONTROL					Component ATA:44		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-13, AMM 44-21-13									
44-21-15		AUDIO VOLUME CONTROLLER					Component ATA:44		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-15, AMM 44-21-15									
44-21-17		IR RECEIVER WITH CONNECTOR					Component ATA:44		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-17, AMM 44-21-17									
44-21-19		IR REMOTE CONTROLLER					Component ATA:44		
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-17, AMM 44-21-17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
44-21-21		WIRELESS AUDIO TRANSMITTER					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-21, AMM 44-21-21									
44-21-23		NO. 1 WIRELESS HEADPHONE					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
44-21-23		NO. 2 WIRELESS HEADPHONE					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
44-21-25		HEADPHONE DISTRIBUTION AMPLIFIER					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-25, AMM 44-21-25									
44-22-01		CABIN ENTERTAINMENT - MOVING MAP/CD/DVD PLAYER					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-22-01, AMM 44-22-01									
44-22-03		NO. 1 10.4 INCH FOLD DOWN MONITOR-					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-22-03, AMM 44-22-03									
44-32-01		ATG5000 TRANSCEIVER					Component	ATA:44	
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-32-01, AMM 44-32-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
44-32-03		AIRCELL CONFIGURATION MODULE					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-32-03, AMM 44-32-03									
44-32-05		AIRCELL AXCESS (CTR) CABIN TELECOMMUNICATIONS ROUTER					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-32-05, AMM 44-32-05									
442127-0101		LH NO. 1 AUDIO CONTROL JACK					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-27, AMM 44-21-27, AMM 44-23-11, AMM 44-23-11									
442127-0102		RH NO. 2 AUDIO CONTROL JACK					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-27, AMM 44-21-27, AMM 44-23-11, AMM 44-23-11									
442127-0103		LH NO. 3 AUDIO CONTROL JACK					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-27, AMM 44-21-27, AMM 44-23-11, AMM 44-23-11									
442127-0104		RH NO. 4 AUDIO CONTROL JACK					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-27, AMM 44-21-27, AMM 44-23-11, AMM 44-23-11									
442127-0105		LH NO. 5 AUDIO CONTROL JACK					Component		ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-27, AMM 44-21-27, AMM 44-23-11, AMM 44-23-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
442127-0106	RH NO. 6 AUDIO CONTROL JACK							Component	ATA:44
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-27, AMM 44-21-27, AMM 44-23-11, AMM 44-23-11									
ATA 52 - DOORS									
52-00-00	KEY LOCK KIT							Component	ATA:52
PN:505-09736-901	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:8MA000788CK	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR STRUCTURE							Service	ATA:52
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 52-10-00									
52-10-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR STRUCTURE							Service	ATA:52
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 52-10-00									
52-10-01-01-901	GENERAL VISUAL INSPECTION OF DOOR, FUSELAGE HINGES AND FASTENERS. MAIN DOOR STRUCTURE - EXTERNAL							Service	ATA:52
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500	17500			15635		
	AFL	0	T:14000	14000			12832		
PROC. REF: NDT PART 5 52-10-00									
52-10-01-02-901	GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND INTERCOSTALS. MAIN DOOR STRUCTURE - INTERNAL							Service	ATA:52
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500	17500			15635		
	AFL	0	T:14000	14000			12832		
PROC. REF: NDT PART 5 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-01-02-902	DETAILED VISUAL INSPECTION OF DOOR SKIN, VENT FLAP SKIN, SKIN/VENT FLAP SKIN AND ALL SKIN FASTENERS. MAIN DOOR STRUCTURE - EXTERNAL							Service	ATA:52
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 52-10-00									
52-10-02-01-901	GENERAL VISUAL INSPECTION OF LATCH PINS AND LATCH BOX. MAIN DOOR LATCH MECHANISM - EXTERNAL							Service	ATA:52
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 52-10-00									
52-10-20-001 ^S	GENERAL VISUAL INSPECTION OF MAIN DOOR RUBBER SEAL							Service	ATA:52
	MOS	29-Oct-22	12 (+1m/-1m)						
	HRS	1712.9							
	AFL	1072							
PROC. REF: AMM 52-10-20									
52-11-00-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
PROC. REF: AMM 52-11-00									
52-11-00-003 ^S	FUNCTIONAL CHECK OF MAIN-DOOR INTERNAL HANDLE STRENGTH							Service	ATA:52
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 52-11-23									
52-13-00	MAIN DOOR BALANCE ASSY. GEAR SECTOR							Component	ATA:52
PN:PN	MOS/MSC	11-Sep-13	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-13-01	MAIN DOOR BALANCE ASSY. PINION SHAFT							Component	ATA:52
PN:PN	MOS/MSC	11-Sep-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-13-21-001 ^S	DISCARD OF SECTOR GEAR SECTOR (ACFT WITH GEAR SECTOR P/N 500-09892-005 INSTALLED)							Service	ATA:52
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 52-13-21									
52-13-22	MAIN DOOR BALANCING MECHANISM							Component	ATA:52
PN:500-10099-405	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:5039561035	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-00, AMM 52-13-00, AMM 52-13-22, AMM 52-13-22									
52-13-22-001	DISCARD OF MAIN DOOR BALANCING MECHANISM CABLE							Service	ATA:52
PN:500-10099-405	MOS/MSC	09-Sep-16	O/C						
SN:5039561035	HRS	616.8							
	AFL	358							
PROC. REF: AMM 52-13-22									
52-13-22-004 ^S	DISCARD OF MAIN DOOR BALANCING MECHANISM CABLES							Service	ATA:52
	MOS	11-Sep-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 52-13-22									
52-13-23-001 ^S	DISCARD OF SHAFT PINION SHAFT (ACFT WITH PINION SHAFT P/N 500-09890-001 INSTALLED)							Service	ATA:52
	MOS/MSC	11-Sep-13	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 52-13-23									
52-20-00	EMERGENCY DOOR							Component	ATA:52
PN:500-09700-439	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000761165	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR STRUCTURE							Service	ATA:52
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 52-20-00							PKG:87	
52-20-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR STRUCTURE							Service	ATA:52
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 52-20-00, NDT PART 5 52-20-00							PKG:90	
52-20-01-01-901	GENERAL VISUAL INSPECTION OF SPAR AND FRAMES. EMERGENCY DOOR STRUCTURE - INTERNAL							Service	ATA:52
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 52-20-00								
52-20-01-01-902	DETAILED INSPECTION OF DOOR SKIN AND FASTENERS. EMERGENCY DOOR STRUCTURE - EXTERNAL							Service	ATA:52
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 52-20-00								
52-20-20-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
	PROC. REF: AMM 52-20-20							PKG:83	
52-20-21-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR RUBBER SEAL							Service	ATA:52
	MOS	22-Oct-21	24 (+1m/-1m)						
	HRS	1468.2							
	AFL								
	PROC. REF: AMM 52-20-21							PKG:81	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-31-20-001 ^S	GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
				PROC. REF: AMM 52-31-20				PKG:83	
52-32-20-001 ^S	GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM							Service	ATA:52
	MOS	22-Oct-21	48 (+1m/-1m)						
	HRS	1468.2							
	AFL								
				PROC. REF: AMM 52-32-20				PKG:83	
52-71-20	LOWER PAX DOOR MICRO SWITCH ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 52-71-20, AMM 52-71-20					
52-71-20	UPPER PAX DOOR MICRO SWITCH ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 52-71-20, AMM 52-71-20					
ATA 53 - FUSELAGE									
53-00-00-001 ^S	GENERAL VISUAL INSPECTION OF FUSELAGE POLYURETHANE FILMS							Service	ATA:53
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
				PROC. REF: AMM 53-00-20				PKG:1	
53-05-00-001 ^S	DETAILED INSPECTION OF FUSELAGE DRAINS							Service	ATA:53
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
				PROC. REF: AMM 53-05-00				PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE STRUCTURES							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 53-10-00							PKG:90	
53-10-00-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS AND SKIN SPLICES							Service	ATA:53
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 53-10-00							PKG:87	
53-10-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL STRUCTURE							Service	ATA:53
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 53-10-00							PKG:87	
53-10-01-01-901	DETAILED INSPECTION OF FRAMES, BEAMS, POSTS, GUSSET (SPLICES). FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-10-00								
53-10-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-10-00								
53-10-02-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SKIN AND SPLICES. FORWARD FUSELAGE LEFT AND RIGHT SIDESKIN PANELS - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-02-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-10-00									
53-10-03-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SPLICES. FORWARD FUSELAGE LOWER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-10-00									
53-10-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-10-00									
53-10-04-01-901	DETAILED INSPECTION OF LONGITUDINAL SPLICE. FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-10-00									
53-10-04-01-902	DETAILED INSPECTION OF SKIN-TO-SPLICE AREA. FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-10-00									
53-10-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-10-00									
PKG:90									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-05-01-901	DETAILED VISUAL INSPECTION OF PRESSURE BULKHEAD. FORWARD FUSELAGE PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-10-00									
53-10-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL STRUCTURE							Service	ATA:53
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 53-10-00									
53-10-07-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF TRUNNIONS, DRAG LOCKING STRUT AND FASTENERS. NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13135		
	AFL	0	T:12000		12000		10832		
PROC. REF: NDT PART 5 53-10-00									
53-10-07-02-901	DETAILED INSPECTION OF WHEEL WEEL STRUCTURE. NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13135		
	AFL	0	T:12000		12000		10832		
PROC. REF: NDT PART 5 53-10-00									
53-10-07-02-902	DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - INTERNAL OF WHEEL WEEL STRUCTURE.							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13135		
	AFL	0	T:12000		12000		10832		
PROC. REF: NDT PART 5 53-10-00									
53-14-00	NOSE RADOME							Component	ATA:53
PN:5190-102-1	MOS/MS	11-Sep-13	O/C	TSN 0					
SN:491	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-14-00, AMM 53-14-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE STRUCTURES							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 53-20-00							PKG:90	
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE STRUCTURES							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 53-20-00							PKG:90	
53-20-01-01-901	DETAILED INSPECTION OF FRAMES, SPLICES/DOUBLERS AND STRINGERS. CENTER FUSELAGE UPPER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-20-00								
53-20-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE UPPER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-20-00								
53-20-02-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, STRINGERS AND SKIN OVER WING AREA. CENTER FUSELAGE SIDE SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-20-00								
53-20-02-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE SIDE SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-03-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, STRINGERS AND SKIN OVER WING AREA. CENTER FUSELAGE LOWER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-04-01-901	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICE. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-04-01-902	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-04-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF 2ND FASTENER ROW OF SKIN SPLICE (INNER SKIN). CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 53-20-00									
53-20-04-02-902	GENERAL VISUAL INSPECTION OF FRAMES. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER-TO-AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND AFT PRESSURE BULKHEAD FRONT SIDE							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-20-00								PKG:90	
53-20-05-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER-TO-AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND AFT PRESSURE BULKHEAD BACK SIDE							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-20-00								PKG:90	
53-20-05-01-901	GENERAL VISUAL INSPECTION OF BEAMS, FRAMES, SPLICES/ DOUBLERS AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-02-901	DETAILED INSPECTION OF AFT PRESSURE BULKHEAD WEB AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-03-901	DETAILED INSPECTION OF CIRCUMFERENTIAL T WEB SECTION AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-04-901	DETAILED INSPECTION OF SKIN-TO-SPLICE AREA AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-05-05-901	GENERAL VISUAL INSPECTION OF END-FITTINGS AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 53-20-00									
53-20-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	11-Sep-13	60 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-20-00									
53-20-06-01-901	DETAILED INSPECTION OF SKIN, DOUBLER AND FASTENERS. PASSENGER DOOR CUTOUT STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-06-01-902	DETAILED INSPECTION OF THE FRAMES, STRINGERS, BEAMS, INTERCOSTALS, SPLICES, SKIN AND ATTACHMENTS. PASSENGER DOOR CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:8750		8750		6885		
	AFL	0	T:7000		7000		5832		
PROC. REF: NDT PART 5 53-20-00									
53-20-07-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, BEAMS, INTERCOSTALS, SPLICE AND ATTACHMENTS. EMERGENCY DOOR CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-07-01-902	DETAILED INSPECTION OF THE SKIN AND FASTENERS TO EMERGENCY DOOR CUTOUT STRUCTURE. EMERGENCY DOOR CUTOUT STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUTOUT STRUCTURE							Service	ATA:53
	MOS	11-Sep-13	60 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-20-00									
53-20-08-01-901	GENERAL VISUAL INSPECTION OF WINDOW FRAME AND ATTACHMENTS. PASSENGER WINDOW CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-08-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS AT WINDOW AREA. PASSENGER WINDOW CUTOUT STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TOWING CONNECTIONS							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-20-00									
53-20-10-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, DOUBLERS AND ATTACHMENTS. CENTER FUSELAGE-TO-WING CONNECTIONS - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-10-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE-TO-WING CONNECTIONS - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-20-10-02-901	GENERAL VISUAL INSPECTION OF FUSELAGE-TO-WING FITTINGS CENTER FUSELAGE-TO-WING CONNECTIONS - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-20-00									
53-30-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE SKINS AND BAGGAGE DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00									
PKG:90									
53-30-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE STRUCTURES							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00									
PKG:90									
53-30-01-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, DOUBLERS, SPLICES AND ATTACHMENTS. AFT FUSELAGE UPPER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE UPPER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-02-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00								PKG:90	
53-30-02-01-901	DETAILED INSPECTION OF FRAMES, FRAMES SPLICES AND ATTACHMENTS AFT FUSELAGE SIDE SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:12500		12500		10635		
	AFL	0	T:10000		10000		8832		
PROC. REF: NDT PART 5 53-30-00									
53-30-02-01-902	GENERAL VISUAL INSPECTION OF STRINGERS, DOUBLERS AND ATTACHMENTS. AFT FUSELAGE SIDE SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-02-01-903	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE SIDE SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-03-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SPLICES AND ATTACHMENTS AFT FUSELAGE LOWER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKIN SPLICES							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00								PKG:90	
53-30-04-01-901	DETAILED INSPECTION OF SKIN TO LONGITUDINAL AND CIRCUMFERENTIAL SPLICE. AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-04-01-902	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SPLICES. AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-05-02-901	DETAILED INSPECTION OF BAGGAGE DOOR CUTOUT STRUCTURE. AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:10000		10000		8135		
	AFL	0	T:8000		8000		6832		
PROC. REF: NDT PART 5 53-30-00									
53-30-06-01-901	DETAILED INSPECTION OF FRAMES, FRAMES SPLICES AND ATTACHMENTS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:12500		12500		10635		
	AFL	0	T:10000		10000		8832		
PROC. REF: NDT PART 5 53-30-00									
53-30-06-01-902	GENERAL VISUAL INSPECTION OF STRINGERS, DOUBLERS AND ATTACHMENTS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - INTERNAL							Service	ATA:53
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-06-01-903	DETAILED INSPECTION OF SKIN, SKIN SPLICES AND FASTENERS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-07-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE-TO-VERTICAL STABILIZER JUNCTION							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00									
53-30-07-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE-TO-VERTICAL STABILIZER JUNCTION							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00									
53-30-07-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND FASTENERS. AFT FUSELAGE TO VERTICAL STABILIZER CONNECTION - INTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-07-01-902	DETAILED INSPECTION OF SKIN, BEDPLATES AND FASTENERS. AFT FUSELAGE TO VERTICAL STABILIZER CONNECTION - EXTERNAL							Service	ATA:53
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 53-30-00									
53-30-08-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FRAME 46							Service	ATA:53
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-08-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FRAME 46							Service	ATA:53
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 53-30-00								PKG:90	
ATA 54 - NACELLES/PYLONS									
54-00-00-001 ^S	GENERAL VISUAL INSPECTION OF PYLON POLYURETHANE FILMS							Service	ATA:54
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 54-51-20								PKG:1	
54-50-00-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON BEAMS - INTERNAL TO FUSELAGE							Service	ATA:54
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 54-50-00								PKG:90	
54-50-00-002 ^S	INTERNAL DETAILED INSPECTION OF PYLON MAIN BOX							Service	ATA:54
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 54-52-00, NDT PART 5 54-52-00								PKG:90	
54-50-01-01-901	GENERAL VISUAL INSPECTION OF PYLON FRONT, REAR SPARS AND ATTACHMENTS. PYLON FORWARD BEAM - INTERNAL							Service	ATA:54
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 54-50-00									
54-50-02-01-901	GENERAL VISUAL INSPECTION OF PYLON SPARS 3, 4 AND ATTACHMENTS. PYLON AFT BEAM - INTERNAL							Service	ATA:54
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 54-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-03-001 ^S	EXTERNAL - DETAILED INSPECTION OF PYLON MAIN BOX AND LEADING EDGE.							Service	ATA:54
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 54-52-00								PKG:84
54-50-03-01-901	GENERAL VISUAL INSPECTION OF MAIN BOX SKIN, ANGLE BRACKETS AND FASTENERS. PYLON MAIN BOX - EXTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 54-52-00								
54-50-03-01-902	DETAILED INSPECTION OF STRINGERS AND FIREWALL. PYLON MAIN BOX - INTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 54-52-00								
54-50-04-01-901	GENERAL VISUAL INSPECTION OF SPARS AND BOLTS INTEGRITY. PYLON-TO-FUSELAGE CONNECTIONS - INTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 54-52-00								
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES							Service	ATA:54
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 54-55-00								PKG:87
54-50-05-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF YOKE LUGS. PYLON YOKES - INTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13135		
	AFL	0	T:12000		12000		10832		
	PROC. REF: NDT PART 6 54-55-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-05-02-901	DETAILED INSPECTION OF YOKES, FRONT SPARS, GUSSET AND SHIELD PLATES. PYLON YOKES - INTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 54-55-00									
54-50-06-01-901	DETAILED INSPECTION OF AFT MOUNT FITTING. AFT MOUNT FITTINGS - INTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13135		
	AFL	0	T:12000		12000		10832		
PROC. REF: NDT PART 5 54-55-00									
54-50-06-01-902	DETAILED INSPECTION OF AFT MOUNT FITTING. AFT MOUNT FITTINGS - EXTERNAL							Service	ATA:54
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13135		
	AFL	0	T:12000		12000		10832		
PROC. REF: NDT PART 5 54-55-00									
ATA 55 - STABILIZERS									
55-00-00-001 ^S	GENERAL VISUAL INSPECTION OF STABILIZER POLYURETHANE FILMS							Service	ATA:55
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 55-00-20								PKG:1	
55-10-00	HORIZONTAL STABILIZER (COMPLETION)							Component	ATA:55
PN:505-10700-413	MOS/MS	11-Sep-13	O/C		TSN 0				
SN:0000755123	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
55-10-00-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF HORIZONTAL-STABILIZER SPARS AND RIBS							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 55-10-00								PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION ON HORIZONTAL-STABILIZER-TO-ELEVATOR HINGE FITTING							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 55-10-00								PKG:84
55-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 55-10-00								PKG:84
55-10-01-01-901	DETAILED INSPECTION OF LUG, FITTING AND ATTACHMENTS. FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-02-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FRONT, REAR SPARS AND FASTENERS. HORIZONTAL STABILIZER FRONT AND REAR SPARS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-02-01-902	DETAILED INSPECTION OF FRONT, REAR SPAR AND FASTENERS. HORIZONTAL STABILIZER FRONT AND REAR SPARS - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION ON HORIZONTAL-STABILIZER UPPER AND LOWER SKIN							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 55-10-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-03-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) ON HORIZONTAL-STABILIZER UPPER AND LOWER SKIN							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 55-10-00								PKG:84
55-10-03-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, STRINGERS AND STRAPS. HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKIN - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-03-01-902	DETAILED INSPECTION OF SKIN AND ATTACHMENTS. HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKIN - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-04-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIBS AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-05-001 ^S	INTERNAL DETAILED INSPECTION ON HORIZONTAL STABILIZER METALLIC RIBS							Service	ATA:55
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 55-10-00								PKG:90
55-10-05-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIBS 1 AND ATTACHMENTS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-05-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF INTERCOSTALS RIBS ACCESS HOLES. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 55-10-00									
55-10-05-02-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERCOSTALS RIBS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-03-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF TIP RIB. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-04-901	DETAILED INSPECTION OF RIB 1 FITTING AND REINFORCEMENTS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-05-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIB 1 ACCESS HOLE. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 55-10-00									
55-10-07-01-901	GENERAL VISUAL INSPECTION OF HINGES. HORIZONTAL STABILIZER ELEVATOR HINGE FITTING - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-08-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 55-10-00								PKG:84
55-10-08-01-901	DETAILED INSPECTION OF FITTING, INCLUDING HINGES, PINS, FLANGES, WEBS AND FASTENERS. HORIZONTAL STABILIZER ACTUATOR SUPPORT FITTINGS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-09-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER-TO-ELEVATOR TORQUE-TUBE SUPPORT							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 55-10-00								PKG:87
55-10-09-01-901	DETAILED INSPECTION OF COMPOSITE SUPPORT AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE COMMAND BOX - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-09-01-902	DETAILED INSPECTION OF COMPOSITE SUPPORT AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE COMMAND BOX - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 55-10-00								
55-10-10-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF ELEVATOR TRIM-TAB FITTINGS							Service	ATA:55
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 55-10-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-10-01-901	DETAILED INSPECTION OF FITTING AND ATTACHMENTS. HORIZONTAL STABILIZER TAB ACTUATOR SUPPORT FITTINGS - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-10-00									
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR MAIN BOX							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00									
55-20-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. ELEVATOR MAIN BOX - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-20-00									
55-20-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS, INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE. ELEVATOR MAIN BOX - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-20-00									
55-20-02-01-901	DETAILED INSPECTION OF ELEVATOR HINGE PINS. ELEVATOR HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-20-00									
55-20-02-02-901	GENERAL VISUAL INSPECTION OF ELEVATOR HINGES. ELEVATOR HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF ELEVATOR TORQUE TUBE ASSEMBLY							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 55-20-00							PKG:87	
55-20-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF ELEVATOR TORQUE TUBE FLANGE. ELEVATOR TORQUE TUBE ASSY - INTERNAL							Service	ATA:55
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 6 55-20-00								
55-20-03-02-901	SPECIAL DETAILED INSPECTION (DYE PENETRANT) OF ELEVATOR TORQUE TUBE. ELEVATOR TORQUE TUBE ASSY - INTERNAL							Service	ATA:55
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 8 55-20-00								
55-20-04-001	INTERNAL GENERAL VISUAL INSPECTION OF ELEVATOR MASS-BALANCE WEIGHT AND ATTACHMENTS							Service	ATA:55
	MOS	27-Oct-20	60		27-Oct-25		942 d	ALI	
	HRS	1371.2							
	AFL	838							
	PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00								
55-20-04-002	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF MASS-BALANCE WEIGHT ATTACHMENTS							Service	ATA:55
	MOS	27-Oct-20	60		27-Oct-25		942 d	ALI	
	HRS	1371.2							
	AFL	838							
	PROC. REF: NDT PART 5 55-20-00								
55-22-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF ELEVATOR TRIM-TAB							Service	ATA:55
	MOS	11-Sep-13	T:120						
	HRS	0							
	AFL	0							
	PROC. REF: NDT PART 5 55-22-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00	VERTICAL STABILIZER							Component	ATA:55
PN:505-10100-413	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:0000763243	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
55-30-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-AFT FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 55-30-00									
55-30-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 55-30-00									
55-30-01-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FITTING ATTACHMENTS TO COMPOSITE. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 55-30-00									
55-30-01-02-901	DETAILED INSPECTION OF CHANNEL FITTING AND BARREL NUT. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-01-03-901	DETAILED INSPECTION OF BOLT. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-01-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF METALLIC RIBS ATTACHMENTS. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 55-30-00									
55-30-02-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 55-30-00									
55-30-02-01-901	DETAILED INSPECTION OF FITTING, LUG AND ATTACHMENTS. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-03-901	DETAILED INSPECTION OF PIN VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIB 5. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-02-05-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 7. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-06-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 6 AND RIB 8. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-07-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 5 , L PROFILES AND SHROUDS. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-03-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER MAIN BOX SKIN AND SPARS							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-30-00								PKG:87	
55-30-03-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER MAIN BOX							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-30-00, NDT PART 5 55-30-00								PKG:87	
55-30-03-01-901	DETAILED INSPECTION OF SKIN, SPAR AND ATTACHMENTS. VERTICAL STABILIZER MAIN BOX - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-03-01-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SPAR, STRINGER, RIBS, FLANGES AND ATTACHMENTS. VERTICAL STABILIZER MAIN BOX - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER HINGE FITTING							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 55-30-00									
55-30-04-01-901	GENERAL VISUAL INSPECTION OF HINGES. VERTICAL STABILIZER RUDDER HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF HORIZONTAL-STABILIZER ACTUATOR SUPPORT FITTING ON VERTICAL STABILIZER							Service	ATA:55
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 55-30-00									
55-30-05-01-901	DETAILED INSPECTION OF FITTING 1 AND FASTENERS. HORIZONTAL STABILIZER ACTUATOR SUPPORT FITTING ON VERTICAL STABILIZER - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TRIM-TAB ACTUATOR FITTING							Service	ATA:55
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-06-01-901	DETAILED INSPECTION OF FITTINGS, LUGS AND ATTACHMENTS. HORIZONTAL TAIL TRIM ACTUATOR SUPPORT FITTINGS ON VERTICAL TAIL - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-30-00									
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER MAIN BOX							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-40-00									
55-40-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. RUDDER MAIN BOX - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-40-00									
55-40-01-01-902	DETAILED INSPECTION OF MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING FASTENERS. RUDDER MAIN BOX - EXTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-40-00									
55-40-02-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER HINGE FITTINGS							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-40-00									
55-40-02-01-901	DETAILED INSPECTION OF PINS OF RUDDER HINGES. RUDDER HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40-02-02-901	GENERAL VISUAL INSPECTION OF RUDDER HINGES FITTINGS. RUDDER HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-40-00									
55-40-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE TUBE ASSEMBLY							Service	ATA:55
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-40-00									
55-40-03-01-901	GENERAL VISUAL INSPECTION OF RUDDER TORQUE TUBE, TORQUE TUBE HINGE FITTINGS AND PINS. RUDDER TORQUE TUBE ASSEMBLY - INTERNAL							Service	ATA:55
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 55-40-00									
55-40-04-002	INTERNAL GENERAL VISUAL INSPECTION OF RUDDER ADJUSTABLE MASS-BALANCE WEIGHT AND ATTACHMENTS							Service	ATA:55
	MOS	27-Oct-20	60		27-Oct-25		942 d	ALI	
	HRS	1371.2							
	AFL	838							
PROC. REF: NDT PART 5 55-40-00									
55-40-04-003	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER FIXED MASS-BALANCE WEIGHT AND ATTACHMENTS							Service	ATA:55
	MOS	27-Oct-20	60		27-Oct-25		942 d	ALI	
	HRS	1371.2							
	AFL	838							
PROC. REF: NDT PART 5 55-40-00									
55-42-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TRIM-TAB							Service	ATA:55
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 55-42-00									
ATA 56 - WINDOWS									
56-10-00	LEFT GLASS, HEATED WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:NP-195301-3	MOS/MSC	11-Sep-13	O/C	TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
SN:12254H9353	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-10-00	RIGHT GLASS, HEATED WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:NP-195301-4	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:12250H9106	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF SIDE WINDOW							Service	ATA:56
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 56-12-00									
56-10-01-002	FUNCTIONAL CHECK TORQUE OF WINDSHIELD AND SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
	MOS	11-Oct-19							
	HRS	1198.1	1600 (+30/-30)		2798.1	2828.1	933.1 (+30)		
	AFL	730							
PROC. REF: AMM 56-10-00									
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION COCKPIT L/H SIDE WINDOW STRUCTURE							Service	ATA:56
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 56-10-00									
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION COCKPIT R/H SIDE WINDOW STRUCTURE							Service	ATA:56
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 56-10-00									
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION LEFT WINDSHIELD STRUCTURE							Service	ATA:56
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 56-10-00									

PKG:84

PKG:90

PKG:90

PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-03-001^S EXTERNAL DETAILED VISUAL INSPECTION RIGHT WINDSHIELD STRUCTURE								
	MOS	11-Sep-13	T:120 (+1m/-1m)					Service ATA:56
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 56-10-00						PKG:90		
56-10-03-01-901 SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FRAMES AND FASTENERS. WINDSHIELD FRAME AND FASTENERS - EXTERNAL								
	MOS	11-Sep-13						Service ATA:56
	HRS	0	T:17500		17500		15635	AIRWORTHINESS
	AFL	0	T:14000		14000		12832	
PROC. REF: NDT PART 6 56-10-00								
56-12-00 LEFT ACRYLIC SIDE WINDOW								
PN:NP-195302-3	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:56
SN:1229H4938	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00								
56-12-00 RIGHT ACRYLIC SIDE WINDOW								
PN:NP-195302-4	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:56
SN:12349H0141	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00								
56-20-00 NO. 1 WINDOW TRANSPARENCY								
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:56
SN:1933545	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00 NO. 10 WINDOW TRANSPARENCY								
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:56
SN:1938970	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00 NO. 11 WINDOW TRANSPARENCY								
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0				Component ATA:56
SN:1947384	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00		NO. 2 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1933546	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		NO. 3 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1937684	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		NO. 4 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1937685	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		NO. 5 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1938960	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		NO. 6 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1938963	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		NO. 7 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1938964	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		NO. 8 WINDOW TRANSPARENCY					Component		ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1938966	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00	NO. 9 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1938969	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE PASSENGER WINDOW PANELS							Service	ATA:56
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 56-20-00									
PKG:84									
ATA 57 - WINGS									
57-00-00-001 ^S	GENERAL VISUAL INSPECTION OF WINGLET POLYURETHANE FILMS							Service	ATA:57
	MOS	11-Oct-19							
	HRS	1198.1	800 (+30/-30)						
	AFL	730							
PROC. REF: AMM 57-35-21									
PKG:1									
57-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX							Service	ATA:57
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-10-00									
PKG:90									
57-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF WING CENTER UPPER SKIN							Service	ATA:57
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-10-00									
PKG:87									
57-10-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-CENTER FUSELAGE CONNECTIONS							Service	ATA:57
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-00-00									
PKG:87									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-01-01-901	DETAILED INSPECTION OF WING-TO-FUSELAGE LINKS. WING TO CENTER FUSELAGE CONNECTIONS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									
57-10-02-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING FRONT SPAR							Service	ATA:57
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-10-00									
57-10-02-01-901	DETAILED INSPECTION OF WING FRONT SPAR LOWER CAP, SPLICES AND ATTACHMENTS. WING FRONT SPAR - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									
57-10-03-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING REAR SPAR							Service	ATA:57
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-10-00									
57-10-03-01-901	DETAILED INSPECTION OF WING REAR SPAR LOWER CAP, THIRD CAP, SPLICES AND ATTACHMENTS. WING REAR SPAR - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									
57-10-04-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING ROOT SPAR							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-04-01-901	DETAILED INSPECTION OF WING ROOT SPAR. WING ROOT SPAR - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									
57-10-05-01-901	GENERAL VISUAL INSPECTION OF MIDDLE SPAR, SPLICES AND ATTACHMENTS. WING MIDDLE SPAR - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL							Service	ATA:57
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-10-00									
PKG:87									
57-10-07-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-10-00									
PKG:84									
57-10-07-01-901	GENERAL VISUAL INSPECTION OF ACCESS WINDOWS FRAMES AND STRINGERS. WING LOWER SKIN PANEL - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									
57-10-07-01-902	DETAILED INSPECTION OF WING SKIN. WING LOWER SKIN PANEL - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-08-01-901	DETAILED INSPECTION OF MACHINED RIBS. WING RIBS - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-10-00								
57-10-08-02-901	DETAILED INSPECTION OF MAIN LANDING GEAR RIBS. WING RIBS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-10-00								
57-10-11-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 57-10-00							PKG:84	
57-10-11-01-901	DETAILED INSPECTION OF SPAR SPLICES, LOWER SKIN SPLICES, INCLUDING FASTENERS. WING CENTRAL SPLICES - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-10-00								
57-10-11-01-902	SPECIAL DETAILED INSPECTION (BOREScope) OF UPPER SKIN SPLICES, INCLUDING FASTENERS. WING CENTRAL SPLICES - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-10-00								
57-10-12-01-901	DETAILED INSPECTION OF SKIN SPLICES, INCLUDING FASTENERS. KINK LOWER SKIN SPLICE - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:12500		12500		10635		
	AFL	0	T:10000		10000		8832		
	PROC. REF: NDT PART 5 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE TORQUE BOX AND CONTROL SURFACES FITTINGS							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-50-00								PKG:84	
57-50-01-01-901	DETAILED INSPECTION OF TORSION BOXES RIBS AND ATTACHMENTS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - INTERNAL							Service	ATA:57
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-50-00									
57-50-01-01-902	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIBS ROLLERS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - INTERNAL							Service	ATA:57
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:11250		11250		9385		
	AFL	0	T:9000		9000		7832		
PROC. REF: NDT PART 6 57-50-00									
57-50-01-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF TORSION BOXES RIBS LUG RAILS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 57-50-00									
57-50-01-03-901	DETAILED INSPECTION OF TORSION BOXES SKINS AND FASTENERS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-50-00									
57-50-01-04-901	DETAILED INSPECTION OF AILERON AND FLAP HINGES FITTINGS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13					AIRWORTHINESS		
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-01-05-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF BELL CRANK SUPPORT FITTING. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 57-50-00									
57-50-01-05-902	DETAILED INSPECTION OF BELL CRANK SUPPORT FITTING. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-50-00									
57-50-02-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE MLG TRUNNION, ACTUATOR FITTINGS AND UPLOCK							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-20-00									
57-50-02-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF MLG ACTUATOR SUPPORT FITTING. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 57-50-00									
57-50-02-01-902	DETAILED INSPECTION OF MLG ACTUATOR SUPPORT FITTING. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-50-00									
57-50-02-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF MLG TRUNNIONS. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-02-02-902	DETAILED INSPECTION OF MLG TRUNNIONS. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-50-00									
57-52-00-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE INBOARD FLAP							Service	ATA:57
	MOS	11-Sep-13	T:120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-52-00									
57-52-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF THE INBOARD FLAP							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-52-00									
57-52-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF MAIN BOX AND VANE. FLAP INBOARD COMPOSITE STRUCTURE - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-52-00									
57-52-01-01-902	DETAILED INSPECTION OF MAIN BOX AND VANE. FLAP INBOARD COMPOSITE STRUCTURE - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-52-00									
57-52-02-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP RIBS. FLAP INBOARD RIBS - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-52-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP TRACKS. FLAP INBOARD TRACKS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:11250		11250		9385		
	AFL	0	T:9000		9000		7832		
PROC. REF: NDT PART 6 57-52-00									
57-52-04-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP ACTUATOR FITTING. FLAP INBOARD ACTUATOR SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-52-00									
57-52-04-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP ACTUATOR FITTING. FLAP INBOARD ACTUATOR SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 6 57-52-00									
57-53-00-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	11-Sep-13	120 (+1m/-1m)						
	HRS	0							
	AFL	0							
PROC. REF: NDT PART 5 57-53-00									
57-53-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-53-00									
57-53-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF MAIN BOX AND VANE. FLAP OUTBOARD COMPOSITE STRUCTURE - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-53-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-53-01-01-902	DETAILED INSPECTION OF MAIN BOX AND VANE. FLAP OUTBOARD COMPOSITE STRUCTURE - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-53-00									
57-53-02-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP RIBS. FLAP OUTBOARD RIBS - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-53-00									
57-53-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP TRACKS. FLAP OUTBOARD TRACKS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:11250		11250		9385		
	AFL	0	T:9000		9000		7832		
PROC. REF: NDT PART 6 57-53-00									
57-53-04-01-901	DETAILED INSPECTION OF PIN OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-53-00									
57-53-04-02-901	DETAILED INSPECTION OF LUG OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-53-00									
57-53-04-03-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLANGES OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-53-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-53-04-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NECK OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 6 57-53-00								
57-60-00-001	EXTERNAL DETAILED VISUAL INSPECTION OF THE AILERON							Service	ATA:57
	MOS	27-Oct-20	60		27-Oct-25		942 d	ALI	
	HRS	1371.2							
	AFL	838							
	PROC. REF: NDT PART 5 57-60-00								
57-60-00-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON AND TAB							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
	PROC. REF: NDT PART 5 57-60-00							PKG:84	
57-60-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. AILERON MAIN BOX - INTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-60-00								
57-60-01-01-902	DETAILED INSPECTION OF SKIN, SPARS, RIBS AND FASTENERS. AILERON MAIN BOX - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-60-00								
57-60-01-02-901	DETAILED INSPECTION OF AILERON ROOT RIBS. AILERON MAIN BOX - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
	PROC. REF: NDT PART 5 57-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60-02-01-901	DETAILED INSPECTION OF AILERON HINGES PINS. AILERON HINGE FITTINGS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-60-00									
57-60-02-02-901	DETAILED INSPECTION OF AILERON HINGES FITTINGS. AILERON HINGE FITTINGS - EXTERNAL							Service	ATA:57
	MOS	11-Sep-13						AIRWORTHINESS	
	HRS	0	T:17500		17500		15635		
	AFL	0	T:14000		14000		12832		
PROC. REF: NDT PART 5 57-60-00									
57-60-04-001 ^U	INTERNAL DETAILED VISUAL INSPECTION OF AILERON MASS-BALANCE WEIGHTS AND ATTACHMENTS							Service	ATA:57
	MOS/MSC	27-Oct-20	O/C						
	HRS	1371.2							
	AFL	838							
57-70-02-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF SPOILER HINGE FITTINGS							Service	ATA:57
	MOS	13-Oct-18	60 (+1m/-1m)						
	HRS	1016.6							
	AFL	610							
PROC. REF: NDT PART 5 57-70-00									
PKG:84									
ATA 70 - STANDARD PRACTICES - ENGINES									
700010	NO. 1 ENGINE - TREATMENT MAGNESIUM CORROSION							Service	ATA:70
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 70-00-00									
700010	NO. 2 ENGINE - TREATMENT MAGNESIUM CORROSION							Service	ATA:70
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 70-00-00									
ATA 71 - POWER PLANT									
70-00-00-200-801	NO. 1 ENGINE - INSPECT FOR CORROSION ON STRUCTURAL CASES, DUCTS							Service	ATA:71
	MOS/MSC	26-May-13	A/R						
	HRS	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
	ENC	0							
PROC. REF: MM 70-00-00									
70-00-00-200-801	NO. 2 ENGINE - INSPECT FOR CORROSION ON STRUCTURAL CASES, DUCTS							Service	ATA:71
	MOS/MSC	31-May-13		A/R					
	HRS	0							
	ENC	0							
PROC. REF: MM 70-00-00									
71-00-00-160-805	NO. 1 ENGINE - COMPRESSOR WASH							Service	ATA:71
	MOS/MSC	22-Oct-21		A/R					
	HRS	1468.2							
	ENC								
PROC. REF: MM 71-00-00									
71-00-00-160-805	NO. 2 ENGINE - COMPRESSOR WASH							Service	ATA:71
	MOS/MSC	22-Oct-21		A/R					
	HRS	1468.2							
	ENC								
PROC. REF: MM 71-00-00									
71-00-00-160-806	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	22-Jul-21		A/R					
	HRS	1465.6							
	ENC	914							
PROC. REF: MM 71-00-00									
71-00-00-160-806	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	22-Jul-21		A/R					
	HRS	1465.6							
	ENC	914							
PROC. REF: MM 71-00-00									
71-00-00-760-810	NO. 1 ENGINE - PERFORM A PERFORMANCE CALIBRATION RUN							Service	ATA:71
	MOS/MSC	22-Jul-21		A/R					
	HRS	1465.6							
	ENC	914							
PROC. REF: MM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-760-810	NO. 2 ENGINE - PERFORM A PERFORMANCE CALIBRATION RUN							Service	ATA:71
	MOS/MSC	22-Jul-21	A/R						
	HRS	1465.6							
	ENC	914							
	PROC. REF: MM 71-00-00								
71-00-00-760-814	NO. 1 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - BLEED VALVE OPERATIONAL CHECK							Service	ATA:71
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-814	NO. 2 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - BLEED VALVE OPERATIONAL CHECK							Service	ATA:71
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-817	NO. 1 ENGINE - DOWNLOAD ENGINE DCU DATA							Service	ATA:71
	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-817	NO. 2 ENGINE - DOWNLOAD ENGINE DCU DATA							Service	ATA:71
	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-817 ^U	PERFORM NO. 2 ENGINE EDCU DOWNLOAD							Service	ATA:71
	MOS/MSC	26-Sep-14	A/R						
	HRS	264.7							
	AFL	171							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-760-823	NO. 1 ENGINE - CLEARING TLD (TIME LIMITED DISPATCH)							Service	ATA:71
	MOS	29-Oct-22	12 (+30d)		29-Oct-23	28-Nov-23	213 d (+30)		
	HRS	1712.9	630 (+10%)		(2342.9) 2342.9	2405.9	477.9 (+63)		
	ENC	1072							
PROC. REF: MM 71-00-00									
71-00-00-760-823	NO. 2 ENGINE - CLEARING TLD (TIME LIMITED DISPATCH)							Service	ATA:71
	MOS	29-Oct-22	12 (+30d)		29-Oct-23	28-Nov-23	213 d (+30)		
	HRS	1712.9	630 (+10%)		(2342.9) 2342.9	2405.9	477.9 (+63)		
	ENC	1072							
PROC. REF: MM 71-00-00									
71-11-00-001 ^S	GENERAL VISUAL INSPECTION OF UPPER MID COWL							Service	ATA:71
	MOS	11-Sep-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 71-11-00									
71-20-00	LEFT AFT ENGINE MOUNT ISOLATOR							Component	ATA:71
PN:LM-475-SA4	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:LK0561	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-20-00	LEFT INBOARD FORWARD ENGINE MOUNT ISOLATOR							Component	ATA:71
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:LK1047	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-20-00	LEFT OUTBOARD FORWARD ENGINE MOUNT ISOLATOR							Component	ATA:71
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C		TSN 0				
SN:LK1056	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00		RIGHT AFT ENGINE MOUNT ISOLATOR					Component		ATA:71
PN:LM-475-SA4	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:LK0555	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-20-00		RIGHT INBOARD FORWARD ENGINE MOUNT ISOLATOR					Component		ATA:71
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:LK1044	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-20-00		RIGHT OUTBOARD FORWARD ENGINE MOUNT ISOLATOR					Component		ATA:71
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:LK1097	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE LEFT AFT MOUNT ASSEMBLY AND ATTACHMENTS					Service		ATA:71
PN:LM-475-SA4	MOS/MSC	11-Sep-13	O/C						
SN:LK0561	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE LEFT INBOARD MOUNT ASSEMBLY AND ATTACHMENTS					Service		ATA:71
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C						
SN:LK1047	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE LEFT OUTBOARD MOUNT ASSEMBLY AND ATTACHMENTS					Service		ATA:71
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C						
SN:LK1056	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE RIGHT AFT MOUNT ASSEMBLY AND ATTACHMENTS					Service		ATA:71
PN:LM-475-SA4	MOS/MSC	11-Sep-13	O/C						
SN:LK0555	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00-001 RESTORATION (OVERHAUL) OF ENGINE RIGHT INBOARD MOUNT ASSEMBLY AND ATTACHMENTS Service ATA:71								
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C					
SN:LK1044	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00								
71-20-00-001 RESTORATION (OVERHAUL) OF ENGINE RIGHT OUTBOARD MOUNT ASSEMBLY AND ATTACHMENTS Service ATA:71								
PN:LM-475-SA3	MOS/MSC	11-Sep-13	O/C					
SN:LK1097	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00								
71-21-01-01-901 RESTORATION (OVERHAUL) OF ENGINE MOUNT ASSEMBLY AND ATTACHMENTS (INCLUDING BOLTS). NOTE: THE FLIGHT CYCLES / FLIGHT HOURS ACCUMULATED SHALL BE BASED ON THE ENGINE MOUNT COMPONENTS. ENGINE FORWARD MOUNTING ASSEMBLY Service ATA:71								
	MOS	11-Sep-13						AIRWORTHINESS
	HRS	0	T:7500		7500		5635	
	AFL	0	T:6000		6000		4832	
PROC. REF: AMM 71-20-00								
71-22-01-01-901 DETAILED VISUAL INSPECTION OF AFT MOUNTS BOLTS TORQUE SEAL Service ATA:71								
	MOS	11-Sep-13						AIRWORTHINESS
	HRS	0	T:4500		4500		2635	
	AFL	0	T:3600		3600		2432	
PROC. REF: NDT PART 5 71-22-00, NDT PART 5 71-22-00								
71-22-01-01-902 RESTORATION (OVERHAUL) OF ENGINE MOUNT ASSEMBLY AND ATTACHMENTS (INCLUDING BOLTS). NOTE: THE FLIGHT CYCLES / FLIGHT HOURS ACCUMULATED SHALL BE BASED ENGINE AFT MOUNTING ASSEMBLY Service ATA:71								
	MOS	11-Sep-13						AIRWORTHINESS
	HRS	0	T:7500		7500		5635	
	AFL	0	T:6000		6000		4832	
PROC. REF: AMM 71-20-00								
71-31-00-001^S DETAILED INSPECTION OF PYLON FIREWALL SEAL Service ATA:71								
	MOS	11-Sep-13						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 71-31-00								

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-60-01		LEFT ENGINE AIR INLET						Component	ATA:71
PN:505-43420-403	MOS/MSC	26-Oct-15	O/C	TSN 0					
SN:CPI-210	HRS	427.3		TSN 0					
	AFL	253		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71-60-01		RIGHT ENGINE AIR INLET						Component	ATA:71
PN:505-43420-403	MOS/MSC	26-Oct-15	O/C	TSN 0					
SN:CPI-206	HRS	427.3		TSN 0					
	AFL	253		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71EN1		NO. 1 ENGINE						Component	ATA:71
PN:A3072913-01	MOS/MSC		E/C						
SN:PCE-DG0318	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
71EN2		NO. 2 ENGINE						Component	ATA:71
PN:A3072913-01	MOS/MSC		E/C						
SN:PCE-DG0320	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
72-00-02-810-801		NO. 1 ENGINE - CHECK ELECTRONIC ENGINE CONTROL (EEC) FAULT ISOLATION						Service	ATA:71
	MOS	29-Oct-22	12		29-Oct-23		213 d		
	HRS	1712.9	630		(2342.9) 2342.9		477.9		
	ENC	1072							
PROC. REF: MM 72-00-02									
72-00-02-810-801		NO. 2 ENGINE - CHECK ELECTRONIC ENGINE CONTROL (EEC) FAULT ISOLATION						Service	ATA:71
	MOS	29-Oct-22	12		29-Oct-23		213 d		
	HRS	1712.9	630		(2342.9) 2342.9		477.9		
	ENC	1072							
PROC. REF: MM 72-00-02									
ATA 72 - ENGINE									
72-00-00-000-802		NO. 1 ENGINE - DISCARD GAS GENERATOR CASE						Service	ATA:72
PN:3076150-01	MOS								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
SN:RWA07E390	HRS								
	ENC	EFF	8200		(8200) 8200 *		7032		
PROC. REF: GENERIC NO REF									
72-00-00-000-802	NO. 2 ENGINE - DISCARD GAS GENERATOR CASE							Service	ATA:72
PN:3076150-01	MOS								
SN:RWA09E093	HRS								
	ENC	EFF	8200		(8200) 8200 *		7032		
PROC. REF: GENERIC NO REF									
72-00-00-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE INLET AREA							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									
72-00-00-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE INLET AREA							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									
72-00-00-212-802 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE INTERMEDIATE CASE AND AGB							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									
72-00-00-212-802 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE INTERMEDIATE CASE AND AGB							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									
72-00-00-212-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	
72-00-00-212-804 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	
72-00-00-212-804 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	
72-00-00-212-805 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	
72-00-00-212-805 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	
72-00-00-212-806 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	
72-00-00-212-806 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
				PROC. REF: MM 72-00-00				PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-807 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET COMPONENTS							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-807 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET COMPONENTS							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-808 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-808 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-809 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANE (RETAINING) CLAMP							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-809 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANE (RETAINING) CLAMP							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-280-802	NO. 1 ENGINE - BORESCOPE INSPECTION HP COMPRESSOR, DIFFUSER AND COMBUSTOR							Service	ATA:72
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: MM 72-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-280-802	NO. 2 ENGINE - BORESCOPE INSPECTION HP COMPRESSOR, DIFFUSER AND COMBUSTOR							Service	ATA:72
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-00								
72-00-00-280-818	NO. 1 ENGINE - INSPECT LOW UTILIZATION PROGRAM (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	26-May-13	T:120 (+1m)		26-May-23	26-Jun-23	57 d (+31)		
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-00								
72-00-00-280-818	NO. 2 ENGINE - INSPECT LOW UTILIZATION PROGRAM (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	31-May-13	T:120 (+1m)		31-May-23	30-Jun-23	62 d (+30)		
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-00								
72-00-00-280-820 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANES							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
	PROC. REF: MM 72-00-00								
	PKG:1								
72-00-00-280-820 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANES							Service	ATA:72
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
	PROC. REF: MM 72-00-00								
	PKG:1								
72-00-00-640-802	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS/MSC	13-Sep-17	BF/F						
	HRS	811.2							
	ENC	467							
	PROC. REF: MM 72-00-00								
72-00-00-640-802	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS/MSC	13-Sep-17	BF/F						
	HRS	811.2							
	ENC	467							
	PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-640-806	NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-00								
72-00-00-640-806	NO. 2 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-00								
72-00-01-810-822	NO. 1 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - FAULT ISOLATION 3 (FIGURE 115)							Service	ATA:72
	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-01								
72-00-01-810-822	NO. 2 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - FAULT ISOLATION 3 (FIGURE 115)							Service	ATA:72
	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-01								
72-00-51-030-002	NO. 1 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service	ATA:72
	MOS	EFF						LIFE LIMIT	
	HRS	EFF	5000 (+100)		(5000) 5000 *	5100	3135 (+100)		
	ENC								
	PROC. REF: MM 72-50-01, MM 72-50-01								
72-00-51-030-002	NO. 2 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service	ATA:72
	MOS	EFF						LIFE LIMIT	
	HRS	EFF	5000 (+100)		(5000) 5000 *	5100	3135 (+100)		
	ENC								
	PROC. REF: MM 72-50-01, MM 72-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-60-01-212-801	NO. 1 ENGINE - INSPECT THE HYDRAULIC PUMP DRIVESHAFT SPLINES							Service	ATA:72
	MOS	14-Apr-20							
	HRS	1284.3	1200 (+100)		(2484.3) 2484.3	2584.3	619.3 (+100)		
	ENC	786							
	PROC. REF: GENERIC NO REF								
72-60-01-212-801	NO. 2 ENGINE - INSPECT THE HYDRAULIC PUMP DRIVESHAFT SPLINES							Service	ATA:72
	MOS	14-Apr-20							
	HRS	1284.3	1200 (+100)		(2484.3) 2484.3	2584.3	619.3 (+100)		
	ENC	786							
	PROC. REF: GENERIC NO REF								
720010	NO. 1 ENGINE - OVERHAUL							Service	ATA:72
	MOS	26-May-13							
	HRS	0	5000 (+100)		(5000) 5000	5100	3135 (+100)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
720010	NO. 2 ENGINE - OVERHAUL							Service	ATA:72
	MOS	31-May-13							
	HRS	0	5000 (+100)		(5000) 5000	5100	3135 (+100)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
720060	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:72
	MOS	26-May-13							
	HRS	0	2500 (+50)		(2500) 2500	2550	635 (+50)		
	ENC	0							
	PROC. REF: MM 72-00-00								
720060	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:72
	MOS	31-May-13							
	HRS	0	2500 (+50)		(2500) 2500	2550	635 (+50)		
	ENC	0							
	PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721010	NO. 1 ENGINE - GEARBOX							Component	ATA:72
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
721010	NO. 2 ENGINE - GEARBOX							Component	ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722001	NO. 1 ENGINE - OIL PUMP							Component	ATA:72
PN:3073477-02	MOS/MSC	26-May-13	O/C	TSN 0					
SN:EC01A003A946	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-20-02, MM 79-20-02									
722001	NO. 2 ENGINE - OIL PUMP							Component	ATA:72
PN:3073477-02	MOS/MSC	31-May-13	O/C	TSN 0					
SN:EC01A003A952	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-20-02, MM 79-20-02									
723004	NO. 1 ENGINE - LP SHAFT ASSEMBLY							Component	ATA:72
PN:3073356-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:PKAAA483818	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	30000	TSN 0			28832		
PROC. REF: GENERIC NO REF									
723004	NO. 2 ENGINE - LP SHAFT ASSEMBLY							Component	ATA:72
PN:3073356-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:PKAAA491731	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	30000	TSN 0			28832		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010		NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR						Component	ATA:72
PN:3073311-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:A0038K19	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	15000	TSN 0			13832		
PROC. REF: MM 72-30-01, MM 72-30-01									
723010		NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR						Component	ATA:72
PN:3073311-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:A0038LBR	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	15000	TSN 0			13832		
PROC. REF: MM 72-30-01, MM 72-30-01									
723020		NO. 1 ENGINE - LP COMPRESSOR INLET ROTOR						Component	ATA:72
PN:3073292-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:TXA1C9335	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	15000	TSN 0			13832		
PROC. REF: GENERIC NO REF									
723020		NO. 2 ENGINE - LP COMPRESSOR INLET ROTOR						Component	ATA:72
PN:3073292-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:TXA1C9707	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	15000	TSN 0			13832		
PROC. REF: GENERIC NO REF									
723030		NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR						Component	ATA:72
PN:3072981-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:A003A0HC	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	13500	TSN 0			12332		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3072981-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:A003A633	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	13500	TSN 0			12332		
PROC. REF: GENERIC NO REF									
723040	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3056210-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:EAAC000M108	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	13500	TSN 0			12332		
PROC. REF: GENERIC NO REF									
723040	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3056210-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:EAAD000B566	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	13500	TSN 0			12332		
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:3075221-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:EDA01259H	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-30-02, MM 72-30-02									
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:3075221-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:EDA01262W	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-30-02, MM 72-30-02									
723060	NO. 1 ENGINE - COMPRESSOR ROTOR BALANCING ASSEMBLY - CYLINDRICAL ROLLER BEARING							Component	ATA:72
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723060	NO. 2 ENGINE - COMPRESSOR ROTOR BALANCING ASSEMBLY - CYLINDRICAL ROLLER BEARING							Component	ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component	ATA:72
PN:3075850-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:A003B7WC	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 2 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component	ATA:72
PN:3075850-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:A003BAWX	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723080	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component	ATA:72
PN:3076150-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:RWA07E390	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723080	NO. 2 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component	ATA:72
PN:3076150-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:RWA09E093	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 1 ENGINE - GAS GENERATOR DIFFUSER							Component	ATA:72
PN:3073236-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:A003AN90	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 2 ENGINE - GAS GENERATOR DIFFUSER							Component	ATA:72
PN:3073236-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:A003B83M	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723095	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3052673-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:PKAAA489677	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3052673-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:PKAAA489678	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723110	NO. 1 ENGINE - NO. 3 SEAL BEARING RUNNER							Component	ATA:72
PN:3052668-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:AFD00L577	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723110	NO. 2 ENGINE - NO. 3 SEAL BEARING RUNNER							Component	ATA:72
PN:3052668-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:AFD00L905	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723120	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072571-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UAAC738	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723120	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072571-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UAAC742	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723130	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072572-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UAAC878	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723130	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072572-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UAAC1902	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723140	NO. 1 ENGINE - NO. 4 SCOOP OIL BEARING							Component	ATA:72
PN:3052737-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:LPA000013731	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723140	NO. 2 ENGINE - NO. 4 SCOOP OIL BEARING							Component	ATA:72
PN:3052737-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:LPA000013734	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723150	NO. 1 ENGINE - HIGH PRESSURE SHAFT COMPRESSOR							Component	ATA:72
PN:3072574-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:EAAC000Y289	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723150	NO. 2 ENGINE - HIGH PRESSURE SHAFT COMPRESSOR							Component	ATA:72
PN:3072574-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:EAAD000A658	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723160	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR BALANCING ASSEMBLY - ANNULAR BALL BEARING							Component	ATA:72
PN:3052670-02	MOS/MSC	26-May-13	O/C	TSN 0					
SN:FCN382404	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723160	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR BALANCING ASSEMBLY - ANNULAR BALL BEARING							Component	ATA:72
PN:3052670-02	MOS/MSC	31-May-13	O/C	TSN 0					
SN:FCN382412	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723170	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072280-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:PKAAA470249	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723170	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072280-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:PKAAA470228	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723180	NO. 1 ENGINE - FORWARD LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723180	NO. 2 ENGINE - FORWARD LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723190	NO. 1 ENGINE - REAR LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:3052634-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:FCN383220	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723190	NO. 2 ENGINE - REAR LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:3052634-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:FCN383218	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723705 NO. 1 ENGINE - 1ST STAGE LOW PRESSURE TURBINE DISK								
PN:3053812-01	MOS	26-May-13		TSN 0				Component ATA:72 LIFE LIMIT
SN:A003A5E3	HRS	0		TSN 0				
	ENC	0		TSN 0				
	ACCCYC	0	13500	TSN 0			12332	
PROC. REF: GENERIC NO REF								
723705 NO. 2 ENGINE - 1ST STAGE LOW PRESSURE TURBINE DISK								
PN:3053812-01	MOS	31-May-13		TSN 0				Component ATA:72 LIFE LIMIT
SN:A003B0X9	HRS	0		TSN 0				
	ENC	0		TSN 0				
	ACCCYC	0	13500	TSN 0			12332	
PROC. REF: GENERIC NO REF								
723706 NO. 1 ENGINE - 2ND STAGE LOW PRESSURE TURBINE DISK								
PN:3053743-01	MOS	26-May-13		TSN 0				Component ATA:72 LIFE LIMIT
SN:A003B1HE	HRS	0		TSN 0				
	ENC	0		TSN 0				
	ACCCYC	0	13500	TSN 0			12332	
PROC. REF: GENERIC NO REF								
723706 NO. 2 ENGINE - 2ND STAGE LOW PRESSURE TURBINE DISK								
PN:3053743-01	MOS	31-May-13		TSN 0				Component ATA:72 LIFE LIMIT
SN:A003B1HM	HRS	0		TSN 0				
	ENC	0		TSN 0				
	ACCCYC	0	13500	TSN 0			12332	
PROC. REF: GENERIC NO REF								
724001 NO. 1 ENGINE - INNER COMBUSTION LINER								
PN:3075516-01	MOS/MSC	26-May-13	O/C	TSN 0				Component ATA:72
SN:A0039F2X	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-40-01, MM 72-40-01								
724001 NO. 2 ENGINE - INNER COMBUSTION LINER								
PN:3075516-01	MOS/MSC	31-May-13	O/C	TSN 0				Component ATA:72
SN:A003A7XR	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-40-01, MM 72-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724002	NO. 1 ENGINE - OUTER COMBUSTION LINER							Component	ATA:72
PN:3075522-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:A0039KYW	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-40-01, MM 72-40-01									
724002	NO. 2 ENGINE - OUTER COMBUSTION LINER							Component	ATA:72
PN:3075522-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:A003A4X4	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-40-01, MM 72-40-01									
724010	NO. 1 ENGINE - TURBINE SUPPORT CASE ASSEMBLY							Component	ATA:72
PN:3075468-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:ACM221851129	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 2 ENGINE - TURBINE SUPPORT CASE ASSEMBLY							Component	ATA:72
PN:3075468-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:ACM221854991	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724706	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISK							Component	ATA:72
PN:3053331-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:A003ATLY	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	10000	TSN 0			8832		
PROC. REF: MM 72-50-01, MM 72-50-01									
724706	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISK							Component	ATA:72
PN:3053331-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:A0039M7W	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	10000	TSN 0			8832		
PROC. REF: MM 72-50-01, MM 72-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724825	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3052661-01	MOS	26-May-13		TSN 0				LIFE LIMIT	
SN:A003AR9A	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	13500	TSN 0			12332		
PROC. REF: GENERIC NO REF									
724825	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3052661-01	MOS	31-May-13		TSN 0				LIFE LIMIT	
SN:A003A8R5	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	13500	TSN 0			12332		
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3168	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3232	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3239	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3240	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3242	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3244	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3246	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3255	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3259	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3270	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3274	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3180	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3278	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3279	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3280	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3313	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3494	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3495	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3499	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3505	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3506	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3509	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3188	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3510	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3511	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3517	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3520	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3525	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3527	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3534	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3542	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3543	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3544	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3189	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3550	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5462	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5468	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5474	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5477	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5483	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5487	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5488	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5490	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5495	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3213	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5507	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5508	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8490	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8502	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8503	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8506	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8507	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5808	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8509	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5817	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3216	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8520	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3219	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3230	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR3231	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO.61 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5823	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.62 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR5829	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.63 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8533	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.64 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8543	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.65 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8551	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.66 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8554	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.67 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8560	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO.68 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8567	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.69 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8599	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.70 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:HWKR8604	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKN5669	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3290	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3296	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3298	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3300	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3301	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3305	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3308	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3309	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3331	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3332	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKP1071	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3342	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3343	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3346	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3347	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3349	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3352	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3359	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3360	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3370	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3374	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKP1080	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3375	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3385	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3386	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3387	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3391	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3392	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3398	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3402	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3404	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3405	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3214	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3406	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3411	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3423	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3427	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3429	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3432	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3434	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3441	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3447	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3449	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3228	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3452	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3463	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3468	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3480	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3483	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3491	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3526	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3532	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3537	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3547	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3245	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR5482	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3247	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3249	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR3281	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO.61 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8492	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.62 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8495	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.63 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8535	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.64 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8557	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.65 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8562	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.66 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8576	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.67 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8579	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO.68 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8586	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.69 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8593	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.70 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3077471-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:HWKR8600	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725015	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTOR ASSEMBLY ROLLER CYLINDRICAL BEARING							Component	ATA:72
PN:3073355-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:FCN369693	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725015	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTOR ASSEMBLY ROLLER CYLINDRICAL BEARING							Component	ATA:72
PN:3073355-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:FCN369702	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:3076552-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:RWA04E989	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-50-03									
725020	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:3076552-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:RWA08E248	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725025	NO. 1 ENGINE - NO. 5 CARBON SEAL BEARING RUNNER							Component	ATA:72
PN:3073353-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:MDAA003A533	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725025	NO. 2 ENGINE - NO. 5 CARBON SEAL BEARING RUNNER							Component	ATA:72
PN:3073353-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:MDAA003A254	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - LOW PRESSURE (CASTING) TURBINE VANE RING							Component	ATA:72
PN:3053163CL01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:PDAKA5WR01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - LOW PRESSURE (CASTING) TURBINE VANE RING							Component	ATA:72
PN:3053163CL01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:PDAH9HCM01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 1 ENGINE - TURBINE (CASTING) VANE RING							Component	ATA:72
PN:3052361CL01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:PDAKELNB01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 2 ENGINE - TURBINE (CASTING) VANE RING							Component	ATA:72
PN:3052361CL01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:PDAKD6WR01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE ASSEMBLY							Component	ATA:72
PN:3073262CL02	MOS/MSC	26-May-13	O/C	TSN 0					
SN:BHHLRCK01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725040 NO. 2 ENGINE - LOW PRESSURE TURBINE VANE ASSEMBLY								Component ATA:72
PN:3073262CLO2	MOS/MSC	31-May-13	O/C	TSN 0				
SN:BHHMKBM01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726010 NO. 1 ENGINE - ROLLER CYLINDRICAL BEARING								Component ATA:72
PN:3052549-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:FCN380877	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726010 NO. 2 ENGINE - ROLLER CYLINDRICAL BEARING								Component ATA:72
PN:3052549-01	MOS/MSC	31-May-13	O/C	TSN 0				
SN:FCN380879	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726020 NO. 1 ENGINE - FORWARD HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING								Component ATA:72
PN:3073908-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:AEB0164412	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726020 NO. 2 ENGINE - FORWARD HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING								Component ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726030 NO. 1 ENGINE - REAR HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING								Component ATA:72
PN:3073908-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:AEB0164414	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726030 NO. 2 ENGINE - REAR HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING								Component ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726040 NO. 1 ENGINE - FORWARD FUEL CONTROL DRIVE ROLLER FLANGED BEARING Component ATA:72								
PN:3073908-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:AEB0164418	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726040 NO. 2 ENGINE - FORWARD FUEL CONTROL DRIVE ROLLER FLANGED BEARING Component ATA:72								
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726050 NO. 1 ENGINE - REAR FUEL CONTROL DRIVE ROLLER FLANGED BEARING Component ATA:72								
PN:3073908-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:AEB0164420	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726050 NO. 2 ENGINE - REAR FUEL CONTROL DRIVE ROLLER FLANGED BEARING Component ATA:72								
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726060 NO. 1 ENGINE - GEARSHAFT ASSY, ACCESSORY DRIVE FLANGED ROLLER BEARING Component ATA:72								
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726060 NO. 2 ENGINE - GEARSHAFT ASSY, ACCESSORY DRIVE FLANGED ROLLER BEARING Component ATA:72								
PN:3112368-01	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726070 NO. 1 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY Component ATA:72								
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726070 NO. 2 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY								Component ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726080 NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT								Component ATA:72
PN:3072279-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:RWA00E739	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726080 NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT								Component ATA:72
PN:3072279-01	MOS/MSC	31-May-13	O/C	TSN 0				
SN:RWA00E742	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726090 NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL FLANGED BEARING								Component ATA:72
PN:3072235-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:FAA1219357	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726090 NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL FLANGED BEARING								Component ATA:72
PN:3072235-01	MOS/MSC	31-May-13	O/C	TSN 0				
SN:FAA1301346	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726110 NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL ANNULAR BEARING								Component ATA:72
PN:3052605-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:FAA1300799	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726110 NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL ANNULAR BEARING								Component ATA:72
PN:3052605-01	MOS/MSC	31-May-13	O/C	TSN 0				
SN:FAA1300802	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726120	NO. 1 ENGINE - ACCESSORY GEARBOX BALL ANNULAR BEARING							Component	ATA:72
PN:3052550-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:BB0160173	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726120	NO. 2 ENGINE - ACCESSORY GEARBOX BALL ANNULAR BEARING							Component	ATA:72
PN:3052550-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:BB0160174	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726130	NO. 1 ENGINE - SPLINED BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072282-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:PKAAA490768	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726130	NO. 2 ENGINE - SPLINED BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072282-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:PKAAA490763	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 1 ENGINE - FRONT OUTER BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3075013-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:KYAA011A356	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 2 ENGINE - FRONT OUTER BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3075013-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:KYAA011A355	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727020	NO. 1 ENGINE - REAR BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3074835-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:KYAA011A765	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-70-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727020	NO. 2 ENGINE - REAR BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3074835-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:KYAA011A768	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-70-01									
793010	NO. 1 ENGINE - 7 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:72
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793010	NO. 2 ENGINE - 7 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:72
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
72-00-00-280-819 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:73
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									
								PKG:1	
72-00-00-280-819 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:73
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 72-00-00									
								PKG:1	
73-10-01-212-801	NO. 1 ENGINE - EXAMINE - FUEL MANIFOLD TRANSFER TUBES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-01-212-801	NO. 2 ENGINE - EXAMINE - FUEL MANIFOLD TRANSFER TUBES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-10-04-000-801	NO. 1 ENGINE - DISCARD OF FUEL MANIFOLD ADAPTER ASSEMBLIES							Service	ATA:73
	MOS								
	HRS								
	ENC	EFF	9900		(9900) 9900 *		8732		
PROC. REF: MM 73-10-04									
73-10-04-000-801	NO. 2 ENGINE - DISCARD OF FUEL MANIFOLD ADAPTER ASSEMBLIES							Service	ATA:73
	MOS								
	HRS								
	ENC	EFF	9900		(9900) 9900 *		8732		
PROC. REF: MM 73-10-04									
73-10-05-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION (GVI) OF THE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	26-Sep-22	12 (+30d)		26-Sep-23	26-Oct-23	180 d (+30)		
	HRS	1691.2							
	ENC	1056							
PROC. REF: MM 73-10-05									
73-10-05-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION (GVI) OF THE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	26-Sep-22	12 (+30d)		26-Sep-23	26-Oct-23	180 d (+30)		
	HRS	1691.2							
	ENC	1056							
PROC. REF: MM 73-10-05									
73-10-05-960-801	NO. 1 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
PN:3052624-01	MOS	26-Sep-22							
SN:UNKNOWN	HRS	1691.2	800 (+10%)		(2491.2) 2491.2	2571.2	626.2 (+80)		
	ENC	1056							
PROC. REF: MM 73-10-05, MM 73-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-05-960-801	NO. 2 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
PN:3052624-01	MOS	26-Sep-22							
SN:UNKNOWN	HRS	1691.2	800 (+10%)		(2491.2) 2491.2	2571.2	626.2 (+80)		
	ENC	1056							
PROC. REF: MM 73-10-05, MM 73-10-05									
73-10-07-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service	ATA:73
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 73-10-07									
73-10-07-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service	ATA:73
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 73-10-07									
73-20-01-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - FUEL METERING UNIT							Service	ATA:73
PN:3071682-05	MOS								
SN:F80030	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: MM 73-20-01									
73-20-01-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - FUEL METERING UNIT							Service	ATA:73
PN:3071682-05	MOS								
SN:F80177	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: MM 73-20-01									
73-20-02-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service	ATA:73
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 73-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service	ATA:73
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 73-20-02								PKG:1	
73-20-10-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - ENGINE WIRING HARNESS							Service	ATA:73
PN:3073237-05	MOS								
SN:ADXBA000818	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-10-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - ENGINE WIRING HARNESS							Service	ATA:73
PN:3073237-05	MOS								
SN:ADXBA000830	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-20-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - FUEL NOZZLES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-20-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - FUEL NOZZLES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-30-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:73
	MOS								
	HRS		5000 (+100)		(5000) 5000 (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-20-30-212-801 NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH								
	MOS							Service ATA:73
	HRS		5000 (+100)		(5000) 5000 (M)	5100	3135 (+100)	
	ENC							
PROC. REF: GENERIC NO REF								
73-21-01 LEFT FADEC								
	PN:3073593-08	MOS/MSC	11-Sep-13	O/C	TSN 0			Component ATA:73
	SN:2013040011	HRS	0		TSN 0			
		AFL	0		TSN 0			
PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-21-01 RIGHT FADEC								
	PN:3073593-08	MOS/MSC	11-Sep-13	O/C	TSN 0			Component ATA:73
	SN:2013040017	HRS	0		TSN 0			
		AFL	0		TSN 0			
PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-30-02-212-801^S NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FUEL PRESSURE TRANSDUCER SENSOR								
	MOS	29-Oct-22	12 (+30d)					Service ATA:73
	HRS	1712.9	800 (+10%)					
	ENC	1072						
PROC. REF: MM 73-30-02								
73-30-02-212-801^S NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FUEL PRESSURE TRANSDUCER SENSOR								
	MOS	29-Oct-22	12 (+30d)					Service ATA:73
	HRS	1712.9	800 (+10%)					
	ENC	1072						
PROC. REF: MM 73-30-02								
73-33-01 LEFT ENGINE LOW ACCURACY ENGINE FUEL MASS FLOW FLOWMETER								
	PN:8TJ300AAB2	MOS/MSC	11-Sep-13	O/C	TSN 0			Component ATA:73
	SN:30353	HRS	0		TSN 0			
		AFL	0		TSN 0			
PROC. REF: AMM 73-33-01, AMM 73-33-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-33-01 RIGHT ENGINE LOW ACCURACY ENGINE FUEL MASS FLOW FLOWMETER Component ATA:73								
PN:8TJ300AAB2	MOS/MSC	11-Sep-13	O/C	TSN 0				
SN:30358	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01								
731002 NO. 1 ENGINE - FLOW DIVIDER Component ATA:73								
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731002 NO. 2 ENGINE - FLOW DIVIDER Component ATA:73								
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731005 NO. 1 ENGINE - FUEL FILTER Component ATA:73								
PN:3052624-01	MOS/MSC	26-Sep-22	O/C	TSN 0				
SN:UNKNOWN	HRS	1691.2		TSN 0				
	ENC	1056		TSN 0				
PROC. REF: MM 73-10-05								
731005 NO. 2 ENGINE - FUEL FILTER Component ATA:73								
PN:3052624-01	MOS/MSC	26-Sep-22	O/C	TSN 0				
SN:UNKNOWN	HRS	1691.2		TSN 0				
	ENC	1056		TSN 0				
PROC. REF: MM 73-10-05								
731010 NO. 1 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY Component ATA:73								
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:DEAAA15640	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731010 NO. 1 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY Component ATA:73								
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:DEAAA16443	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16444	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA15641	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16428	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16430	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16432	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16437	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16438	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16439	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:DEAAA16441	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA16446	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17254	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17259	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA16447	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA16448	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 2 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17243	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17245	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17247	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17250	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17252	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:DEAAA17253	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732001	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) UNIT							Component	ATA:73
PN:3073593-08	MOS/MSC	26-May-13	O/C	TSN 0					
SN:2013040011	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-03, MM 73-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732001	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) UNIT							Component	ATA:73
PN:3073593-08	MOS/MSC	31-May-13	O/C		TSN 0				
SN:2013040017	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-20-03, MM 73-20-03									
732002	NO. 1 ENGINE - FUEL METERING UNIT (FMU)							Component	ATA:73
PN:3071682-05	MOS/MSC	26-May-13	O/C		TSN 0				
SN:F80030	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-20-01, MM 73-20-01									
732002	NO. 2 ENGINE - FUEL METERING UNIT (FMU)							Component	ATA:73
PN:3071682-05	MOS/MSC	31-May-13	O/C		TSN 0				
SN:F80177	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-20-01, MM 73-20-01									
732005	NO. 1 ENGINE - N2 SPEED SENSOR							Component	ATA:73
PN:PN	MOS/MSC	26-May-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
732005	NO. 2 ENGINE - N2 SPEED SENSOR							Component	ATA:73
PN:PN	MOS/MSC	31-May-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
732006	NO. 1 ENGINE - N1 SPEED SENSOR							Component	ATA:73
PN:PN	MOS/MSC	26-May-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
732006	NO. 2 ENGINE - N1 SPEED SENSOR							Component	ATA:73
PN:PN	MOS/MSC	31-May-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732010	NO. 1 ENGINE - ELECTRICAL WIRING HARNESS							Component	ATA:73
PN:3073237-05	MOS/MSC	26-May-13	O/C	TSN 0					
SN:ADXBA000818	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02									
732010	NO. 2 ENGINE - ELECTRICAL WIRING HARNESS							Component	ATA:73
PN:3073237-05	MOS/MSC	31-May-13	O/C	TSN 0					
SN:ADXBA000830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02									
732030	NO. 1 ENGINE - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Component	ATA:73
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732030	NO. 2 ENGINE - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Component	ATA:73
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732040	NO. 1 ENGINE - FUEL SHUT-OFF CABLE							Component	ATA:73
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-10-07, MM 73-10-07, MM 73-10-07, MM 73-10-07									
732040	NO. 2 ENGINE - FUEL SHUT-OFF CABLE							Component	ATA:73
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-10-07, MM 73-10-07, MM 73-10-07, MM 73-10-07									
ATA 74 - IGNITION									
74-00-01-750-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF IGNITION SYSTEM							Service	ATA:74
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
PROC. REF: MM 74-00-01								PKG:1	
74-00-01-750-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF IGNITION SYSTEM							Service	ATA:74
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 74-00-01								PKG:1	
74-10-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION EXCITER IGNITION OF THE IGNITION EXCITER							Service	ATA:74
PN:31J2807-07	MOS	29-Oct-22	12 (+30d)						
SN:NNA13150137	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 74-10-01								PKG:1	
74-10-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION EXCITER IGNITION OF THE IGNITION EXCITER							Service	ATA:74
PN:31J2807-07	MOS	29-Oct-22	12 (+30d)						
SN:NNA13130003	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 74-10-01								PKG:1	
74-20-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service	ATA:74
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 74-20-01								PKG:1	
74-20-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service	ATA:74
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 74-20-01								PKG:1	
74-20-02-210-801 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE 5 O'CLOCK IGNITION IGNITOR							Service	ATA:74
PN:30J2825-01	MOS	29-Oct-22	12 (+30d)						
SN:N/A	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 74-20-02								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-02-210-801^S NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE 7 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:30J2825-01	MOS	29-Oct-22	12 (+30d)					
SN:N/A	HRS	1712.9	800 (+10%)					
	ENC	1072						
PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801^S NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE 5 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:30J2825-01	MOS	29-Oct-22	12 (+30d)					
SN:N/A	HRS	1712.9	800 (+10%)					
	ENC	1072						
PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801^S NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE 7 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:30J2825-01	MOS	29-Oct-22	12 (+30d)					
SN:N/A	HRS	1712.9	800 (+10%)					
	ENC	1072						
PROC. REF: MM 74-20-02								PKG:1
74-20-02-960-801 NO. 1 ENGINE - DISCARD 5 O'CLOCK IGNITER Service ATA:74								
	MOS/MSC	01-Sep-16	O/C					
	HRS	616.8						
	ENC	358						
PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801 NO. 1 ENGINE - DISCARD 7 OCLOCK IGNITER Service ATA:74								
	MOS/MSC	01-Sep-16	O/C					
	HRS	616.8						
	ENC	358						
PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801 NO. 2 ENGINE - DISCARD 5 O'CLOCK IGNITER Service ATA:74								
	MOS/MSC	01-Sep-16	O/C					
	HRS	616.8						
	ENC	358						
PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801 NO. 2 ENGINE - DISCARD 7 OCLOCK IGNITER Service ATA:74								
	MOS/MSC	01-Sep-16	O/C					
	HRS	616.8						
	ENC	358						
PROC. REF: MM 74-20-02, MM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741001	NO. 1 ENGINE - EXCITER IGNITION							Component	ATA:74
PN:31J2807-07	MOS/MSC	26-May-13	O/C		TSN 0				
SN:NNA13150137	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 74-10-01, MM 74-10-01									
741001	NO. 2 ENGINE - EXCITER IGNITION							Component	ATA:74
PN:31J2807-07	MOS/MSC	31-May-13	O/C		TSN 0				
SN:NNA13130003	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 74-10-01, MM 74-10-01									
742000	NO. 1 ENGINE - 5 O'CLOCK IGNITER							Component	ATA:74
PN:30J2825-01	MOS/MSC	09-Sep-16	O/C		TSN 1				
SN:N/A	HRS	616.8			TSN 0				
	ENC	358			TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02									
742000	NO. 2 ENGINE - 5 O'CLOCK IGNITER							Component	ATA:74
PN:30J2825-01	MOS/MSC	09-Sep-16	O/C		TSN 1				
SN:N/A	HRS	616.8			TSN 0				
	ENC	358			TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02									
742001	NO. 1 ENGINE - 7 O'CLOCK IGNITER							Component	ATA:74
PN:30J2825-01	MOS/MSC	09-Sep-16	O/C		TSN 1				
SN:N/A	HRS	616.8			TSN 0				
	ENC	358			TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02									
742001	NO. 2 ENGINE - 7 O'CLOCK IGNITER							Component	ATA:74
PN:30J2825-01	MOS/MSC	09-Sep-16	O/C		TSN 1				
SN:N/A	HRS	616.8			TSN 0				
	ENC	358			TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02									
742002	NO. 1 ENGINE - INBOARD SHORT IGNITOR LEAD							Component	ATA:74
PN:3127408-02	MOS/MSC	09-Sep-16	O/C		TSN 6				
SN:NNA15520145	HRS	616.8			TSN 0				
	ENC	358			TSN 0				
PROC. REF: MM 74-20-01, MM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742002		NO. 2 ENGINE - INBOARD SHORT IGNITOR LEAD					Component		ATA:74
PN:3127408-01	MOS/MSC	09-Sep-16	O/C	TSN 6					
SN:NNA15520072	HRS	616.8	TSN 0						
	ENC	358	TSN 0						
PROC. REF: MM 74-20-01, MM 74-20-01									
742003		NO. 1 ENGINE - OUTBOARD LONG IGNITOR LEAD					Component		ATA:74
PN:3127408-01	MOS/MSC	09-Sep-16	O/C	TSN 6					
SN:NNA15520082	HRS	616.8	TSN 0						
	ENC	358	TSN 0						
PROC. REF: MM 74-20-01, MM 74-20-01									
742003		NO. 2 ENGINE - OUTBOARD LONG IGNITOR LEAD					Component		ATA:74
PN:3127408-02	MOS/MSC	09-Sep-16	O/C	TSN 6					
SN:NNA15520140	HRS	616.8	TSN 0						
	ENC	358	TSN 0						
PROC. REF: MM 74-20-01, MM 74-20-01									
ATA 75 - AIR									
75-30-01-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BOV ASSY AND BOV SERVO VALVE					Service		ATA:75
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 75-30-01									
PKG:1									
75-30-01-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BOV ASSY AND BOV SERVO VALVE					Service		ATA:75
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 75-30-01									
PKG:1									
75-30-01-212-802		NO. 1 ENGINE - EXAMINE - P3 AIR INERTIAL SEPARATOR					Service		ATA:75
	MOS								
	HRS	EFF	5000 (+100)	(5000)	5100	3135 (+100)			
	ENC			5000 * (M)					
PROC. REF: MM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-01-212-802	NO. 2 ENGINE - EXAMINE - P3 AIR INERTIAL SEPARATOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: MM 75-30-01									
75-30-01-212-803	NO. 1 ENGINE - EXAMINE - COMPRESSOR AIR BLEED VALVE							Service	ATA:75
PN:3053367-01	MOS								
SN:AHX0500186	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-01-212-803	NO. 2 ENGINE - EXAMINE - COMPRESSOR AIR BLEED VALVE							Service	ATA:75
PN:3053367-01	MOS								
SN:AHX0500163	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-01-900-802	NO. 1 ENGINE - BLEED OFF VALVE (BOV) AND BOV SERVO VALVE							Component	ATA:75
PN:3075987-01	MOS/MSC	22-Jul-21	O/C	TSN 98					
SN:TR4484	HRS	1465.6		TSN 1465.6					
	ENC	914		TSN 914					
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-900-802	NO. 2 ENGINE - BLEED OFF VALVE (BOV) AND BOV SERVO VALVE							Component	ATA:75
PN:3075987-01	MOS/MSC	22-Jul-21	O/C	TSN 98					
SN:TR6609	HRS	1465.6		TSN 1465.6					
	ENC	914		TSN 914					
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-900-803	NO. 1 ENGINE - LINEAR TRANSFORMER							Component	ATA:75
PN:3071811-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:1607	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01, MM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-01-900-803	NO. 2 ENGINE - LINEAR TRANSFORMER							Component	ATA:75
PN:3071811-01	MOS/MSC	31-May-13	O/C		TSN 0				
SN:1603	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-960-801	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED AIR SYSTEM INTERCONNECTING TUBES							Service	ATA:75
	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-960-801	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED AIR SYSTEM INTERCONNECTING TUBES							Service	ATA:75
	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-960-802	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service	ATA:75
PN:3075987-01	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
SN:TR4484	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-960-802	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service	ATA:75
PN:3075987-01	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
SN:TR6609	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-960-803	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED VALVE AND THE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS/MSC	26-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
SN:1607	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-01-960-803	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED VALVE AND THE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS/MSC	31-May-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
SN:1603	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01									
75-30-02-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS								
SN:1607	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-02-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS								
SN:1603	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-20-212-801	NO. 1 ENGINE - TEST, EXAMINE OR REPLACE - THE BOV TORQUE MOTOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-20-212-801	NO. 2 ENGINE - TEST, EXAMINE OR REPLACE - THE BOV TORQUE MOTOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
750010	NO. 1 ENGINE - P3 AIR INERTIAL SEPARATOR							Component	ATA:75
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750010	NO. 2 ENGINE - P3 AIR INERTIAL SEPARATOR							Component	ATA:75
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-00-00									
753002	NO. 1 ENGINE - SERVO COMPUTER							Component	ATA:75
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753002	NO. 2 ENGINE - SERVO COMPUTER							Component	ATA:75
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ASSEMBLY							Component	ATA:75
PN:3053367-01	MOS/MSC	26-May-13	O/C	TSN 0					
SN:AHX0500186	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01									
753010	NO. 2 ENGINE - COMPRESSOR BLEED VALVE ASSEMBLY							Component	ATA:75
PN:3053367-01	MOS/MSC	31-May-13	O/C	TSN 0					
SN:AHX0500163	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01									
753020	NO. 1 ENGINE - BOV TORQUE MOTOR							Component	ATA:75
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753020	NO. 2 ENGINE - BOV TORQUE MOTOR							Component	ATA:75
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-11-03	THROTTLE CONTROL QUADRANT ASSEMBLY							Component	ATA:76
PN:6990010-11	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:1520	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 76-11-01, AMM 76-11-01									



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-02-750-801 NO. 1 ENGINE - OPERATIONAL CHECK T6 TEMPERATURE INDICATING SYSTEM Service ATA:77								
	MOS	29-Oct-22	36 (+30d)	Adj -18d	11-Oct-25	10-Nov-25	926 d (+30)	
	HRS	1712.9	1600 (+100)		(3312.9) 3312.9	3412.9	1447.9 (+100)	
	ENC	1072						
PROC. REF: MM 77-20-02								
77-20-02-750-801 NO. 2 ENGINE - OPERATIONAL CHECK T6 TEMPERATURE INDICATING SYSTEM Service ATA:77								
	MOS	29-Oct-22	36 (+30d)	Adj -18d	11-Oct-25	10-Nov-25	926 d (+30)	
	HRS	1712.9	1600 (+100)		(3312.9) 3312.9	3412.9	1447.9 (+100)	
	ENC	1072						
PROC. REF: MM 77-20-02								
77-40-01-212-801 NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - DATA COLLECTION UNIT Service ATA:77								
PN:3075878-01	MOS							
SN:13-745	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)	
	ENC							
PROC. REF: GENERIC NO REF								
77-40-01-212-801 NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - DATA COLLECTION UNIT Service ATA:77								
PN:3075878-01	MOS							
SN:13-747	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)	
	ENC							
PROC. REF: GENERIC NO REF								
774001 NO. 1 ENGINE - DATA COLLECTION UNIT Component ATA:77								
PN:3075878-01	MOS/MSC	26-May-13	O/C	TSN 0				
SN:13-745	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-40-01, MM 77-40-01								
774001 NO. 2 ENGINE - DATA COLLECTION UNIT Component ATA:77								
PN:3075878-01	MOS/MSC	31-May-13	O/C	TSN 0				
SN:13-747	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-40-01, MM 77-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-02-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - FUEL-TO-OIL HEAT EXCHANGER (FOHE)							Service	ATA:79
PN:3052640-01	MOS								
SN:07853980	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-10-02-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - FUEL-TO-OIL HEAT EXCHANGER (FOHE)							Service	ATA:79
PN:3052640-01	MOS								
SN:07853979	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-20-00-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-20-00-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-20-01-210-801	NO. 1 ENGINE - EXAMINE AND REPLACE - OIL FILTER							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: MM 79-20-01									
79-20-01-210-801	NO. 2 ENGINE - EXAMINE AND REPLACE - OIL FILTER							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: MM 79-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-20-01-280-801 ^U	CHECK / CLEANING NO. 2 ENGINE CHIP DETECTOR							Service	ATA:79
	MOS/MSC	14-Oct-13	A/R						
	HRS	46.2							
	AFL								
79-20-01-960-801	NO. 1 ENGINE - DISCARD THE OIL FILTER							Service	ATA:79
PN:3052590-01	MOS	29-Oct-22						DISCARD	
SN:UNKNOWN	HRS	1712.9	800 (+10%)		(2512.9) 2512.9	2592.9	647.9 (+80)		
	ENC	1072							
PROC. REF: MM 79-20-01, MM 79-20-01									
79-20-01-960-801	NO. 2 ENGINE - DISCARD THE OIL FILTER							Service	ATA:79
PN:3052590-01	MOS	29-Oct-22						DISCARD	
SN:UNKNOWN	HRS	1712.9	800 (+10%)		(2512.9) 2512.9	2592.9	647.9 (+80)		
	ENC	1072							
PROC. REF: MM 79-20-01, MM 79-20-01									
79-30-01-210-801	NO. 1 ENGINE - EXAMINE - CHIP DETECTOR							Service	ATA:79
PN:PN	MOS	22-Oct-21							
SN:UNKNOWN	HRS	1468.37	5000 (+100)		(6468.37) 6468.37	6568.37	4603.4 (+100)		
	ENC								
PROC. REF: MM 79-30-01									
79-30-01-210-801	NO. 2 ENGINE - EXAMINE - CHIP DETECTOR							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: MM 79-30-01									
79-30-01-770-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
PROC. REF: MM 79-30-01									

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-01-770-801 ^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
	PROC. REF: MM 79-30-01							PKG:1	
79-30-02-210-801 ^S	NO. 1 ENGINE - SPECIAL DETAIL INSPECTION OF THE OIL FILTER IMPENDING BYPASS SWITCH							Service	ATA:79
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
	PROC. REF: MM 79-30-02							PKG:1	
79-30-02-210-801 ^S	NO. 2 ENGINE - SPECIAL DETAIL INSPECTION OF THE OIL FILTER IMPENDING BYPASS SWITCH							Service	ATA:79
	MOS	29-Oct-22	12 (+30d)						
	HRS	1712.9	800 (+10%)						
	ENC	1072							
	PROC. REF: MM 79-30-02							PKG:1	
79-30-03-212-801	NO. 1 ENGINE - DO A VISUAL INSPECTION - OIL TANK FILLER CAP							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								
79-30-03-212-801	NO. 2 ENGINE - DO A VISUAL INSPECTION - OIL TANK FILLER CAP							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								
79-30-20-212-801	NO. 1 ENGINE - DO A VISUAL INSPECTION - OIL LEVEL INDICATOR (SIGHT GLASS)							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-20-212-801	NO. 2 ENGINE - DO A VISUAL INSPECTION - OIL LEVEL INDICATOR (SIGHT GLASS)							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3135 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-31-05	LEFT ENGINE MAIN OIL PRESSURE SENSOR							Component	ATA:79
PN:APTE-478A-1000-270D	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00349	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 79-31-05, AMM 79-31-05									
79-31-05	RIGHT ENGINE MAIN OIL PRESSURE SENSOR							Component	ATA:79
PN:APTE-478A-1000-270D	MOS/MSC	11-Sep-13	O/C	TSN 0					
SN:00350	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 79-31-05, AMM 79-31-05									
790000	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:3052590-01	MOS/MSC	29-Oct-22	O/C	TSN 3					
SN:UNKNOWN	HRS	1712.9		TSN 0					
	ENC	1072		TSN 0					
PROC. REF: MM 79-20-01, MM 79-20-01									
790000	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:3052590-01	MOS/MSC	29-Oct-22	O/C	TSN 9					
SN:UNKNOWN	HRS	1712.9		TSN 0					
	ENC	1072		TSN 0					
PROC. REF: MM 79-20-01, MM 79-20-01									
790020	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	26-May-13	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 72-00-00, MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790020	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	31-May-13	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 72-00-00, MM 72-00-00									
792010	NO. 1 ENGINE - TEMPERATURE SENSOR							Component	ATA:79
PN:ATS-9-800	MOS/MSC	26-May-13	O/C		TSN 0				
SN:113012-14	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
792010	NO. 2 ENGINE - TEMPERATURE SENSOR							Component	ATA:79
PN:ATS-9-800	MOS/MSC	31-May-13	O/C		TSN 0				
SN:113012-12	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
793003	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER							Component	ATA:79
PN:3052640-01	MOS/MSC	26-May-13	O/C		TSN 0				
SN:07853980	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-10-02, MM 73-10-02									
793003	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER							Component	ATA:79
PN:3052640-01	MOS/MSC	31-May-13	O/C		TSN 0				
SN:07853979	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-10-02, MM 73-10-02									
793010	NO. 1 ENGINE - 5 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	26-May-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
793010	NO. 2 ENGINE - 5 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	31-May-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500154 RegNo: N899EE HRS: 1865 AFL: 1168 As Of: 27-Mar-2023

30-Mar-2023 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793020	NO. 1 ENGINE - OIL TANK FILLER CAP							Component	ATA:79
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793020	NO. 2 ENGINE - OIL TANK FILLER CAP							Component	ATA:79
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793025	NO. 1 ENGINE - OIL LEVEL INDICATOR (SIGHT GLASS)							Component	ATA:79
PN:PN	MOS/MSC	26-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793025	NO. 2 ENGINE - OIL LEVEL INDICATOR (SIGHT GLASS)							Component	ATA:79
PN:PN	MOS/MSC	31-May-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task