



Status Report

CITATION M2

S/N 525-0810 N686JH

OWNER: SKY FIVE, LLC
ADDRESS: 175 N. CLUB CABINS COURT
HEBER CITY UT 84302
OFFICE: 949-825-6001
FAX:

OPERATOR: LATITUDE 33 AVIATION, LLC
ADDRESS: 2100 PALOMAR AIRPORT ROAD
CARLSBAD CA 92011
OFFICE: 760-385-3610
FAX:

ANALYST: KIM DUMCUM
EMAIL: KDUMCUM@CAMPSYSTEMS.COM

1-866-581-2267 (OFFICE)
316-462-2442 (FAX)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 525-0810/N686JH MODEL: CITATION M2 MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 26-DEC-2013

LAST ACTUALS:
1537.3 A/C HRS as of 07-JUL-2023
1266 AFL as of 07-JUL-2023
818.2 ACH as of 01-MAY-2023

ENGINE NO. 1 SERIAL/PART: 290027/72100-201 MODEL: FJ44-1AP MANUFACTURER: WILLIAMS INTERNATIONAL

INSTALLED ON: 26-DEC-2013
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1537.3 ENG. HRS as of 07-JUL-2023
1266 ENC as of 07-JUL-2023

ENGINE NO. 2 SERIAL/PART: 290026/72100-201 MODEL: FJ44-1AP MANUFACTURER: WILLIAMS INTERNATIONAL

INSTALLED ON: 26-DEC-2013
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1537.3 ENG. HRS as of 07-JUL-2023
1266 ENC as of 07-JUL-2023



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA									
1 ^U	NO. 1 ENGINE - 20000 HOUR PHASE							SETT	ATA:
	MOS								
	HRS		20000						
	ENC								
1 ^U	NO. 2 ENGINE - 20000 HOUR PHASE							SETT	ATA:
	MOS								
	HRS		20000						
	ENC								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-870-803-01	NO. 1 ENGINE - POLISH FAN ROTOR							Service	ATA:05
	MOS/MSC	26-Dec-13		A/R					
	HRS	0							
	ENC	0							
					PROC. REF: LMM 05-50-00-803A-913A-A				
05-50-00-870-803-01	NO. 2 ENGINE - POLISH FAN ROTOR							Service	ATA:05
	MOS/MSC	26-Dec-13		A/R					
	HRS	0							
	ENC	0							
					PROC. REF: LMM 05-50-00-803A-913A-A				
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)		(1727.4) 1727.4	1757.4	190.1 (+30)		
	ENC	1193							
					PROC. REF: LMM 05-20-00-808A-300A-A			PKG:1	
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)		(1727.4) 1727.4	1757.4	190.1 (+30)		
	ENC	1193							
					PROC. REF: LMM 05-20-00-808A-300A-A			PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package ATA:05	
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)	Adj -2.8	(1727.4) 1727.4	1757.4	190.1 (+30)		
	ENC	1003							
			PROC. REF: LMM 05-20-00-808A-300A-A						PKG:2
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package ATA:05	
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)	Adj -2.8	(1727.4) 1727.4	1757.4	190.1 (+30)		
	ENC	1003							
			PROC. REF: LMM 05-20-00-808A-300A-A						PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package ATA:05	
	MOS	26-Dec-13							
	HRS	0	20000 (+50)	Adj -17500	(2500) 2500	2550	962.7 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:3
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05	
	MOS	26-Dec-13							
	HRS	0	20000 (+50)	Adj -17500	(2500) 2500	2550	962.7 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:3
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05	
	MOS	26-Dec-13							
	HRS	0	20000 (+50)	Adj -15000	(5000) 5000	5050	3462.7 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -15000	(5000) 5000	5050	3462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:4
052005	NO. 1 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -12500	(7500) 7500	7550	5962.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:5
052005	NO. 2 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -12500	(7500) 7500	7550	5962.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:5
052006	NO. 1 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -10000	(10000) 10000	10050	8462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:6
052006	NO. 2 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -10000	(10000) 10000	10050	8462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052007	NO. 1 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -7500	(12500) 12500	12550	10962.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:7
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -7500	(12500) 12500	12550	10962.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:7
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -5000	(15000) 15000	15050	13462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:8
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -5000	(15000) 15000	15050	13462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:8
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -2500	(17500) 17500	17550	15962.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:9

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)	Adj -2500	(17500) 17500	17550	15962.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:9
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)		(20000) 20000	20050	18462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:10
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	26-Dec-13						
	HRS	0	20000 (+50)		(20000) 20000	20050	18462.7 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:10
052504 ^U	WEIGHT AND BALANCE							Service ATA:05
	MOS/MSC	09-Jan-19	A/R					
	HRS	979.1						
	AFL	892						
052514 ^U	REGISTRATION AIRCRAFT							Service ATA:05
	MOS/MSC	29-Dec-17	DUE		31-Dec-27 (M)		1624 d	
	HRS							
	AFL							
053433 ^U	RVSM AGHME							Service ATA:05
	MOS	03-Mar-20						
	HRS	1191.2	1000		2191.2		653.9	
	AFL	1044						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055001	ACCOMPLISH CHECK HARD/OVERWEIGHT LANDINGS							Service	ATA:05
	MOS/MSC	26-Dec-13	O/C						
	HRS	0							
WC#: 05.010	AFL	0							
PROC. REF: TLMC 5-50-00, TLMC 5-50-00									
055002	ACCOMPLISH CHECK OVERSPEED							Service	ATA:05
	MOS/MSC	26-Dec-13	O/C						
	HRS	0							
WC#: 05.020	AFL	0							
PROC. REF: TLMC 5-50-00, TLMC 5-50-00									
055003	ACCOMPLISH CHECK SEVERE AIR TURBULANCE OR SEVERE MANEUVERS							Service	ATA:05
	MOS/MSC	26-Dec-13	O/C						
	HRS	0							
WC#: 05.030	AFL	0							
PROC. REF: TLMC 5-50-00, TLMC 5-50-00									
055004	ACCOMPLISH CHECK LIGHTING STRIKE							Service	ATA:05
	MOS/MSC	26-Dec-13	O/C						
	HRS	0							
WC#: 05.040	AFL	0							
PROC. REF: TLMC 5-50-00, TLMC 5-50-00									
055005	ACCOMPLISH CHECK FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	26-Dec-13	O/C						
	HRS	0							
WC#: 05.050	AFL	0							
PROC. REF: TLMC 5-50-00, TLMC 5-50-00									
055006	ACCOMPLISH CHECK TOWING WITH A LARGE FUEL UNBALANCE OR HIGH DRAG/SIDE LOADS DUE TO GROUND HANDLING							Service	ATA:05
	MOS/MSC	26-Dec-13	O/C						
	HRS	0							
WC#: 05.060	AFL	0							
PROC. REF: TLMC 5-50-00, TLMC 5-50-00									
5-12-01	INSPECTION DOCUMENT 01							Package	ATA:05
	MOS	19-Mar-21							
	HRS	1328.1	300 (+30)		1628.1	1658.1	90.8 (+30)		
	AFL	1133							
PROC. REF: TLMC 5-12-01									

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-02	INSPECTION DOCUMENT 02							Package	ATA:05
	MOS	01-May-23	12 (+2m)	Adj -82d	29-Feb-24	30-Apr-24	223 d (+61)		
	HRS	1522							
	AFL	1254							
	PROC. REF: TLMC 5-12-02								PKG:2
5-12-03	INSPECTION DOCUMENT 03							Package	ATA:05
	MOS	09-Feb-22	24 (+2m)		29-Feb-24	30-Apr-24	223 d (+61)		
	HRS	1427.4							
	AFL	1193							
	PROC. REF: TLMC 5-12-03								PKG:3
5-12-04 ^S	INSPECTION DOCUMENT 04 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	24-Dec-22	36						
	HRS	1501.5							
	AFL	1241							
	PROC. REF: TLMC 5-12-04								PKG:4
5-12-05 ^S	INSPECTION DOCUMENT 05 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	03-Oct-18	60						
	HRS	900.6							
	AFL	837							
	PROC. REF: TLMC 5-12-05								PKG:5
5-12-06 ^S	INSPECTION DOCUMENT 06 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	06-Oct-22	72 (+2m)						
	HRS	1481.2							
	AFL	1226							
	PROC. REF: TLMC 5-12-06								PKG:6
5-12-07 ^S	INSPECTION DOCUMENT 07 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	06-Oct-22	144						
	HRS	1481.2							
	AFL	1226							
	PROC. REF: TLMC 5-12-07								PKG:7
5-12-08	INSPECTION DOCUMENT 08							Package	ATA:05
	MOS	01-May-23	24 (+2m)		31-May-25	31-Jul-25	680 d (+61)		
	HRS	1522	300 (+30)		1822	1852	284.7 (+30)		
	AFL	1254							
	PROC. REF: TLMC 5-12-08								PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-09 ^S	INSPECTION DOCUMENT 09 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	26-Dec-13	T:12 (+2m)						
	HRS	0	T:600 (+30)						
	AFL	0							
				PROC. REF: TLMC 5-12-09				PKG:9	
5-12-10	INSPECTION DOCUMENT 10							Package	ATA:05
	MOS	01-May-23	36 (+2m)	Adj -82d	28-Feb-26	30-Apr-26	953 d (+61)		
	HRS	1522	1200 (+30)		2722	2752	1184.7 (+30)		
	AFL	1254							
				PROC. REF: TLMC 5-12-10				PKG:10	
5-12-11	INSPECTION DOCUMENT 11							Package	ATA:05
	MOS	01-May-23	36 (+2m)	Adj -82d	28-Feb-26	30-Apr-26	953 d (+61)		
	HRS	1522	1200 (+30)		2722	2752	1184.7 (+30)		
	AFL	1254							
				PROC. REF: TLMC 5-12-11				PKG:11	
5-12-12	INSPECTION DOCUMENT 12 (14 CFR 91.207)							Package	ATA:05
	MOS	06-Feb-23	12		29-Feb-24		223 d		
	HRS	1510.8							
	AFL	1247							
				PROC. REF: TLMC 5-12-12				PKG:12	
5-12-13 ^S	INSPECTION DOCUMENT 13 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	07-Feb-22	24						
	HRS	1427.4							
	AFL	1193							
				PROC. REF: TLMC 5-12-13				PKG:13	
5-12-14 ^S	INSPECTION DOCUMENT 14 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	08-Feb-20	T/C						
	HRS	1191.2							
	AFL	1044							
				PROC. REF: TLMC 5-12-14				PKG:14	
5-12-17 ^S	INSPECTION DOCUMENT 17 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	06-Oct-22	12 (+2m)						
	HRS	1481.2	200 (+30)						
	AFL	1226							
				PROC. REF: TLMC 5-12-17				PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-21	INSPECTION DOCUMENT 21							Package	ATA:05
	MOS	09-Feb-22	24 (+2m)		29-Feb-24	30-Apr-24	223 d (+61)		
	HRS	1427.4	600 (+30)		2027.4	2057.4	490.1 (+30)		
	AFL	1193							
				PROC. REF: TLMC 5-12-21				PKG:21	
5-12-29	INSPECTION DOCUMENT 29							Package	ATA:05
	MOS	26-Dec-13							
	HRS	0	T:7200 (+30)		7200	7230	5662.7 (+30)		
	AFL	0							
				PROC. REF: TLMC 5-12-29				PKG:29	
5-12-33	INSPECTION DOCUMENT 33							Package	ATA:05
	MOS	01-May-23	12 (+2m)	Adj -82d	29-Feb-24	30-Apr-24	223 d (+61)		
	HRS	1522	300 (+30)		1822	1852	284.7 (+30)		
	AFL	1254							
				PROC. REF: TLMC 5-12-33				PKG:33	
5-12-36	INSPECTION DOCUMENT 36							Package	ATA:05
PN:-	MOS	01-May-23	6 (+2m)		30-Nov-23	31-Jan-24	132 d (+62)		
SN:-	HRS	1522							
	AFL	1254							
				PROC. REF: TLMC 5-12-36				PKG:36	
5-12-37	INSPECTION DOCUMENT 37							Package	ATA:05
	MOS	01-May-23							
	HRS	1522							
	AFL	1254							
	ACH	818.2	500		1318.2		500		
				PROC. REF: TLMC 5-12-37				PKG:37	
5-12-MA	INSPECTION DOCUMENT MA							Package	ATA:05
	MOS	22-Dec-20						AIRWORTHINESS	
	HRS	1302.3	300		1602.3		65		
	AFL	1115							
				PROC. REF: TLMC 5-12-MA				PKG:38	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-MD	INSPECTION DOCUMENT MD							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:5000		5000		3734		
								PROC. REF: TLMC 5-12-MD	
								PKG:39	
5-12-MF	INSPECTION DOCUMENT MF							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	6000		6000		4462.7		
	AFL	0							
								PROC. REF: TLMC 5-12-MF	
								PKG:40	
5-12-MG	INSPECTION DOCUMENT MG							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:6000		6000		4462.7		
	AFL	0							
								PROC. REF: TLMC 5-12-MG	
								PKG:41	
5-12-MH	INSPECTION DOCUMENT MH							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:6000		6000		4462.7		
	AFL	0							
								PROC. REF: TLMC 5-12-MH	
								PKG:42	
5-12-MI	INSPECTION DOCUMENT MI							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7200		7200		5662.7		
	AFL	0							
								PROC. REF: TLMC 5-12-MI	
								PKG:43	
5-12-MJ	INSPECTION DOCUMENT MJ							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7200		7200		5662.7		
	AFL	0							
								PROC. REF: TLMC 5-12-MJ	
								PKG:44	
5-12-MK	INSPECTION DOCUMENT MK							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7900		7900		6362.7		
	AFL	0							
								PROC. REF: TLMC 5-12-MK	
								PKG:45	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-MM	INSPECTION DOCUMENT MM							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:12000		12000		10462.7		
	AFL	0							
				PROC. REF: TLMC 5-12-MM				PKG:47	
5-12-MN	INSPECTION DOCUMENT MN							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:12000		12000		10462.7		
	AFL	0							
				PROC. REF: TLMC 5-12-MN				PKG:48	
5-12-MO	INSPECTION DOCUMENT MO							Package	ATA:05
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:15200		15200		13662.7		
	AFL	0							
				PROC. REF: TLMC 5-12-MO				PKG:49	
5-12-MP	INSPECTION DOCUMENT MP							Package	ATA:05
	MOS	06-Feb-23	12		29-Feb-24		223 d	AIRWORTHINESS	
	HRS	1510.8	250		1760.8		223.5		
	AFL	1247							
				PROC. REF: TLMC 5-12-MP				PKG:50	
5-12-MQ	INSPECTION DOCUMENT MQ							Package	ATA:05
	MOS							AIRWORTHINESS	
	HRS	EFF	T:14000		14000 *		12462.7		
	AFL								
				PROC. REF: TLMC 5-12-MQ				PKG:51	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-28-05-600	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH							Service	ATA:12
	DAYS/MS	26-Dec-13	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-28-05								
12-28-05-601	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH							Service	ATA:12
	DAYS/MS	26-Dec-13	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-28-05								
12-28-05-602	90 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 3 WASH							Service	ATA:12
	DAYS/MS	26-Dec-13	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-28-05								
C122201 ^S	LUBRICATE TRIM TAB ACTUATOR: INSPECTION DOCUMENT 08							Service	ATA:12
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 27.040	AFL	1254							
	PROC. REF: AMM 12-22-05								
	PKG:8								
ATA 21 - AIR CONDITIONING									
211003	HEAT PRESSURE EXCHANGER							Component	ATA:21
PN:10840A	MOS/MS	26-Dec-13	O/C	TSN 0					
SN:1270	HRS	0		TSN 0					
WC#: 21.010	AFL	0		TSN 0					
	PROC. REF: AMM 21-40-00								
211004	HEAT EXCHANGER SHUTOFF VALVE							Component	ATA:21
PN:27241287-24	MOS/MS	26-Dec-13	O/C	TSN 0					
SN:6BJ32	HRS	0		TSN 0					
WC#: 21.020	AFL	0		TSN 0					
	PROC. REF: AMM 21-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
211005		EMERGENCY PRESS SHUTOFF VALVE					Component ATA:21		
PN:2601-23	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1344	HRS	0		TSN 0					
WC#: 21.020	AFL	0		TSN 0					
PROC. REF: AMM 21-10-00									
212001		UNDERFLOOR INLET AIR BLOWER					Component ATA:21		
PN:0113-12	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2200	HRS	0		TSN 0					
WC#: 21.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212003		TEMP PRESS COMPRESSION SWITCH					Component ATA:21		
PN:1173T42-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4173	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212011		AFT TEMP UNDERFLOOR SENSOR					Component ATA:21		
PN:27221274	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2BJ19	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212202		OVERHEAD AIR VALVE SOLENOID					Component ATA:21		
PN:D113204	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 21.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212302		BLOWER - WINDSHIELD AIR MOTOR					Component ATA:21		
PN:7003-200	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: AMM 21-40-00									
212404		NOSE AVIONICS COOLING FAN					Component ATA:21		
PN:032105	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: AMM 21-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213003		PRESSURIZATION CONTROLLER					Component ATA:21		
PN:52811-103	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 21.100	AFL	0	TSN 0						
PROC. REF: AMM 21-30-00									
213004		LEFT KAPS II OUTFLOW VALVE					Component ATA:21		
PN:52812-102	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1674	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 21-30-00									
213004		RIGHT KAPS II OUTFLOW VALVE					Component ATA:21		
PN:52812-102	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1667	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 21-30-00									
215001		FORWARD EVAPORATOR					Component ATA:21		
PN:1134820-13	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:294	HRS	0	TSN 0						
WC#: 21.120	AFL	0	TSN 0						
PROC. REF: AMM 21-50-00									
215002		EVAPORATOR MODULE ASSEMBLY					Component ATA:21		
PN:1134820-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:343	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 21-50-00									
215003		AFT EVAPORATOR MOTOR					Component ATA:21		
PN:1250211-7	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0	TSN 0						
WC#: 21.130	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
215003		FORWARD EVAPORATOR MOTOR					Component ATA:21		
PN:1250211-7	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0	TSN 0						
WC#: 21.130	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215004		COMPRESSOR CONDENSOR MODULE ASSEMBLY					Component		ATA:21
PN:1134400-31	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:379A	HRS	0		TSN 0					
WC#: 21.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
215006		DRIVE MOTOR ASSEMBLY					Component		ATA:21
PN:1134104-5	MOS/MSC	21-Oct-20	O/C						
SN:2586	HRS	1284.2							
WC#: 21.150	AFL	1106							
PROC. REF: GENERIC NO REF									
215007		RECEIVER DRYER ASSEMBLY					Component		ATA:21
PN:1134182-5	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									
215009		A/C FLIGHT HOUR METER					Component		ATA:21
PN:1250703-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 21.180	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									
215010		FREON A/C-BAROMETRIC SWITCH					Component		ATA:21
PN:GBC300-82	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1327686	HRS	0		TSN 0					
WC#: 21.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
215011		AIR CONDITIONER DRIVE BELT					Component		ATA:21
PN:232L100	MOS/MSC	18-Jan-18	O/C	TSN 0					
SN:NSN	HRS	742.2		TSN 0					
WC#: 21.310	AFL	713		TSN 0					
	ACH	374.4							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215013		AFT EXPANSION VALVE					Component		ATA:21
PN:1250218	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0	TSN 0						
WC#: 21.190	AFL	0	TSN 0						
PROC. REF: AMM 21-50-00									
215013		FORWARD EXPANSION VALVE					Component		ATA:21
PN:1250218	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0	TSN 0						
WC#: 21.190	AFL	0	TSN 0						
PROC. REF: AMM 21-50-00									
216002		TEMPERATURE CONTROLLER					Component		ATA:21
PN:1E86-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8BJ27	HRS	0	TSN 0						
WC#: 21.200	AFL	0	TSN 0						
PROC. REF: AMM 21-60-00									
216003		LH TRANSFORMER					Component		ATA:21
PN:76779-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:10754	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
216003		RH TRANSFORMER					Component		ATA:21
PN:76779-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:10755	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
216003		TEMP CNTL SYS SENSOR					Component		ATA:21
PN:27221274	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 21.200	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
A211001 ^S		INSPECT FLOW CONTROL VALVE DETAILED: INSPECTION DOCUMENT 10					Service		ATA:21
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 21.240	AFL	1254							
PROC. REF: AMM 21-10-00									

PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
A215001 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER INSPECTION (COMPRESSOR MOTORS 1134104-1, -5): INSPECTION DOCUMENT MA							Service	ATA:21
	MOS	22-Dec-20						AIRWORTHINESS	
	HRS	1302.3	300						
	AFL	1115							
	PROC. REF: AMM 21-50-00							PKG:38	
A215003 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER INSPECTION(EXCEPT COMPRESSOR MOTORS 1134104-1, -5): INSPECTION DOCUMENT 01							Service	ATA:21
	MOS	19-Mar-21							
	HRS	1328.1	300 (+30)						
	AFL	1133							
	PROC. REF: AMM 21-50-00							PKG:1	
A215004	COMPRESSOR DRIVE MOTOR BRUSHES							Component	ATA:21
PN:1251171-6	MOS	21-Oct-20		TSN 0				LIFE LIMIT	
SN:N/A	HRS	1284.2		TSN 0					
WC#: 21.150	AFL	1106		TSN 0					
	ACH	792.6	500	TSN 0	1292.6		474.4		
	PROC. REF: GENERIC NO REF								
A215005 ^S	CHECK VAPOR CYCLE 500 COMPRESSOR HOUR MAINTENANCE : INSPECTION DOCUMENT 37							Service	ATA:21
	MOS	01-May-23							
	HRS	1522							
	AFL	1254							
	ACH	818.2	500						
	PROC. REF: AMM 21-50-00							PKG:37	
A215007 ^S	CHECK VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE: INSPECTION DOCUMENT 02							Service	ATA:21
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
	PROC. REF: AMM 21-50-00							PKG:2	
B211001 ^S	OPERATIONAL CHECK EMERGENCY PRESSURIZATION VALVE: INSPECTION DOCUMENT 10							Service	ATA:21
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 21.020	AFL	1254							
	PROC. REF: AMM 21-10-00							PKG:10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B213001 ^S	FUNCTION TEST OUTFLOW VALVE CABIN MAXIMUM ALTITUDE LIMITER: INSPECTION DOCUMENT 10							Service	ATA:21
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 21.330	AFL	1254							
						PROC. REF: AMM 21-30-00		PKG:10	
ATA 22 - AUTO FLIGHT									
221003	AILERON SERVO							Component	ATA:22
PN:011-00877-20	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:19Z007039	HRS	0			TSN 0				
WC#: 22.010	AFL	0			TSN 0				
						PROC. REF: AMM 22-10-15			
221004	RUDDER SERVO							Component	ATA:22
PN:011-00877-20	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:19Z007032	HRS	0			TSN 0				
WC#: 22.030	AFL	0			TSN 0				
						PROC. REF: AMM 22-10-25			
221005	ELEVATOR TRIM GSA 81 SERVO							Component	ATA:22
PN:011-00878-20	MOS/MSC	24-Jan-18	O/C		TSN 0				
SN:1A1018902	HRS	744.3			TSN 0				
	AFL	716			TSN 0				
						PROC. REF: GENERIC NO REF			
221009	GMC 710 AFCS MODE CONTROLLER							Component	ATA:22
PN:011-01020-10	MOS/MSC	19-Sep-14	O/C						
SN:22006815	HRS	61.4							
	AFL	48							
						PROC. REF: AMM 22-10-05			
221010	ELEVATOR GSA 81 SERVO							Component	ATA:22
PN:011-00878-20	MOS/MSC	28-Jun-17	O/C		TSO 0				
SN:1A1009476	HRS	642.4			TSO 0				
	AFL	625							
	ACH	374.4							
						PROC. REF: AMM 22-10-35			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221011		AILERON GSM 86 SERVO MOUNT					Component	ATA:22	
PN:011-02490-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1GK010130	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-15									
221012		RUDDER GSM 86 SERVO MOUNT					Component	ATA:22	
PN:011-02490-15	MOS/MSC	13-Apr-15	O/C	TSN 0					
SN:1GK011337	HRS	160.5		TSN 0					
	AFL	152		TSN 0					
PROC. REF: AMM 22-10-25									
221013		ELEVATOR GSM 86 SERVO MOUNT					Component	ATA:22	
PN:011-02490-16	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1GK010415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-35									
221014		GSM 86 SERVO (ELEVATOR TRIM) MOUNT					Component	ATA:22	
PN:011-02490-17	MOS/MSC	31-Jan-18	O/C	TSO 0					
SN:1GJ005568	HRS	747.6		TSO 0					
	AFL	718		TSO 0					
PROC. REF: GENERIC NO REF									
B221001 ^S		OPERATIONAL CHECK GARMIN AUTOPILOT-SERVO SLIP-CLUTCH OVERRIDE: INSPECTION DOCUMENT 21					Service	ATA:22	
	MOS	09-Feb-22	24 (+2m)						
	HRS	1427.4	600 (+30)						
WC#: 21.340	AFL	1193							
PROC. REF: AMM 22-10-00									
B221003 ^S		FUNCTIONAL CHECK GARMIN AUTOPILOT (GFC 700): INSPECTION DOCUMENT 21					Service	ATA:22	
	MOS	09-Feb-22	24 (+2m)						
	HRS	1427.4	600 (+30)						
WC#: 25.080	AFL	1193							
PROC. REF: AMM 22-10-00									
ATA 23 - COMMUNICATIONS									
231009		AFT AIRCELL AIR TO GRND ANTENNA					Component	ATA:23	
PN:P12949	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:538901	HRS	768.9		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231009		FWD AIRCELL AIR TO GRND ANTENNA						Component	ATA:23
PN:P12949	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:538887	HRS	768.9		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
231010 ^U		NO. 1 WIFI CABIN ANTENNA ASSEMBLY						Component	ATA:23
PN:P16917-001	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:15917001033959	HRS	768.9		TSN 0					
	AFL			TSN 0					
231010 ^U		NO. 2 WIFI CABIN ANTENNA ASSEMBLY						Component	ATA:23
PN:P16917-001	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:1691700103960	HRS	768.9		TSN 0					
	AFL			TSN 0					
231010 ^U		NO. 3 WIFI CABIN ANTENNA ASSEMBLY						Component	ATA:23
PN:P16917-001	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:1691700103979	HRS	768.9		TSN 0					
	AFL			TSN 0					
231010 ^U		NO. 4 WIFI CABIN ANTENNA ASSEMBLY						Component	ATA:23
PN:P16917-001	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:1691700104309	HRS	768.9		TSN 0					
	AFL			TSN 0					
231010 ^U		NO. 5 WIFI CABIN ANTENNA ASSEMBLY						Component	ATA:23
PN:P16917-001	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:169170010475	HRS	768.9		TSN 0					
	AFL			TSN 0					
231010 ^U		NO. 6 WIFI CABIN ANTENNA ASSEMBLY						Component	ATA:23
PN:P16917-001	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:1691700103979	HRS	768.9		TSN 0					
	AFL			TSN 0					
231011 ^U		WIFI SYSTEM						Component	ATA:23
PN:P34110-003	MOS/MSC	06-Mar-18	O/C	TSN 0					
SN:3411000300041	HRS	768.9		TSN 0					
	AFL			TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232008		BOTTOM COMM 2 ANTENNA					Component		ATA:23
PN:VHF10-829	MOS/MSC	11-Feb-16	O/C	TSN 0					
SN:2168	HRS	318.6		TSN 0					
WC#: 23.030	AFL	315							
PROC. REF: GENERIC NO REF									
232008		LWR TCAS ANTENNA					Component		ATA:23
PN:S72-1735-26	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:874-69075	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
232008		TOP COMM 1 ANTENNA					Component		ATA:23
PN:VHF10-829	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1544	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
232008		UPPER TCAS ANTENNA					Component		ATA:23
PN:S72-1735-26	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:874-0193	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
232010		SATELLITE DATA LINK TRANSCEIVER					Component		ATA:23
PN:011-00987-00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:47766742	HRS	0		TSN 0					
WC#: 23.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
232014		LH GSD 41 DATA CONCENTRATOR					Component		ATA:23
PN:011-01457-01	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2JH005176	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
232014		RH GSD 41 DATA CONCENTRATOR					Component		ATA:23
PN:011-01457-01	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2JH005167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232020 ^U		NO. 1 GOGO CELLULAR ANTENNA						Component	ATA:23
PN:P18350-001	MOS/MSC	06-Mar-18	O/C						
SN:1835002508	HRS	768.9							
	AFL								
232023		AFT WIFI ANTENNA						Component	ATA:23
PN:TRAB24/49003P	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:05241207	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: AMM 23-25-00				
232024 ^U		NO. 2 GOGO CELLULAR ANTENNA						Component	ATA:23
PN:P18350-001	MOS/MSC	06-Mar-18	O/C						
SN:1835002478	HRS	768.9							
	AFL								
232033		FWD WIFI ANTENNA						Component	ATA:23
PN:TRAB24/49003P	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:04261215	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
232034 ^U		GOGO ACM						Component	ATA:23
PN:P14126	MOS/MSC	06-Mar-18	O/C						
SN:1412617583	HRS	768.9							
	AFL								
235001		NO. 1 GPS/XM ANTENNA						Component	ATA:23
PN:C1428-410	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:430535	HRS	0		TSN 0					
WC#: 23.170	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
235001		NO. 2 GPS/XM ANTENNA						Component	ATA:23
PN:C1428-410	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:438543	HRS	0		TSN 0					
WC#: 23.170	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235004^U		USB PORT					Component ATA:23		
PN:PED050	MOS/MSC	03-Sep-15	O/C	TSN 0					
SN:565000290	HRS	239.3		TSN 0					
	AFL	225		TSN 0					
<hr/>									
235006		LEFT GMA 36 REMOTE AUDIO PROCESSOR					Component ATA:23		
PN:011-01793-00	MOS/MSC	30-Dec-16	O/C	TSO 2					
SN:1HF005710	HRS	510.4		TSO 0					
	AFL	517		TSO 0					
	ACH	374.4							
PROC. REF: GENERIC NO REF									
<hr/>									
235006		RIGHT GMA 36 REMOTE AUDIO PROCESSOR					Component ATA:23		
PN:011-01793-00	MOS/MSC	30-Dec-16	O/C	TSO 1					
SN:1HF005626	HRS	510.4		TSO 0					
	AFL	517		TSO 0					
	ACH	374.4							
PROC. REF: GENERIC NO REF									
<hr/>									
235009		PA AMPLIFIER					Component ATA:23		
PN:102025-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3800713	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-30-15									
<hr/>									
237000A		COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY					Component ATA:23		
PN:810-2007/K	MOS	22-Dec-21	72		31-Oct-27		1563 d	DISCARD	
SN:N/A	HRS	1402							
WC#: 23.100	AFL	1179							
Manufacture Date:: 31-Oct-21 PROC. REF: AMM 23-72-00									
<hr/>									
237001		COCKPIT VOICE RECORDER					Component ATA:23		
PN:2100-1025-22	MOS/MSC	30-Jan-18	O/C						
SN:001128060	HRS	744.3							
WC#: 23.070	AFL	716							
PROC. REF: AMM 23-72-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
237002		CVR CONTROLLER						Component	ATA:23
PN:S251-1130-00	MOS/MSC	30-Jan-18	O/C	TSN 0					
SN:001168978	HRS	744.3		TSN 0					
WC#: 23.130	AFL	716		TSN 0					
PROC. REF: GENERIC NO REF									
B236001^S		FUNCTIONAL CHECK STATIC DISCHARGE SYSTEM: INSPECTION DOCUMENT 10						Service	ATA:23
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 23.050	AFL	1254							
PROC. REF: AMM 23-60-05									
PKG:10									
B237201		OPERATIONAL CHECK COCKPIT VOICE RECORDER : INSPECTION DOCUMENT 03						Service	ATA:23
PN:2100-1025-22	MOS	09-Feb-22	24 (+2m)		29-Feb-24	30-Apr-24	223 d (+61)		
SN:001128060	HRS	1427.4							
WC#: 23.070	AFL	1193							
PROC. REF: AMM 23-72-00									
PKG:3									
B237203^S		FUNCTIONAL CHECK COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON: INSPECTION DOCUMENT 10						Service	ATA:23
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 23.070	AFL	1254							
PROC. REF: AMM 23-72-00									
PKG:10									
ATA 24 - ELECTRICAL POWER									
242001		AUX AC CONVERTER						Component	ATA:24
PN:SS50	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6670	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-22-05									
243002		LEFT GENERATOR CONTROL UNIT						Component	ATA:24
PN:51525-001F	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.040	AFL	0		TSN 0					
PROC. REF: AMM 24-34-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243002		RIGHT GENERATOR CONTROL UNIT						Component	ATA:24
PN:51525-001F	MOS/MSC	01-Oct-20	O/C						
SN:P3962	HRS	1261.5							
WC#: 24.040	AFL	1089							
PROC. REF: AMM 24-34-00									
243003		MAIN BATTERY						Component	ATA:24
PN:9914058-6	MOS/MSC	11-Jun-20	O/C	TSO 29					
SN:11602534	HRS	1227.5		TSO 1227.3					
WC#: 24.260	AFL	1068							
PROC. REF: AMM 24-36-05									
243007		14 AHR BATTERY ASSEMBLY						Component	ATA:24
PN:RG24-15M	MOS/MSC	26-Jan-23	O/C	TSN 0					
SN:41269722	HRS	1507.5		TSN 0					
	AFL	1245		TSN 0					
PROC. REF: GENERIC NO REF									
243012		STANDBY BATTERY						Component	ATA:24
PN:501-1712-01	MOS/MSC	01-May-23	O/C						
SN:80892	HRS	1522							
	AFL	1254							
PROC. REF: AMM 24-36-35									
245001		PRESSURIZATION PCB ASSY						Component	ATA:24
PN:6318349-26	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:0305	HRS	0		TSN 0					
WC#: 24.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245002		LEFT ASSEMBLY-FUEL CONTROL PCB						Component	ATA:24
PN:6318037-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1087	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245002		RIGHT ASSEMBLY-FUEL CONTROL PCB						Component	ATA:24
PN:6318037-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1088	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245003	LEFT ASSEMBLY-IGNITOR PCB							Component	ATA:24
PN:6318388-7	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0587	HRS	0			TSN 0				
WC#: 24.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245003	RIGHT ASSEMBLY-IGNITOR PCB							Component	ATA:24
PN:6318388-7	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0568	HRS	0			TSN 0				
WC#: 24.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245004	LEFT ANTI ICE PCB ASSY							Component	ATA:24
PN:6318390-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0347	HRS	0			TSN 0				
WC#: 24.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245004	RIGHT ANTI ICE PCB ASSY							Component	ATA:24
PN:6318390-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0346	HRS	0			TSN 0				
WC#: 24.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245005	DIAGNOSTICS PCB ASSY							Component	ATA:24
PN:6318046-9	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0332	HRS	0			TSN 0				
WC#: 24.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245006	ENVIRONMENTAL PCB ASSY							Component	ATA:24
PN:6318358-20	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0393	HRS	0			TSN 0				
WC#: 24.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245007	LEFT PCB-START LOGIC ASSY							Component	ATA:24
PN:6318038-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1245	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245007		RIGHT PCB-START LOGIC ASSY					Component	ATA:24	
PN:6318038-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1248	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245008		TRIM CONTROL PCB ASSY					Component	ATA:24	
PN:6518351-9	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 24.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245009		DIMMING PCB ASSY					Component	ATA:24	
PN:7318909	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245011		FUEL FLOW XMITTER PCB ASSY					Component	ATA:24	
PN:85-230-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1113002	HRS	0		TSN 0					
WC#: 24.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245012		SPEEDBRAKE CONTROL PCB ASSY					Component	ATA:24	
PN:6318034-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:0599	HRS	0		TSN 0					
WC#: 24.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245013		TAIL DEICE MONITOR PCB ASSY					Component	ATA:24	
PN:6318043-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:0672	HRS	0		TSN 0					
WC#: 24.208	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245014		TAIL DEICE CONTROL PCB ASSY					Component	ATA:24	
PN:6318044-1	MOS/MSC	15-Aug-14	O/C	TSN 0					
SN:0563	HRS	54.3		TSN 0					
WC#: 24.290	AFL	42		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245015	HYDRAULIC PCB ASSY							Component	ATA:24
PN:6318035-7	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0566	HRS	0			TSN 0				
WC#: 24.300	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245018	POWER DISTRIBUTION PCB							Component	ATA:24
PN:7813910	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245020	FADEC INTERFACE NZ116 ASSY							Component	ATA:24
PN:6318387-11	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0497	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245022	FADEC INTERFACE NZ117 ASSY							Component	ATA:24
PN:6318387-11	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0502	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245026	NO. 1 LANDING GEAR PCB							Component	ATA:24
PN:6318398-6	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0588	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245027	NO. 2 LANDING GEAR PCB							Component	ATA:24
PN:6318399-11	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0576	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245200	CABIN ALT MODULE ASSY							Component	ATA:24
PN:7018119-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1284	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 24-62-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
B243601 FUNCTIONAL CHECK MAIN BATTERY NICKEL-CADMIUM BATTERY (CAPACITY CHECK): INSPECTION DOCUMENT 17								Service ATA:24
PN:9914058-6	MOS	06-Oct-22	12 (+2m)		31-Oct-23	31-Dec-23	102 d (+61)	
SN:11602534	HRS	1481.2	200 (+30)		1681.2	1711.2	143.9 (+30)	
WC#: 24.170	AFL	1226						
PROC. REF: AMM 24-36-05								PKG:17
B243801^S CHECK AUXILIARY POWER SEALED LEAD ACID BATTERY FUNCTIONAL CHECK (CAPACITY CHECK)								Service ATA:24
	MOS	01-May-23	12 (+2m)					
	HRS	1522						
	AFL	1254						
PROC. REF: AMM 24-38-00								PKG:2
ATA 25 - EQUIPMENT/FURNISHINGS								
245023 LANDING GEAR MONITOR PCB ASSY								Component ATA:25
PN:6318397-21	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:0686	HRS	0		TSN 0				
WC#: 24.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
256001 EMERGENCY LOCATOR TRANSMITTER								Component ATA:25
PN:453-5060	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:14215	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: AMM 25-62-00								
256002 REMOTE SWITCH								Component ATA:25
PN:452-0010	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
WC#: 25.110	AFL	0		TSN 0				
PROC. REF: AMM 25-62-00								
256004 ELT ANTENNA								Component ATA:25
PN:110-340	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:398071	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 25-62-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256005		ELT BEACON BATTERY PACK							Component ATA:25
PN:452-0133	MOS/MSC	07-Feb-23	DUE	TSN 0	01-Jan-28 (M)		1625 d		
SN:398468-008	HRS	1510.8		TSN 0					
WC#: 25.040	AFL	1247							
		Expiry Date: : 01-Jan-28		PROC. REF: GENERIC NO REF					
256006		CO-PILOT LIFE VEST							Component ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780054	HRS	744.3		TSN 0					
WC#: 25.200	AFL	716		TSN 0					
				PROC. REF: GENERIC NO REF					
256006		LAVATORY LIFE JACKET							Component ATA:25
PN:P01074-207	MOS/MSC	18-Jan-18	DUE	TSN 0	21-Nov-27 (M)		1584 d		
SN:17112100624	HRS	742.2		TSN 0					
	AFL	713		TSN 0					
		Expiry Date: : 21-Nov-27		PROC. REF: GENERIC NO REF					
256006		NO. 3 LIFE VEST							Component ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780050	HRS	744.3		TSN 0					
WC#: 25.170	AFL	716		TSN 0					
				PROC. REF: GENERIC NO REF					
256006		NO. 4 LIFE VEST							Component ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780078	HRS	744.3		TSN 0					
WC#: 25.180	AFL	716		TSN 0					
				PROC. REF: GENERIC NO REF					
256006		NO. 5 LIFE VEST							Component ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780067	HRS	744.3		TSN 0					
WC#: 25.180	AFL	716		TSN 0					
				PROC. REF: GENERIC NO REF					
256006		NO. 6 LIFE VEST							Component ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780074	HRS	744.3		TSN 0					
WC#: 25.180	AFL	716		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256006 ^U	NO. 7 VEST LIFE							Component	ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780021	HRS	744.3							
	AFL	716							
256006	PILOT LIFE VEST							Component	ATA:25
PN:P01074-207	MOS	24-Jan-18	60	TSN 0	24-Oct-23 (M)		95 d		
SN:13101780088	HRS	744.3		TSN 0					
WC#: 25.200	AFL	716		TSN 0					
PROC. REF: GENERIC NO REF									
256055	FIRST AID KIT							Component	ATA:25
PN:H-1292	MOS/MSC	17-Jan-23	DUE	TSN 0	31-Dec-23 (M)		163 d		
SN:N/A	HRS	1507.5		TSN 0					
WC#: 25.060	AFL	1245							
		Expiry Date: : 31-Dec-23	PROC. REF: GENERIC NO REF						
A252001 ^S	DETAILED INSPECTION PASSENGER SEAT AND RESTRAINT SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:25
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 25.080	AFL	1254							
PROC. REF: AMM 25-20-05									
A256001 ^S	DETAILED INSPECTION LIFE VEST: INSPECTION DOCUMENT 02							Service	ATA:25
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
WC#: 25.090	AFL	1254							
PROC. REF: AMM 25-60-00									
A256003 ^S	DETAILED INSPECTION FIRST AID KIT FIRST AID KIT: INSPECTION DOCUMENT 02							Service	ATA:25
PN:H-1292	MOS	01-May-23	12 (+2m)						
SN:N/A	HRS	1522							
WC#: 25.130	AFL	1254							
PROC. REF: AMM 25-60-00									
A256201	DETAILED INSPECTION EMERGENCY LOCATOR TRANSMITTER ARTEX (ELT): INSPECTION DOCUMENT 12							Service	ATA:25
PN:453-5060	MOS	06-Feb-23	12		29-Feb-24		223 d		
SN:14215	HRS	1510.8							
WC#: 25.140	AFL	1247							
PROC. REF: AMM 25-62-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
B251001 ^S	FUNCTIONAL CHECK CREW SEAT ASSEMBLY: INSPECTION DOCUMENT 10							Service	ATA:25
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 25.080	AFL	1254							
				PROC. REF: AMM 25-10-05				PKG:10	
B256203	OPERATIONAL CHECK ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER: INSPECTION DOCUMENT 12							Service	ATA:25
	MOS	06-Feb-23	12		29-Feb-24		223 d		
	HRS	1510.8							
WC#: 25.140	AFL	1247							
				PROC. REF: AMM 25-62-00				PKG:12	
ATA 26 - FIRE PROTECTION									
261002	LEFT FIRE DETECT SENSOR							Component	ATA:26
PN:3001-212-1004/455-9	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:213106	HRS	0		TSN 0					
WC#: 26.010	AFL	0		TSN 0					
				PROC. REF: AMM 26-10-00					
261002	RIGHT FIRE DETECT SENSOR							Component	ATA:26
PN:3001-212-1004/455-9	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:213109	HRS	0		TSN 0					
WC#: 26.010	AFL	0		TSN 0					
				PROC. REF: AMM 26-10-00					
262001	ENGINE FIRE EXTINGUISHER BOTTLE							Component	ATA:26
PN:30401102-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6979281	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
				PROC. REF: AMM 26-20-00					
262002	NO. 1 FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:13083-5	MOS	28-Jun-22	72	Adj 254d	30-Jun-28		1806 d	LIFE LIMIT	
SN:09012027	HRS	1463.8							
WC#: 26.020	AFL	1214							
		Manufacture Date:: 21-Sep-21		PROC. REF: AMM 26-20-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262002	NO. 2 FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:13083-5	MOS	28-Jun-22	72	Adj 245d	30-Jun-28		1806 d	LIFE LIMIT	
SN:09012027	HRS	1463.8							
	AFL	1214							
		Manufacture Date:: 30-Sep-21		PROC. REF: AMM 26-20-00					
262003	CABIN PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	06-Oct-22	O/C						
SN:G-40531886	HRS	1481.2							
	AFL	1226							
				PROC. REF: GENERIC NO REF					
A262001 ^S	GENERAL VISUAL INSPECTION ENGINE FIRE EXTINGUISHING SYSTEM: INSPECTION DOCUMENT 01							Service	ATA:26
	MOS	19-Mar-21							
	HRS	1328.1	300 (+30)						
WC#: 26.050	AFL	1133							
				PROC. REF: AMM 26-20-00				PKG:1	
A262201	DETAILED INSPECTION CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 06							Service	ATA:26
PN:C352TS	MOS	06-Oct-22	72 (+2m)		31-Oct-28	31-Dec-28	1929 d (+61)		
SN:G-40531886	HRS	1481.2							
WC#: 26.065	AFL	1226							
				PROC. REF: AMM 26-22-00				PKG:6	
B262003 ^S	FUNCTIONAL CHECK ENGINE FIRE EXTINGUISHING SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:26
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 26.050	AFL	1254							
				PROC. REF: AMM 26-20-00				PKG:10	
B262005	RESTORATION (HYDROSTATIC TEST) ENGINE FIRE EXTINGUISHER BOTTLE : INSPECTION DOCUMENT 05							Service	ATA:26
PN:30401102-2	MOS	02-Oct-18	60		31-Oct-23		102 d		
SN:6979281	HRS								
WC#: 26.020	AFL								
				PROC. REF: AMM 26-20-00				PKG:5	
B262201	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 2							Service	ATA:26
PN:C352TS	MOS	01-May-23	12 (+2m)		31-May-24	31-Jul-24	315 d (+61)		
SN:G-40531886	HRS								
WC#: 26.065	AFL								
				PROC. REF: AMM 26-22-00				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
B262203		RESTORATION (HYDROSTATIC TEST) CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 07							Service ATA:26
PN:C352TS	MOS	06-Oct-22	144		31-Oct-34		4120 d		
SN:G-40531886	HRS								
WC#: 26.065	AFL								
PROC. REF: AMM 26-22-00						PKG:7			
ATA 27 - FLIGHT CONTROLS									
271001		LH CONTROL WHEEL ASSY							Component ATA:27
PN:6360115-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-10-10									
271001		RH CONTROL WHEEL ASSY							Component ATA:27
PN:6360115-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-10-10									
271006		ELECTRIC TRIM ACTUATOR RUDDER							Component ATA:27
PN:7361155-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
272001		RUDDER ASSEMBLY							Component ATA:27
PN:6333300-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23545734	HRS	0		TSN 0					
WC#: 27.410	AFL	0		TSN 0					
PROC. REF: AMM 55-40-00									
273001		LEFT SHAKER CONTROL							Component ATA:27
PN:201	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:152983-09	HRS	0		TSN 0					
WC#: 27.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273002		ELEVATOR ELECTRIC TRIM SERVO						Component	ATA:27
PN:44430-3548	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
PROC. REF: AMM 27-30-10									
273003		SERVO MOUNT ASSY						Component	ATA:27
PN:44575-3415	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
273004		LEFT ELEVATOR TRIM ACTUATOR						Component	ATA:27
PN:6361215-21	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.030	AFL	0		TSN 0					
PROC. REF: AMM 27-30-10									
273004		RIGHT ELEVATOR TRIM ACTUATOR						Component	ATA:27
PN:6361215-22	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-30-10									
273005		RUDDER TRIM ACTUATOR						Component	ATA:27
PN:6361215-21	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.040	AFL	0		TSN 0					
PROC. REF: AMM 27-20-00									
273006		AILERON TRIM ACTUATOR						Component	ATA:27
PN:6396022-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-10-10									
273007		LEFT ELEVATOR ASSEMBLY						Component	ATA:27
PN:6334000-21-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23717821	HRS	0		TSN 0					
WC#: 27.420	AFL	0		TSN 0					
PROC. REF: AMM 55-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273008		RIGHT ELEVATOR ASSEMBLY					Component ATA:27		
PN:6334000-22-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23780929	HRS	0	TSN 0						
WC#: 27.420	AFL	0	TSN 0						
PROC. REF: AMM 55-20-00									
275001		SHUTOFF VALVE					Component ATA:27		
PN:4083-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 27.050	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
275002		LEFT FLAP HYD ACTUATOR					Component ATA:27		
PN:1542000-9	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2413	HRS	0	TSN 0						
WC#: 27.060	AFL	0	TSN 0						
PROC. REF: AMM 27-50-00									
275002		RIGHT FLAP HYD ACTUATOR					Component ATA:27		
PN:1542000-9	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2397	HRS	0	TSN 0						
WC#: 27.060	AFL	0	TSN 0						
PROC. REF: AMM 27-50-00									
275003		LEFT FLAP ASSEMBLY					Component ATA:27		
PN:6325100-81	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23602086	HRS	0	TSN 0						
WC#: 27.430	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
275004		RIGHT FLAP ASSEMBLY					Component ATA:27		
PN:6325100-82	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23582632	HRS	0	TSN 0						
WC#: 27.430	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
276001		LEFT SPEEDBRAKE ACTUATOR					Component ATA:27		
PN:1542100-5	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2385A	HRS	0	TSN 0						
WC#: 27.070	AFL	0	TSN 0						
PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276001	RIGHT SPEEDBRAKE ACTUATOR							Component	ATA:27
PN:1542100-5	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2376A	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: AMM 27-60-00									
A270001 ^S	DETAILED INSPECTION TRIM TAB ACTUATOR: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.100	AFL	1254							
PROC. REF: AMM 27-00-01									
B271001 ^S	FUNCTIONAL CHECK AILERON AND AILERON TRIM CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.160	AFL	1254							
PROC. REF: AMM 27-10-00									
B271003 ^S	CHECK AILERON TRIM TAB FREE PLAY: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.170	AFL	1254							
PROC. REF: AMM 27-10-00									
B272001 ^S	FUNCTIONAL CHECK RUDDER CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.250	AFL	1254							
PROC. REF: AMM 27-20-00									
B272003 ^S	FUNCTIONAL CHECK RUDDER TRIM CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.240	AFL	1254							
PROC. REF: AMM 27-20-00									
B272005 ^S	CHECK RUDDER TRIM TAB FREE PLAY: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.290	AFL	1254							
PROC. REF: AMM 27-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B273001 ^S	FUNCTIONAL CHECK ELEVATOR CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.270	AFL	1254							
				PROC. REF: AMM 27-30-00				PKG:10	
B273003 ^S	FUNCTIONAL CHECK ELEVATOR TRIM CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.260	AFL	1254							
				PROC. REF: AMM 27-30-00				PKG:10	
B273005 ^S	CHECK ELEVATOR TRIM TAB FREE PLAY: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.300	AFL	1254							
				PROC. REF: AMM 27-30-00				PKG:10	
B275001 ^S	FUNCTIONAL CHECK FLAP SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 27.280	AFL	1254							
				PROC. REF: AMM 27-50-00				PKG:10	
ATA 28 - FUEL									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS	01-May-23	3 (+2m)	Adj -62d	31-May-23	31-Jul-23	TOL (+10 d)	DISCRETIONARY	
	HRS	1522							
	AFL	1254							
				PROC. REF: AMM 28-00-02					
28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	19-Mar-21	O/C						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 28-00-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282001		LEFT ELECTRIC FUEL PUMP					Component		ATA:28
PN:1C7-13	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6BJ21	HRS	0		TSN 0					
WC#: 28.020	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
282001		RIGHT ELECTRIC FUEL PUMP					Component		ATA:28
PN:1C7-13	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:7BJ35	HRS	0		TSN 0					
WC#: 28.020	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
282002		LEFT FUEL TRANSFER PUMP					Component		ATA:28
PN:RG45880	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:B3749	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
282002		RIGHT FUEL TRANSFER PUMP					Component		ATA:28
PN:RG45880	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:B3610	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
282004		LEFT FUEL MOTOR ACTUATED VALVE					Component		ATA:28
PN:AV24B1507	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AA416177	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282004		RIGHT FUEL MOTOR ACTUATED VALVE					Component		ATA:28
PN:AV24B1507	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AA416177	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282005		LEFT FUEL TRANSFER EJECTOR					Component		ATA:28
PN:RG45310	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:C3451	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282005	RIGHT FUEL TRANSFER EJECTOR							Component	ATA:28
PN:RG45310	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:C3469	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282006	TRANSFER VALVE							Component	ATA:28
PN:ZSV57	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:13-060755	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
284001	LH NO.5 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10307T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN23573	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284001	RH NO.5 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10307T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31355	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284002	LEFT FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:10309T03Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-40-00									
284002	RIGHT FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:10309T03Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-40-00									
284003	FUEL QUANTITY SIGNAL CONDITIONER							Component	ATA:28
PN:10310B01Y02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:13080816	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284004	LH NO.3 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10305T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31215	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284004	RH NO.3 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10305T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31220	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284005	LH NO.4 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10306T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31224	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284005	RH NO.4 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10306T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31223	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284006	LH NO.2 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10304T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN19209	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284006	RH NO.2 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10304T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31209	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284007	LH NO.1 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10303T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN24052	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284007	RH NO.1 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10303T01Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN16864	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284008	LEFT FUEL LOW LEVEL SWITCH							Component	ATA:28
PN:L16H-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284008	RIGHT FUEL LOW LEVEL SWITCH							Component	ATA:28
PN:GIF5400-40	MOS/MSC	08-Feb-20	O/C	TSN 0					
SN:NSN	HRS	1191.2		TSN 0					
WC#: 28.140	AFL	1044		TSN 0					
PROC. REF: GENERIC NO REF									
284010	LH NO.6 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10309T03Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN31082	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284010	RH NO.6 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10309T03Y00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MN19229	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A281001 ^S	DETAILED INSPECTION FUEL STORAGE SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:28
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 28.160	AFL	1254							
PROC. REF: AMM 28-10-00									
PKG:10									
B284001 ^S	FUNCTIONAL CHECK FUEL INDICATING SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:28
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 28.200	AFL	1254							
PROC. REF: AMM 28-40-00									
PKG:10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
B284003 ^S		FUNCTIONAL CHECK LOW FUEL WARNING AND LOW FUEL PRESSURE SYSTEM: INSPECTION DOCUMENT 10							Service ATA:28
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 28.210	AFL	1254							
PROC. REF: AMM 28-40-00								PKG:10	
ATA 29 - HYDRAULIC POWER									
291000 ^U		RELIEF VALVE							Component ATA:29
PN:9912407-11	MOS/MSC	24-Jan-18	O/C						
SN:01796	HRS	744.3							
	AFL	716							
291002		LEFT HYDRAULIC PUMP ASSY							Component ATA:29
PN:24195-LAC	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:0141	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291002		RIGHT HYDRAULIC PUMP ASSY							Component ATA:29
PN:24195-LAC	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:0139	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291003		HYDRAULIC CHECK VALVE							Component ATA:29
PN:CV02-193	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 29.030	AFL	0		TSN 0					
PROC. REF: AMM 29-10-00									
291008		HYDRAULIC MANIFOLD ASSEMBLY							Component ATA:29
PN:8250-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: AMM 29-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291009		LEFT ENGINE DRIVEN HYDRAULIC PUMP					Component	ATA:29	
PN:9912062-8	MOS/MSC	06-Mar-17	O/C	TSN 0					
SN:0311B	HRS	510.4		TSN 0					
	AFL	517							
	ACH	374.4							
PROC. REF: AMM 29-10-00									
291009		RIGHT ENGINE DRIVEN HYDRAULIC PUMP					Component	ATA:29	
PN:9912062-8	MOS/MSC	06-Mar-17	O/C	TSN 0					
SN:0519B	HRS	510.4		TSN 0					
	AFL	517							
	ACH	374.4							
PROC. REF: AMM 29-10-00									
291010		LEFT HYDRAULIC SHUTOFF VALVE ASSY					Component	ATA:29	
PN:AV24B1388-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AA422768	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291010		RIGHT HYDRAULIC SHUTOFF VALVE ASSY					Component	ATA:29	
PN:AV24B1388-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AA422769	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291011		LEFT FLOW SWITCH/CHECK HYD VALVE					Component	ATA:29	
PN:V10F75	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1446A	HRS	0		TSN 0					
WC#: 29.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291011		RIGHT FLOW SWITCH/CHECK HYD VALVE					Component	ATA:29	
PN:V10F75	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1439A	HRS	0		TSN 0					
WC#: 29.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291020		SPEEDBRAKE VALVE SOLENOID					Component		ATA:29
PN:4052-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 29.160	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
291021		FLAP VALVE SOLENOID					Component		ATA:29
PN:4052-4	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 29.160	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
D291001^S		DISCARD HYDRAULIC FLUID FILTER: INSPECTION DOCUMENT 10					Service		ATA:29
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 29.190	AFL	1254							
PROC. REF: AMM 29-10-00									
PKG:10									
ATA 30 - ICE AND RAIN PROTECTION									
301001		SHUTOFF ISOLATION VALVE					Component		ATA:30
PN:2602-36	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2426	HRS	0	TSN 0						
WC#: 30.010	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
301002		LEFT PNUEMATIC DEICE SWITCH					Component		ATA:30
PN:1106P55-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:9968A	HRS	0	TSN 0						
WC#: 30.020	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
301002		RIGHT PNUEMATIC DEICE SWITCH					Component		ATA:30
PN:1106P55-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:9967A	HRS	0	TSN 0						
WC#: 30.020	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301003		LEFT BLEED AIR PRESSURE REGULATOR SHUTOFF VALVE					Component		ATA:30
PN:5285-00-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2977	HRS	0		TSN 0					
WC#: 30.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301003		RIGHT BLEED AIR PRESSURE REGULATOR SHUTOFF VALVE					Component		ATA:30
PN:5285-00-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2973	HRS	0		TSN 0					
WC#: 30.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301004		LEFT TEMPERATURE DEICE SWITCH					Component		ATA:30
PN:1173T42-4	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4713	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301004		RIGHT TEMPERATURE DEICE SWITCH					Component		ATA:30
PN:1173T42-4	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4708	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301005		LEFT ELECTRIC A/I W/S CONTROLLER					Component		ATA:30
PN:856-1-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301005		RIGHT ELECTRIC A/I W/S CONTROLLER					Component		ATA:30
PN:856-1-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301010		LEFT HORIZONTAL STABILIZER BOOT					Component		ATA:30
PN:29S4D5244-11	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NBK6700	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301010		RIGHT HORIZONTAL STABILIZER BOOT						Component	ATA:30
PN:29S4D5244-12	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:NBL9370	HRS	0			TSN 0				
WC#: 30.050	AFL	0			TSN 0				
PROC. REF: AMM 30-12-00									
302003		LEFT INLET MONITOR SWITCH						Component	ATA:30
PN:21542-2-68-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:NSN	HRS	0			TSN 0				
WC#: 30.080	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
302003		RIGHT INLET MONITOR SWITCH						Component	ATA:30
PN:21542-2-68-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:NSN	HRS	0			TSN 0				
WC#: 30.080	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303002		LEFT HEATED PITOT TUBE						Component	ATA:30
PN:PH502	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:A0142	HRS	0			TSN 0				
WC#: 30.090	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303002		RIGHT HEATED PITOT TUBE						Component	ATA:30
PN:PH502	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:A0143	HRS	0			TSN 0				
WC#: 30.090	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
304001		LH B/A TEMP MONITOR-						Component	ATA:30
PN:1169-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:4558	HRS	0			TSN 0				
WC#: 30.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
304001		RH B/A TEMP MONITOR-						Component	ATA:30
PN:1169-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304002		HEAT EXCHANGER					Component		ATA:30
PN:10653A	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2255	HRS	0		TSN 0					
WC#: 30.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304003		WINDSHIELD S/O VALVE					Component		ATA:30
PN:1H127-4	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3BE13	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304006		TEMP BLEED AIR CONTROLLER					Component		ATA:30
PN:1E58-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4BJ23	HRS	0		TSN 0					
WC#: 30.140	AFL	0		TSN 0					
PROC. REF: AMM 30-42-00									
304007		TEMP CONTROL BLEED AIR VALVE					Component		ATA:30
PN:27241287	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8BJ37P	HRS	0		TSN 0					
WC#: 30.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304009		LEFT SOLENOID DEICE VALVE					Component		ATA:30
PN:3D2353-06	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:N130924	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304009		RIGHT SOLENOID DEICE VALVE					Component		ATA:30
PN:3D2353-06	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:N132025	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304010		ALCOHOL PUMP ASSEMBLY					Component		ATA:30
PN:6508092-4	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 30.160	AFL	0		TSN 0					
PROC. REF: AMM 30-44-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304012		LEFT WINDSHIELD BLEED AIR VALVE						Component	ATA:30
PN:1403-25	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304012		RIGHT WINDSHIELD BLEED AIR VALVE						Component	ATA:30
PN:1403-25	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304013		PRESSURE WINDSHIELD SWITCH						Component	ATA:30
PN:1115P25	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:5152AB	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A301201^S		DETAILED INSPECTION HORIZONTAL STABILIZER DEICING BOOTS: INSPECTION DOCUMENT 08						Service	ATA:30
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 30.220	AFL	1254							
PROC. REF: AMM 30-12-00									
B301001^S		OPERATIONAL CHECK WING ANTI-ICE CROSSFLOW VALVE: INSPECTION DOCUMENT 08						Service	ATA:30
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 30.240	AFL	1254							
PROC. REF: AMM 30-10-00									
B301203^S		FUNCTIONAL CHECK HORIZONTAL STABILIZER DEICE SYSTEM: INSPECTION DOCUMENT 10						Service	ATA:30
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 30.230	AFL	1254							
PROC. REF: AMM 30-12-00									
B304201^S		OPERATIONAL CHECK WINDSHIELD BLEED AIR ANTI-ICE SYSTEM: INSPECTION DOCUMENT 21						Service	ATA:30
	MOS	09-Feb-22	24 (+2m)						
	HRS	1427.4	600 (+30)						
WC#: 30.210	AFL	1193							
PROC. REF: AMM 30-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
B304401 ^S	OPERATIONAL CHECK WINDSHIELD ALCOHOL ANTI-ICE SYSTEM: INSPECTION DOCUMENT 08							Service	ATA:30
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 30.250	AFL	1254							
					PROC. REF: AMM 30-44-00			PKG:8	
B304403 ^S	WINDSHIELD ALCOHOL ANTI-ICE SYSTEM OPERATIONAL CHECK: DOCUMENT 10							Service	ATA:30
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
	AFL	1254							
					PROC. REF: AMM 30-44-00			PKG:10	
D304401 ^S	RESTORATION WINDSHIELD ALCOHOL PUMP FILTER: INSPECTION DOCUMENT 10							Service	ATA:30
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 30.280	AFL	1254							
					PROC. REF: AMM 30-44-00			PKG:10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
313001		FLIGHT HOUR METER						Component	ATA:31
PN:C664503-0104	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 31.020	AFL	0		TSN 0					
PROC. REF: AMM 31-20-00									
313003		ARES II 24-CH FLIGHT DATA RECORDER						Component	ATA:31
PN:6918236-20	MOS/MSC	26-Oct-18	O/C						
SN:1102	HRS	934.8							
WC#: 31.030	AFL	859							
PROC. REF: AMM 31-30-00									
B315201^S		OPERATIONAL CHECK CAS MESSAGE: INSPECTION DOCUMENT 08						Service	ATA:31
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 27.040	AFL	1254							
PROC. REF: AMM 31-52-00									
B315203^S		OPERATIONAL CHECK DUCT OVERHEAT CAS MESSAGE: INSPECTION DOCUMENT 08						Service	ATA:31
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 27.040	AFL	1254							
PROC. REF: AMM 31-52-00									
B315205^S		OPERATIONAL CHECK OIL PRESSURE LOW CAS MESSAGE: INSPECTION DOCUMENT 08						Service	ATA:31
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 27.040	AFL	1254							
PROC. REF: AMM 31-52-00, AMM 79-30-05									
ATA 32 - LANDING GEAR									
321001		LEFT MAIN LANDING GEAR AND ATTACHING HARDWARE ASSEMBLY						Component	ATA:32
PN:6341003-25	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001 NOSE LANDING GEAR STRUT AND ATTACHING HARDWARE ASSEMBLY								
PN:6342000-43	MOS	26-Dec-13		TSN 0				Component ATA:32 LIFE LIMIT
SN:23752678	HRS	0		TSN 0				
WC#: 32.280	AFL	0	22500	TSN 0	22500		21234	
PROC. REF: GENERIC NO REF								
321001 RIGHT MAIN LANDING GEAR AND ATTACHING HARDWARE ASSEMBLY								
PN:6341003-26	MOS/MSC	26-Dec-13	O/C	TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
321003 LEFT MAIN LANDING GEAR TRUNNION ASSEMBLY								
PN:6341007-11	MOS	26-Dec-13		TSN 0				Component ATA:32 LIFE LIMIT
SN:23817300	HRS	0		TSN 0				
WC#: 32.020	AFL	0	9310	TSN 0	9310		8044	
PROC. REF: GENERIC NO REF								
321004 RIGHT MAIN LANDING GEAR TRUNNION ASSEMBLY								
PN:6341007-12	MOS	26-Dec-13		TSN 0				Component ATA:32 LIFE LIMIT
SN:23812029	HRS	0		TSN 0				
WC#: 32.020	AFL	0	9310	TSN 0	9310		8044	
PROC. REF: GENERIC NO REF								
321005 LEFT TRAILING LINK AND AXLE ASSEMBLY								
PN:6341002-17	MOS	26-Dec-13		TSN 0				Component ATA:32 LIFE LIMIT
SN:23845878F	HRS	0		TSN 0				
WC#: 32.480	AFL	0	21100	TSN 0	21100		19834	
PROC. REF: GENERIC NO REF								
321006 RIGHT TRAILING LINK AND AXLE ASSEMBLY								
PN:6341002-18	MOS	26-Dec-13		TSN 0				Component ATA:32 LIFE LIMIT
SN:23845876F	HRS	0		TSN 0				
WC#: 32.480	AFL	0	21100	TSN 0	21100		19834	
PROC. REF: GENERIC NO REF								
321007 SHIMMY DAMPER ASSEMBLY								
PN:6343001-10	MOS/MSC	26-Dec-13	O/C	TSN 0				Component ATA:32 LIFE LIMIT
SN:233024060	HRS	0		TSN 0				
WC#: 32.040	AFL	0		TSN 0				
PROC. REF: AMM 32-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321008 LEFT OLEO ASSEMBLY Component ATA:32								
PN:6341130-12	MOS	26-Dec-13		TSN 0				LIFE LIMIT
SN:23817354	HRS	0		TSN 0				
WC#: 32.050	AFL	0	21100	TSN 0	21100		19834	
PROC. REF: AMM 32-10-00								
321008 RIGHT OLEO ASSEMBLY Component ATA:32								
PN:6341130-12	MOS	26-Dec-13		TSN 0				LIFE LIMIT
SN:23835538	HRS	0		TSN 0				
WC#: 32.050	AFL	0	21100	TSN 0	21100		19834	
PROC. REF: AMM 32-10-00								
321009 FORK AND PISTON ASSEMBLY Component ATA:32								
PN:6342000-39	MOS	26-Dec-13		TSN 0				LIFE LIMIT
SN:23555743	HRS	0		TSN 0				
WC#: 32.030	AFL	0	12500	TSN 0	12500		11234	
PROC. REF: AMM 32-20-00								
323000 NOSE LANDING GEAR ACTUATOR ASSEMBLY Component ATA:32								
PN:1541900-7	MOS	26-Dec-13		TSN 0				LIFE LIMIT
SN:2090	HRS	0		TSN 0				
WC#: 32.060	AFL	0	7500	TSN 0	7500		6234	
PROC. REF: AMM 32-30-10								
323001 LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY Component ATA:32								
PN:1541800-13	MOS	26-Dec-13		TSN 0				LIFE LIMIT
SN:1495	HRS	0		TSN 0				
WC#: 32.070	AFL	0	8952	TSN 0	8952		7686	
PROC. REF: AMM 32-30-15								
323002 RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY Component ATA:32								
PN:1541800-13	MOS	26-Dec-13		TSN 0				LIFE LIMIT
SN:1496	HRS	0		TSN 0				
WC#: 32.070	AFL	0	8952	TSN 0	8952		7686	
PROC. REF: AMM 32-30-15								
323003 NG UPLOCK ACTUATOR Component ATA:32								
PN:6327504-7	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:1687	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323005		LEFT MLG UPLOCK ACTUATOR					Component	ATA:32	
PN:6327504-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3426	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323005		RIGHT MLG UPLOCK ACTUATOR					Component	ATA:32	
PN:6327504-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3461	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323006		HYD SHUTTLE VALVE					Component	ATA:32	
PN:95784	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4977A	HRS	0		TSN 0					
WC#: 32.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323007		REGEN SHUTTLE VALVE					Component	ATA:32	
PN:5128-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324001		LEFT MAIN LANDING GEAR WHEEL					Component	ATA:32	
PN:3-1527-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1882	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-42-00									
324001		RIGHT MAIN LANDING GEAR WHEEL					Component	ATA:32	
PN:3-1527-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1874	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-42-00									
324002		NOSE LANDING GEAR WHEEL ASSY					Component	ATA:32	
PN:3-1418	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:9001	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: AMM 32-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324005		LEFT MLG TIRE					Component		ATA:32
PN:277K08-1	MOS/MSC	28-Jun-22	O/C	TSN 0					
SN:20400243	HRS	1463.8		TSN 0					
WC#: 32.100	AFL	1214							
PROC. REF: GENERIC NO REF									
324005		RIGHT MLG TIRE					Component		ATA:32
PN:277K08-1	MOS/MSC	28-Jun-22	O/C	TSN 0					
SN:20390770	HRS	1463.8		TSN 0					
WC#: 32.100	AFL	1214							
PROC. REF: GENERIC NO REF									
324007		NOSE LANDING GEAR TIRE					Component		ATA:32
PN:030-611-0	MOS/MSC	01-Nov-19	O/C	TSN 0					
SN:9026S00400	HRS	1163.3		TSN 0					
WC#: 32.110	AFL	1026		TSN 0					
PROC. REF: AMM 32-42-00									
324008		LEFT SHUTTLE VALVE					Component		ATA:32
PN:98312	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324008		RIGHT SHUTTLE VALVE					Component		ATA:32
PN:98312	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324016		LEFT MAIN LANDING GEAR BRAKE ASSY					Component		ATA:32
PN:2-1559-3	MOS/MSC	11-Sep-19	O/C	TSO 0					
SN:0257	HRS	1116.2		TSO 0					
WC#: 32.130	AFL	996		TSO 0					
PROC. REF: GENERIC NO REF									
324016		RIGHT MAIN LANDING GEAR BRAKE ASSY					Component		ATA:32
PN:2-1559-3	MOS/MSC	14-Dec-18	O/C	TSO 0					
SN:0321	HRS	963.8		TSO 0					
WC#: 32.130	AFL	879		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324101		POWER BRAKE AND ANTISKID VALVE					Component		ATA:32
PN:38-747	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:816	HRS	0			TSN 0				
WC#: 32.140	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
324102		LEFT ANTISKID TRANSDUCER ASSEMBLY					Component		ATA:32
PN:40-955	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:10065	HRS	0			TSN 0				
WC#: 32.150	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
324102		RIGHT ANTISKID TRANSDUCER ASSEMBLY					Component		ATA:32
PN:40-955	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:10058	HRS	0			TSN 0				
WC#: 32.150	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
324103		BRAKE CONTROL BOX					Component		ATA:32
PN:42-707-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1543	HRS	0			TSN 0				
WC#: 32.160	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
324104		LEFT BRAKE CYLINDER ASSEMBLY					Component		ATA:32
PN:95805	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1588	HRS	0			TSN 0				
WC#: 32.170	AFL	0			TSN 0				
PROC. REF: AMM 32-44-10									
324104		RIGHT BRAKE CYLINDER ASSEMBLY					Component		ATA:32
PN:95805	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1566	HRS	0			TSN 0				
WC#: 32.170	AFL	0			TSN 0				
PROC. REF: AMM 32-44-10									
324104A		LEFT BRAKE CYLINDER ASSEMBLY					Component		ATA:32
PN:95805-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1613	HRS	0			TSN 0				
WC#: 32.180	AFL	0			TSN 0				
PROC. REF: AMM 32-44-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324104A		RIGHT BRAKE CYLINDER ASSEMBLY					Component		ATA:32
PN:95805-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1540	HRS	0		TSN 0					
WC#: 32.180	AFL	0		TSN 0					
PROC. REF: AMM 32-44-10									
324105		PARKING BRAKE VALVE					Component		ATA:32
PN:95853	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1785A	HRS	0		TSN 0					
WC#: 32.190	AFL	0		TSN 0					
PROC. REF: AMM 32-44-15									
324106		HYDRAULIC PUMP MOTOR					Component		ATA:32
PN:MP50B1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4760	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-44-25									
324107		ANTISKID ACCUMULATOR					Component		ATA:32
PN:7550-2	MOS/MSC	03-Sep-15	O/C	TSO 0					
SN:0629	HRS	239.3		TSO 0					
WC#: 32.210	AFL	225							
PROC. REF: GENERIC NO REF									
324110		EMERGENCY BRAKE VALVE ASSY					Component		ATA:32
PN:9912387-5	MOS/MSC	25-May-14	O/C	TSO 0					
SN:V321	HRS	44.3		TSO 0					
WC#: 32.240	AFL	28		TSO 0					
PROC. REF: AMM 32-44-30									
324111		LEFT MLG UP & LOCK SWITCH					Component		ATA:32
PN:65-430087	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324111		NLG UP & LOCK SWITCH					Component		ATA:32
PN:65-430087	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324111		RIGHT MLG UP & LOCK SWITCH					Component ATA:32		
PN:65-430087	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324112		PRESSURE ANTISKID SWITCH					Component ATA:32		
PN:1206P0225	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:0915	HRS	0		TSN 0					
WC#: 32.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324115		PRESSURE GAUGE					Component ATA:32		
PN:19940931-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:078926	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
325001		NOSE LANDING GEAR ASSEMBLY					Component ATA:32		
PN:6342000-42	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
326001		LEFT M/G DOWN&LOCK SWITCH					Component ATA:32		
PN:1EN118-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
326001		RIGHT M/G DOWN&LOCK SWITCH					Component ATA:32		
PN:1EN118-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
326002		N/G DOWN&LOCK SWITCH					Component ATA:32		
PN:1EN118-6	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326006	EMERGENCY GEAR BOTTLE							Component	ATA:32
PN:40005320-2	MOS	24-Dec-22	288	TSO 19	31-May-45		7985 d	LIFE LIMIT	
SN:1727	HRS	1501.5							
WC#: 32.320	AFL	1241							
	Manufacture Date:: 31-May-21		PROC. REF: GENERIC NO REF						
A320001 ^S	ZONAL INSPECTION LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 10							Service	ATA:32
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 32.420	AFL	1254							
			PROC. REF: AMM 32-00-00						PKG:10
A320003 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) LANDING GEAR: INSPECTION DOCUMENT 36							Service	ATA:32
	MOS	01-May-23	6 (+2m)						
	HRS	1522							
	AFL	1254							
			PROC. REF: AMM 32-00-00						PKG:36
A320005 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) LANDING GEAR: INSPECTION DOCUMENT 02							Service	ATA:32
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
			PROC. REF: AMM 32-00-00						PKG:2
A320007 ^S	INSPECT MAIN AND NOSE GEAR ACTUATOR AXIAL MOVEMENT: INSPECTION DOCUMENT 08							Service	ATA:32
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 32.360	AFL	1254							
			PROC. REF: AMM 32-00-00						PKG:8
A322001 ^S	INSPECT FORK AND PISTON ASSEMBLY NOSE LANDING GEAR FORK: INSPECTION DOCUMENT MD							Service	ATA:32
PN:6342000-39	MOS	26-Dec-13						AIRWORTHINESS	
SN:23555743	HRS	0							
WC#: 32.030	AFL	0	T:5000						
			PROC. REF: AMM 32-20-00						PKG:39
A324201	SPECIAL DETAIL INSPECT LEFT MAIN LANDING GEAR WHEEL (NDI): INSPECTION DOCUMENT 14							Service	ATA:32
PN:3-1527-2	MOS/MSC	08-Feb-20	T/C						
SN:1882	HRS	1191.2							
WC#: 32.100	AFL	1044							
			PROC. REF: AMM 32-42-00						PKG:14

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
A324201 SPECIAL DETAIL INSPECT NOSE LANDING GEAR WHEEL ASSY (NDI): INSPECTION DOCUMENT 14								
PN:3-1418	MOS/MSC	08-Feb-20	T/C					Service ATA:32
SN:9001	HRS	1191.2						
WC#: 32.110	AFL	1044						
PROC. REF: AMM 32-42-00								PKG:14
A324201 SPECIAL DETAIL INSPECT RIGHT MAIN LANDING GEAR WHEEL (NDI): INSPECTION DOCUMENT 14								
PN:3-1527-2	MOS/MSC	08-Feb-20	T/C					Service ATA:32
SN:1874	HRS	1191.2						
WC#: 32.100	AFL	1044						
PROC. REF: AMM 32-42-00								PKG:14
B320001^S FUNCTIONAL CHECK LANDING GEAR SYSTEM: INSPECTION DOCUMENT 10								
	MOS	01-May-23	36 (+2m)					Service ATA:32
	HRS	1522	1200 (+30)					
WC#: 32.330	AFL	1254						
PROC. REF: AMM 32-00-00								PKG:10
B323201 RESTORATION (HYDROSTATIC TEST) EMERGENCY GEAR BOTTLE : INSPECTION DOCUMENT 04								
PN:40005320-2	MOS	31-Oct-22	36		31-Oct-25		833 d	Service ATA:32
SN:1727	HRS							
WC#: 32.320	AFL							
PROC. REF: AMM 32-32-05								PKG:4
B324401^S FUNCTIONAL CHECK LANDING GEAR PNEUMATIC BRAKE SYSTEM: INSPECTION DOCUMENT 10								
	MOS	01-May-23	36 (+2m)					Service ATA:32
	HRS	1522	1200 (+30)					
WC#: 32.350	AFL	1254						
PROC. REF: AMM 32-44-30								PKG:10
C320001^S LUBRICATE LANDING GEAR: INSPECTION DOCUMENT 02								
	MOS	01-May-23	12 (+2m)					Service ATA:32
	HRS	1522						
WC#: 32.390	AFL	1254						
PROC. REF: AMM 32-00-00								PKG:2
D324401^S DISCARD ANTISKID MOTOR/PUMP ASSEMBLY FILTER ELEMENT: INSPECTION DOCUMENT 10								
	MOS	01-May-23	36 (+2m)					Service ATA:32
	HRS	1522	1200 (+30)					
WC#: 32.370	AFL	1254						
PROC. REF: AMM 32-44-00								PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324403 ^S	DISCARD/REPLACE BRAKE RESERVOIR AIR FILTER AND BRAKE RESERVOIR SUPPLY LINE FILTER: INSPECTION DOCUMENT 10							Service	ATA:32
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 32.380	AFL	1254							
						PROC. REF: AMM 32-44-20		PKG:10	
ATA 33 - LIGHTS									
330001	CENTER PANEL LIGHTS DIMMER							Component	ATA:33
PN:273-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:4148XM	HRS	0			TSN 0				
WC#: 33.010	AFL	0			TSN 0				
						PROC. REF: AMM 33-10-00			
331003	INDIRECT LIGHTING CONTROL BOX							Component	ATA:33
PN:CLC500-01	MOS/MSC	12-Jan-15	O/C		TSR 0				
SN:500001764	HRS	123.2			TSR 0				
WC#: 33.140	AFL	109							
						PROC. REF: AMM 33-20-00			
332009	L4 21" LIGHT ASSY							Component	ATA:33
PN:CLE221-02	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:221003636	HRS	0			TSN 0				
	AFL	0			TSN 0				
						PROC. REF: GENERIC NO REF			
332009	R4 21" LIGHT ASSY							Component	ATA:33
PN:CLE221-02	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:221003633	HRS	0			TSN 0				
	AFL	0			TSN 0				
						PROC. REF: GENERIC NO REF			
332010	L1 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:236025314	HRS	0			TSN 0				
	AFL	0			TSN 0				
						PROC. REF: GENERIC NO REF			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332010	L2 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:236025309	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
332010	L3 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:236025313	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
332010	R1 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:236025312	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
332010	R2 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:236025311	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
332010	R3 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:236025310	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334000 ^U	TAIL FLOOD LIGHT							Component	ATA:33
PN:TIL100-02	MOS/MSC	26-Apr-16	O/C	TSN 0					
SN:207000410	HRS	361		TSN 0					
	AFL	361		TSN 0					
334001	GROUND RECOGNITION LIGHT							Component	ATA:33
PN:84003-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:000257	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334007	TAIL LIGHT ASSEMBLY							Component	ATA:33
PN:01-0770966-00	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:04801A	HRS	0			TSN 0				
WC#: 33.160	AFL	0			TSN 0				
PROC. REF: AMM 33-40-00									
334008	LEFT PTA WINGTIP LIGHT							Component	ATA:33
PN:87-03916-001	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:00035	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
334008	RIGHT PTA WINGTIP LIGHT							Component	ATA:33
PN:87-03917-001	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:00047	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
334009	LH OVER WING LIGHT							Component	ATA:33
PN:OWL100-03	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:115006190	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
334009	RH OVER WING LIGHT							Component	ATA:33
PN:OWL100-03	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:115006193	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
334010	LEFT LED LANDING LIGHT							Component	ATA:33
PN:LDL100-01	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:206000853	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 33-40-00									
334010	RIGHT LED LANDING LIGHT							Component	ATA:33
PN:LDL100-01	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:206000834	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 33-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
B335001 ^S	FUNCTIONAL CHECK EMERGENCY LIGHTING SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:33
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 33.130	AFL	1254							
						PROC. REF: AMM 33-50-00		PKG:10	
ATA 34 - NAVIGATION									
341001	AOA COMPUTER							Component	ATA:34
PN:C12406-5	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:153732-95	HRS	0			TSN 0				
WC#: 34.010	AFL	0			TSN 0				
						PROC. REF: AMM 34-25-00			
341002	AOA INDEXER							Component	ATA:34
PN:C12421-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:596	HRS	0			TSN 0				
WC#: 34.030	AFL	0			TSN 0				
						PROC. REF: AMM 34-25-00			
341003	PILOTS AOA INDEXER							Component	ATA:34
PN:C12463-3	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:153699-10	HRS	0			TSN 0				
WC#: 34.030	AFL	0			TSN 0				
						PROC. REF: GENERIC NO REF			
341009	AOA SENSOR							Component	ATA:34
PN:C12417-2	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:152995A-02	HRS	0			TSN 0				
WC#: 34.040	AFL	0			TSN 0				
						PROC. REF: AMM 34-25-00			
341010	AFT RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:S67-2002	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:543-69075	HRS	0			TSN 0				
WC#: 34.050	AFL	0			TSN 0				
						PROC. REF: AMM 34-41-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341010		FORWARD RADIO ALTIMETER ANTENNA						Component	ATA:34
PN:S67-2002	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:543-69076	HRS	0			TSN 0				
WC#: 34.050	AFL	0			TSN 0				
PROC. REF: AMM 34-41-00									
341032		OAT PROBE						Component	ATA:34
PN:011-00978-00	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342015		LEFT AHRS COMPUTER						Component	ATA:34
PN:011-00868-10	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:42024890	HRS	0			TSN 0				
WC#: 34.135	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342015		RIGHT AHRS COMPUTER						Component	ATA:34
PN:011-00868-10	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:42024398	HRS	0			TSN 0				
WC#: 34.135	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342021		LEFT VERTICAL SPEED INDICATOR						Component	ATA:34
PN:6331600-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:810	HRS	0			TSN 0				
WC#: 34.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342056		MULTI-FUNCTION MODULE						Component	ATA:34
PN:9118009-4	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:0346	HRS	0			TSN 0				
WC#: 34.610	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342059		GSR 56 IRIDIUM TRANSCEIVER						Component	ATA:34
PN:011-02268-01	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:2HU005085	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342061 LEFT GTC 570 PORTRAIT-ORIENTED TOUCHSCREEN CONTROLLER								Component ATA:34
PN:011-01924-10	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:1MB501197	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-61-30								
342061 RIGHT GTC 570 PORTRAIT-ORIENTED TOUCHSCREEN CONTROLLER								Component ATA:34
PN:011-01924-10	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:1MB501204	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-61-30								
342062 LEFT GEA 71 ENGINE & AIRFRAME IO UNIT								Component ATA:34
PN:011-00831-05	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:1Z1005286	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
342062 RIGHT GEA 71 ENGINE & AIRFRAME IO UNIT								Component ATA:34
PN:011-00831-05	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:1Z1005285	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
342077 LEFT GIA 63W INTEGRATED AVIONICS, NAV, COM, GPS/WAAS, FD UNIT								Component ATA:34
PN:011-01105-40	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:2DC000948	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-61-05								
342077 RIGHT GIA 63W INTEGRATED AVIONICS, NAV, COM, GPS/WAAS, FD UNIT								Component ATA:34
PN:011-01105-40	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:2DC000947	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-61-05								
342079 GWX 70 WEATHER RADAR								Component ATA:34
PN:011-01768-00	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:1DP005196	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 34-44-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342082		ELECTRONIC STANDBY INDICATOR (4-IN-1) DISPLAY					Component ATA:34		
PN:9200-32100-0201	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1829	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-16-05									
342084		CENTER GDU 1400W (MFD) MULTIFUNCTION FLIGHT DISPLAY					Component ATA:34		
PN:011-01910-00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1F1000580	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-61-20									
342084		COPILOT GDU 1400W (PFD) PRIMARY FLIGHT DISPLAY					Component ATA:34		
PN:011-01910-00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1F1000582	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-61-20									
342084		PILOT GDU 1400W (PFD) PRIMARY FLIGHT DISPLAY					Component ATA:34		
PN:011-01910-00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1F1000577	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-61-20									
342085		NO. 1 GDC 7400 RVSM AIR DATA COMPUTER					Component ATA:34		
PN:011-02337-01	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1U6100215	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-12-05									
342085		NO. 2 GDC 7400 RVSM AIR DATA COMPUTER					Component ATA:34		
PN:011-02337-01	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1U6100216	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-12-05									
342088		NO. 1 AIRCELL CONFIG MODULE					Component ATA:34		
PN:P14126-001	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342088	NO. 2 AIRCELL CONFIG MODULE							Component	ATA:34
PN:P14126-001	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342088	NO. 3 AIRCELL CONFIG MODULE							Component	ATA:34
PN:P14126-001	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342090	GWX70 ANTENNA							Component	ATA:34
PN:117-00254-01	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:327	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342800	LEFT GMU 44 MAGNETOMETER							Component	ATA:34
PN:011-00870-10	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1CM010795	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-28-10									
342800	RIGHT GMU 44 MAGNETOMETER							Component	ATA:34
PN:011-00870-10	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1CM010773	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-28-10									
344001	ANTENNA GLIDESLOPE COUPLER							Component	ATA:34
PN:DGSC20-02	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: AMM 34-30-05									
344024	RADIO ALTIMETER INDICATOR							Component	ATA:34
PN:822-0615-206	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4K81B	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344401	GDL 59 FLIGHT PARAMETER RECORDER AND WI-FI DATALINK UNIT							Component	ATA:34
PN:011-01746-00	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1EJ005326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
345004	L/H LOWER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:5265	HRS	0		TSN 0					
WC#: 34.285	AFL	0		TSN 0					
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345004	L/H UPPER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:5374	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345004	R/H LOWER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:5573	HRS	0		TSN 0					
WC#: 34.285	AFL	0		TSN 0					
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345004	R/H UPPER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:5287	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345005	MARKER BEACON ANTENNA							Component	ATA:34
PN:MB10-754	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:1747	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-30-10									
345006	GLIDESLOPE ANTENNA							Component	ATA:34
PN:RGS10-48	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345008	LEFT DME 1 RECEIVER							Component	ATA:34
PN:822-1466-001	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:40MD6G	HRS	0			TSN 0				
WC#: 34.295	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
345012	NO. 1 ADF ANTENNA							Component	ATA:34
PN:013-00165-00	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.305	AFL	0			TSN 0				
PROC. REF: AMM 34-52-00									
345022	LEFT NAVIGATION(VOR/LOC/GS) ANTENNA							Component	ATA:34
PN:S65-247-38	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:180-8327	HRS	0			TSN 0				
WC#: 34.420	AFL	0			TSN 0				
PROC. REF: AMM 34-50-00									
345022	RIGHT NAVIGATION(VOR/LOC/GS) ANTENNA							Component	ATA:34
PN:S65-247-38	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:180-8328	HRS	0			TSN 0				
WC#: 34.420	AFL	0			TSN 0				
PROC. REF: AMM 34-50-00									
345068	NO. 1 AUDIO PANEL CONTROL							Component	ATA:34
PN:011-01257-20	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1HF0055427	HRS	0			TSN 0				
WC#: 34.355	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
345068	NO. 2 AUDIO PANEL CONTROL							Component	ATA:34
PN:011-01257-20	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1HF0055295	HRS	0			TSN 0				
WC#: 34.355	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
345070	LEFT GTX 3000 MODE S TCAS II TRANSPONDER							Component	ATA:34
PN:011-01997-00	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:20S005113	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345070		RIGHT GTX 3000 MODE S TCAS II TRANSPONDER						Component	ATA:34
PN:011-01997-00	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:20S005154	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-00									
346007		STORMSCOPE ANTENNA						Component	ATA:34
PN:78-8051-9200-8	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:83500	HRS	0			TSN 0				
WC#: 34.745	AFL	0			TSN 0				
PROC. REF: AMM 34-44-00									
346022		CABIN BRIEFER COMPUTER						Component	ATA:34
PN:PBS250-1-S8C5251	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.770	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
346030		TCAS PROCESSOR						Component	ATA:34
PN:011-02571-00	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:28P005435	HRS	0			TSN 0				
WC#: 34.435	AFL	0			TSN 0				
PROC. REF: AMM 34-46-05									
346034		TCAS ANTENNA						Component	ATA:34
PN:805-10003-001	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.395	AFL	0			TSN 0				
PROC. REF: AMM 34-46-05, AMM 34-46-05									
346102		LH GCU 275 PFD CONTROLLER						Component	ATA:34
PN:011-01983-01	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1U7105321	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-61-35									
346102		RH GCU 275 PFD CONTROLLER						Component	ATA:34
PN:011-01983-01	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1U7105323	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-61-35									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
349000	PASSIVE IRIDIUM GPS ANTENNA							Component	ATA:34
PN:567-1575-165	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:449-5814	HRS	0		TSN 0					
WC#: 34.485	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
B341101	CALIBRATION TEST ELECTRONIC STANDBY INDICATOR (4-IN-1) DISPLAY : INSPECTION DOCUMENT 13							Service	ATA:34
PN:9200-32100-0201	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR	
SN:1829	HRS								
WC#: 34.060	AFL								
PROC. REF: AMM 34-11-00, FAR 91.411									
B341101	CALIBRATION TEST NO. 1 : INSPECTION DOCUMENT 13							Service	ATA:34
PN:011-02337-01	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR	
SN:1U6100215	HRS								
	AFL								
PROC. REF: AMM 34-11-00, FAR 91.411									
B341101	CALIBRATION TEST NO. 2 : INSPECTION DOCUMENT 13							Service	ATA:34
PN:011-02337-01	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR	
SN:1U6100216	HRS								
	AFL								
PROC. REF: AMM 34-11-00, FAR 91.411									
B341101	FUNCTIONAL CHECK LEFT PITOT-STATIC SYSTEM: INSPECTION DOCUMENT 13							Service	ATA:34
	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR	
	HRS								
WC#: 34.500	AFL								
PROC. REF: AMM 34-11-00, FAR 91.411									
B341101	FUNCTIONAL CHECK RIGHT PITOT-STATIC SYSTEM: INSPECTION DOCUMENT 13							Service	ATA:34
	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR	
	HRS								
	AFL								
PROC. REF: AMM 34-11-00, FAR 91.411									
B341600 ^S	PS-855 (LEAD ACID) EMERGENCY POWER SUPPLY CAPACITY TEST							Service	ATA:34
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
PROC. REF: AMM 34-16-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
B345701 CALIBRATION CHECK LEFT GTX 3000 MODE S TCAS II TRANSPONDER ATC SYSTEM: INSPECTION DOCUMENT 13								Service ATA:34
PN:011-01997-00	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR
SN:20S005113	HRS							
WC#: 34.430	AFL							
PROC. REF: AMM 34-57-00, FAR 91.413								PKG:13
B345701 CALIBRATION CHECK RIGHT GTX 3000 MODE S TCAS II TRANSPONDER ATC SYSTEM: INSPECTION DOCUMENT 13								Service ATA:34
PN:011-01997-00	MOS	07-Feb-22	24		29-Feb-24		223 d	14 CFR
SN:20S005154	HRS							
WC#: 34.430	AFL							
PROC. REF: AMM 34-57-00, FAR 91.413								PKG:13
ATA 35 - OXYGEN								
350002 RESTORATION (HYDROSTATIC TEST) OXYGEN BOTTLE								Service ATA:35
PN:4441073-050	MOS	24-Apr-23	60		30-Apr-28		1745 d	HYDROSTATIC TEST
SN:572690703	HRS							
WC#: 35.010	AFL							
PROC. REF: AMM 35-00-00								
350006 OXYGEN BOTTLE								Component ATA:35
PN:4441073-050	MOS	15-Aug-13	180	TSN 0	31-Aug-28		1868 d	LIFE LIMIT
SN:572690703	HRS			TSN 0				
WC#: 35.010	AFL			TSN 0				
		Manufacture Date:: 15-Aug-13						PROC. REF: AMM 35-10-00
351002 COPILOT OXYGEN MASK								Component ATA:35
PN:174252-N6	MOS/MSC	24-Jan-18	O/C					OVERHAUL
SN:23294	HRS	744.3						
WC#: 35.030	AFL	716						
	ACH	374.4						
PROC. REF: AMM 35-10-05								
351002 PILOT OXYGEN MASK								Component ATA:35
PN:174252-N6	MOS/MSC	24-Jan-18	O/C					OVERHAUL
SN:23727	HRS	744.3						
WC#: 35.030	AFL	716						
	ACH	374.4						
PROC. REF: AMM 35-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351008	OXYGEN 3 POSITION VALVE							Component	ATA:35
PN:P21007	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2626	HRS	0		TSN 0					
WC#: 35.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A351001 ^S	DETAILED INSPECTION CREW OXYGEN MASKS: INSPECTION DOCUMENT 10							Service	ATA:35
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 35.070	AFL	1254							
PROC. REF: AMM 35-10-05									
A352001 ^S	DETAILED INSPECTION PASSENGER OXYGEN MASKS AND PASSENGER MASKS DROPOUT BOXES: INSPECTION DOCUMENT 02							Service	ATA:35
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
WC#: 35.080	AFL	1254							
PROC. REF: AMM 35-20-00									
B350001 ^S	FUNCTIONAL CHECK OXYGEN SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:35
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 35.060	AFL	1254							
PROC. REF: AMM 35-00-00									
ATA 36 - PNEUMATIC									
361001	LEFT TEMPERATURE SENSOR							Component	ATA:36
PN:27431501-10	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6BJ99	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361001	RIGHT TEMPERATURE SENSOR							Component	ATA:36
PN:27431501-10	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2BJ43	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361002	REPLACE LEFT B/A PRECOOLER ASSEMBLY							Component	ATA:36
PN:8385-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:S4883-T1917	HRS	0			TSN 0				
WC#: 36.020	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									
361002	REPLACE RIGHT B/A PRECOOLER ASSEMBLY							Component	ATA:36
PN:8385-1	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:S4883-T1919	HRS	0			TSN 0				
WC#: 36.020	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									
361003	PNEUMATIC REGULATOR							Component	ATA:36
PN:1H75-25	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:8BJ58	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361004	LEFT PNEUMATIC SHUTOFF VALVE ASSY							Component	ATA:36
PN:2601-21	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1671	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361004	RIGHT PNEUMATIC SHUTOFF VALVE ASSY							Component	ATA:36
PN:2601-21	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:1669	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361007	LEFT OVER TEMP BLEED AIR SWITCH							Component	ATA:36
PN:1173T181-2	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:7507	HRS	0			TSN 0				
WC#: 36.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
361007	RIGHT OVER TEMP BLEED AIR SWITCH							Component	ATA:36
PN:1173T181-2	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:7511	HRS	0			TSN 0				
WC#: 36.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361008		LEFT PRECOOLER DOOR VALVE					Component ATA:36		
PN:5060-00-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4328	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361008		RIGHT PRECOOLER DOOR VALVE					Component ATA:36		
PN:5060-00-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:4325	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361009		LEFT FLOW CONTROL VALVE					Component ATA:36		
PN:5253-00-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3501	HRS	0		TSN 0					
WC#: 36.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361009		RIGHT FLOW CONTROL VALVE					Component ATA:36		
PN:5253-00-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3504	HRS	0		TSN 0					
WC#: 36.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361010		LEFT CHECK VALVE					Component ATA:36		
PN:1553-00-18	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3508	HRS	0		TSN 0					
WC#: 36.090	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361010		RIGHT CHECK VALVE					Component ATA:36		
PN:1553-00-18	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3515	HRS	0		TSN 0					
WC#: 36.090	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361011		LEFT PRECOOLER ACTUATOR					Component ATA:36		
PN:1H139-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6BJ38	HRS	0		TSN 0					
WC#: 36.100	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361011	RIGHT PRECOOLER ACTUATOR							Component	ATA:36
PN:1H139-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:11BH86	HRS	0		TSN 0					
WC#: 36.100	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361012	DOOR SEAL CONTROL VALVE							Component	ATA:36
PN:MJV3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 36.050	AFL	0		TSN 0					
PROC. REF: AMM 36-10-10									
ATA 44 - CABIN SYSTEMS									
442000	WIRELESS MEDIA SERVER							Component	ATA:44
PN:DMS250-01	MOS/MSC	12-Feb-18	O/C						
SN:567000006	HRS	761							
	AFL	728							
PROC. REF: AMM 44-20-00									
ATA 52 - DOORS									
521000	CABIN ENTRY DOOR							Component	ATA:52
PN:PN	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-10-00									
521001 ^U	CLEVIS HINGE PIN							Component	ATA:52
PN:4717238-23	MOS	01-May-23	36	TSN 0	31-May-26		1045 d		
SN:NSN	HRS	1522	900	TSN 0	2422		884.7		
	AFL	1254							
522001	DOOR INFLATABLE SEAL							Component	ATA:52
PN:S15501-4	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 52.010	AFL	0		TSN 0					
PROC. REF: AMM 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
522002	SECONDARY SEAL							Component	ATA:52
PN:R881515	MOS/MSC	05-Oct-16	O/C	TSN 0					
SN:NSN	HRS	464.7		TSN 0					
WC#: 52.020	AFL	472		TSN 0					
PROC. REF: AMM 52-10-00									
522003	ESCAPE HATCH SEAL							Component	ATA:52
PN:R441236	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 52.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
522004	PRESSURE SWITCH							Component	ATA:52
PN:P18M30	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:5488	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A521001 ^S	INSPECT CABIN ENTRY DOOR CABIN ENTRY DOOR AND DOOR FRAME: INSPECTION DOCUMENT MH							Service	ATA:52
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:6000						
WC#: 52.060	AFL	0							
PROC. REF: AMM 52-10-00									
A521003 ^S	VISUAL INSPECTION CABIN ENTRY DOOR SEALS: INSPECTION DOCUMENT 33							Service	ATA:52
	MOS	01-May-23	12 (+2m)						
	HRS	1522	300 (+30)						
WC#: 52.070	AFL	1254							
PROC. REF: AMM 52-10-00									
A522001 ^S	INSPECT EMERGENCY ESCAPE HATCH AND FRAME: INSPECTION DOCUMENT MJ							Service	ATA:52
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7200						
WC#: 52.055	AFL	0							
PROC. REF: AMM 52-20-00									
B521001 ^S	FUNCTIONAL CHECK DOOR INFLATABLE SEAL CABIN ENTRY DOOR SEAL: INSPECTION DOCUMENT 10							Service	ATA:52
PN:S15501-4	MOS	01-May-23	36 (+2m)						
SN:UNKNOWN	HRS	1522	1200 (+30)						
WC#: 52.010	AFL	1254							
PROC. REF: AMM 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
C521001 ^S	LUBRICATE CABIN ENTRY DOOR: INSPECTION DOCUMENT 33							Service	ATA:52
	MOS	01-May-23	12 (+2m)						
	HRS	1522	300 (+30)						
WC#: 52.050	AFL	1254							
	PROC. REF: AMM 52-10-00								PKG:33
C522001 ^S	LUBRICATION EMERGENCY EXIT DOOR - SEAL: INSPECTION DOCUMENT 10							Service	ATA:52
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
	AFL	1254							
	PROC. REF: AMM 52-20-00								PKG:10
ATA 53 - FUSELAGE									
531000	LEFT TRUNNION SUPPORT FITTING							Component	ATA:53
PN:5513056-7	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.140	AFL	0	22500	TSN 0	22500		21234		
	PROC. REF: GENERIC NO REF								
531000	RIGHT TRUNNION SUPPORT FITTING							Component	ATA:53
PN:5513056-8	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.140	AFL	0	22500	TSN 0	22500		21234		
	PROC. REF: GENERIC NO REF								
531001	ACTUATOR SUPPORT FITTING							Component	ATA:53
PN:6511105-1	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.150	AFL	0	22500	TSN 0	22500		21234		
	PROC. REF: GENERIC NO REF								
531201	RADOME ASSEMBLY							Component	ATA:53
PN:6313101-47	MOS/MSC	18-Jan-18	O/C	TSN 0					
SN:27167760	HRS	742.2		TSN 0					
WC#: 53.010	AFL	713		TSN 0					
	ACH	374.4							
	PROC. REF: AMM 53-10-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A530001 ^S	ZONAL INSPECTION NOSE SECTION: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 53.040	AFL	1254							
	PROC. REF: AMM 53-00-00								PKG:10
A530003	ZONAL INSPECTION COCKPIT AND CABIN ABOVE AND BELOW FLOORBOARD: INSPECTION DOCUMENT 29							Service	ATA:53
	MOS	26-Dec-13							
	HRS	0	T:7200 (+30)		7200	7230	5662.7 (+30)		
WC#: 53.020	AFL	0							
	PROC. REF: AMM 53-00-00								PKG:29
A530005 ^S	ZONAL INSPECTION INTERNAL EMPENNAGE: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 53.070	AFL	1254							
	PROC. REF: AMM 53-00-00								PKG:10
A530007 ^S	ZONAL INSPECTION COCKPIT AND CABIN BELOW FLOORBOARD: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 53.210	AFL	1254							
	PROC. REF: AMM 53-00-00								PKG:10
A530009 ^S	ZONAL INSPECTION EXTERNAL FUSELAGE: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 53.220	AFL	1254							
	PROC. REF: AMM 53-00-00								PKG:10
A530011 ^S	DETAILED INSPECTION CREW SEAT TRACKS: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 53.130	AFL	1254							
	PROC. REF: AMM 53-00-00								PKG:10
A530013 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) NOSE LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 36							Service	ATA:53
	MOS	01-May-23	6 (+2m)						
	HRS	1522							
	AFL	1254							
	PROC. REF: AMM 53-00-00								PKG:36

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A530015 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) NOSE LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 02							Service	ATA:53
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
	PROC. REF: AMM 53-00-00							PKG:2	
A530017 ^S	INSPECTION FUSELAGE SKIN JOINT EDDY CURRENT: INSPECTION DOCUMENT 11							Service	ATA:53
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 53.160	AFL	1254							
	PROC. REF: AMM 53-00-00							PKG:11	
A531001 ^S	CHECK NOSE RADOME ELECTRICAL BONDING: INSPECTION DOCUMENT 08							Service	ATA:53
	MOS	01-May-23	24 (+2m)						
	HRS	1522	300 (+30)						
WC#: 53.200	AFL	1254							
	PROC. REF: AMM 53-10-10							PKG:8	
A531003 ^S	INSPECT FORWARD SIDE OF FORWARD PRESSURE BULKHEAD, STRINGERS AND BULKHEADS: INSPECTION DOCUMENT MI							Service	ATA:53
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7200						
WC#: 53.170	AFL	0							
	PROC. REF: AMM 53-10-20							PKG:43	
A531005 ^S	INSPECTION AFT PRESSURE BULKHEAD STRUCTURE (AFT SIDE) : INSPECTION DOCUMENT MM							Service	ATA:53
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:12000						
WC#: 53.050	AFL	0							
	PROC. REF: AMM 53-10-20							PKG:47	
A531007 ^S	DETAILED INSPECTION FORWARD PRESSURE BULKHEAD RETAINING RING: INSPECTION DOCUMENT MI							Service	ATA:53
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7200						
WC#: 53.030	AFL	0							
	PROC. REF: AMM 53-10-20							PKG:43	
A531009 ^S	DETAILED INSPECTION AFT PRESSURE BULKHEAD RETAINING RING: INSPECTION DOCUMENT MN							Service	ATA:53
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:12000						
WC#: 53.110	AFL	0							
	PROC. REF: AMM 53-10-20							PKG:48	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
A531011 ^S	INSPECTION AFT PRESSURE BULKHEAD WEB(FORWARD SIDE) : INSPECTION DOCUMENT MM							Service ATA:53
	MOS	26-Dec-13						AIRWORTHINESS
	HRS	0	T:12000					
WC#: 53.120	AFL	0						
					PROC. REF: AMM 53-10-20			PKG:47
A531013 ^S	DETAILED INSPECTION WINDSHIELD,SIDE,AND CABIN WINDOW FRAMES: INSPECTION DOCUMENT MJ							Service ATA:53
	MOS	26-Dec-13						AIRWORTHINESS
	HRS	0	T:7200					
WC#: 53.080	AFL	0						
					PROC. REF: AMM 53-10-25			PKG:44
A531015 ^S	INSPECT CABIN DOOR FRAME: INSPECTION DOCUMENT MH							Service ATA:53
	MOS	26-Dec-13						AIRWORTHINESS
	HRS	0	T:6000					
WC#: 53.090	AFL	0						
					PROC. REF: AMM 53-10-30			PKG:42
A531017 ^S	INSPECT EMERGENCY ESCAPE HATCH DOORFRAME: INSPECTION DOCUMENT MJ							Service ATA:53
	MOS	26-Dec-13						AIRWORTHINESS
	HRS	0	T:7200					
WC#: 53.100	AFL	0						
					PROC. REF: AMM 53-10-30			PKG:44
A533001 ^S	INSPECTION FUSELAGE EXTERIOR SKIN: INSPECTION DOCUMENT MG							Service ATA:53
	MOS	26-Dec-13						AIRWORTHINESS
	HRS	0	T:6000					
WC#: 53.180	AFL	0						
					PROC. REF: AMM 53-30-00			PKG:41
A533003 ^S	INSPECTION CABIN LOWER SKIN LONGITUDINAL SPLICE: INSPECTION DOCUMENT MF							Service ATA:53
	MOS	26-Dec-13						AIRWORTHINESS
	HRS	0	6000					
WC#: 53.190	AFL	0						
					PROC. REF: AMM 53-30-00			PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
A540001 ^S	ZONAL INSPECTION NACELLES AND PYLONS: INSPECTION DOCUMENT 10							Service	ATA:54
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 54.030	AFL	1254							
PROC. REF: AMM 54-00-00								PKG:10	
ATA 55 - STABILIZERS									
551010	EXAMINE HORIZONTAL STABILIZER FRONT UPPER SPAR CAP AT SS 4.78							Service	ATA:55
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:14000		14000		12462.7		
WC#: 55.040	AFL	0							
PROC. REF: AMM 55-10-00									
A551001 ^S	DETAILED INSPECTION HORIZONTAL STABILIZER: INSPECTION DOCUMENT 10							Service	ATA:55
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 55.030	AFL	1254							
PROC. REF: AMM 55-10-00								PKG:10	
A551003 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) HORIZONTAL STABILIZER AFT SPAR AREA: INSPECTION DOCUMENT 36							Service	ATA:55
	MOS	01-May-23	6 (+2m)						
	HRS	1522							
	AFL	1254							
PROC. REF: AMM 55-10-00								PKG:36	
A551005 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) HORIZONTAL STABILIZER AFT SPAR AREA: INSPECTION DOCUMENT 02							Service	ATA:55
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
PROC. REF: AMM 55-10-00								PKG:2	
A551006 ^S	HORIZONTAL STABILIZER FRONT UPPER SPAR CAP AT SS4.78 DOCUMENT MQ							Service	ATA:55
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:14000						
	AFL	0							
PROC. REF: AMM 55-10-00								PKG:51	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A553001 ^S	INSPECTION VERTICAL STABILIZER FORWARD SPAR ATTACH BOLT HOLE: INSPECTION DOCUMENT MK							Service	ATA:55
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:7900						
WC#: 55.020	AFL	0							
					PROC. REF: AMM 55-30-05			PKG:45	
A553003 ^S	DETAILED INSPECTION VERTICAL STABILIZER: INSPECTION DOCUMENT 10							Service	ATA:55
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 55.010	AFL	1254							
					PROC. REF: AMM 55-30-05			PKG:10	
A553005 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) VERTICAL STABILIZER AFT SPAR ASSEMBLY: INSPECTION DOCUMENT 36							Service	ATA:55
	MOS	01-May-23	6 (+2m)						
	HRS	1522							
	AFL	1254							
					PROC. REF: AMM 55-30-05			PKG:36	
A553007 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) VERTICAL STABILIZER AFT SPAR ASSEMBLY: INSPECTION DOCUMENT 02							Service	ATA:55
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
					PROC. REF: AMM 55-30-05			PKG:2	
A553009 ^S	INSPECTION VERTICAL STABILIZER AFT SPAR ATTACH BOLT HOLE: INSPECTION DOCUMENT MO							Service	ATA:55
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:15200						
WC#: 55.020	AFL	0							
					PROC. REF: AMM 55-30-05			PKG:49	
ATA 56 - WINDOWS									
561001	LEFT WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:93200-15	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:2929	HRS	0			TSN 0				
WC#: 56.010	AFL	0			TSN 0				
					PROC. REF: AMM 56-10-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561001	RIGHT WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:93200-16	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2852	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-10-00									
561002	L1 CABIN DOOR WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8946	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	L2 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8947	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	L3 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8950	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	R1 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8989	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	R2 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8943	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	R3 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8992	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561002	R4 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8994	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561003	PILOT SIDE WINDOW							Component	ATA:56
PN:6311263-1	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2361	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561004	COPILOT SIDE WINDOW							Component	ATA:56
PN:6311263-2	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:2428	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
A561001 ^S	INSPECTION WINDOW OPTICAL PRISM: INSPECTION DOCUMENT 11							Service	ATA:56
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 56.070	AFL	1254							
PROC. REF: AMM 56-10-00									
A561003 ^S	INSPECTION LEFT COCKPIT SIDE WINDOW OPTICAL PRISM: INSPECTION DOCUMENT MA							Service	ATA:56
	MOS	22-Dec-20						AIRWORTHINESS	
	HRS	1302.3	300						
WC#: 56.080	AFL	1115							
PROC. REF: AMM 56-10-00									
A561003 ^S	INSPECTION RIGHT COCKPIT SIDE WINDOW OPTICAL PRISM: INSPECTION DOCUMENT MA							Service	ATA:56
	MOS	22-Dec-20						AIRWORTHINESS	
	HRS	1302.3	300						
WC#: 56.080	AFL	1115							
PROC. REF: AMM 56-10-00									
ATA 57 - WINGS									
571000	LEFT AFT TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322070-21	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:23511999A	HRS	0		TSN 0					
WC#: 57.060	AFL	0	21100	TSN 0	21100		19834		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
571000	RIGHT AFT TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322070-20	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:23511998C	HRS	0		TSN 0					
WC#: 57.060	AFL	0	21100	TSN 0	21100		19834		
PROC. REF: GENERIC NO REF									
571001	LEFT FORWARD TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322060-19	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:23470766C	HRS	0		TSN 0					
WC#: 57.070	AFL	0	21100	TSN 0	21100		19834		
PROC. REF: GENERIC NO REF									
571001	RIGHT FORWARD TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322060-20	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:23470742C	HRS	0		TSN 0					
WC#: 57.070	AFL	0	21100	TSN 0	21100		19834		
PROC. REF: GENERIC NO REF									
571002	LEFT SIDE BRACE FITTING							Component	ATA:57
PN:6322080-25	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:23490846F	HRS	0		TSN 0					
WC#: 57.080	AFL	0	21100	TSN 0	21100		19834		
PROC. REF: GENERIC NO REF									
571002	RIGHT SIDE BRACE FITTING							Component	ATA:57
PN:6322080-24	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:23470743F	HRS	0		TSN 0					
WC#: 57.080	AFL	0	21100	TSN 0	21100		19834		
PROC. REF: GENERIC NO REF									
571010	EXAMINE LOWER MAIN SPAR SPLICE AT WS 93.00							Service	ATA:57
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:13200		13200		11662.7		
WC#: 57.020	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
571015	EXAMINE LOWER REAR SPAR SPLICE AT WS 93.00							Service	ATA:57
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:15600		15600		14062.7		
WC#: 57.030	AFL	0							
PROC. REF: GENERIC NO REF									
571020	EXAMINE MAIN SPAR CARRY-THROUGH LOWER CAP (RWS 42.0 TO LWS 42.0)							Service	ATA:57
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13462.7		
WC#: 57.040	AFL	0							
PROC. REF: GENERIC NO REF									
571025	EXAMINE REAR SPAR CARRY-THROUGH LOWER CAP (RWS 42.0 TO LWS 42.0)							Service	ATA:57
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13462.7		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REF									
571030	EXAMINE MAIN SPAR OUTBOARD LOWER CAP (WS 120.0 TO WS 152.00)							Service	ATA:57
	MOS	26-Dec-13						AIRWORTHINESS	
	HRS	0	T:15000		15000		13462.7		
WC#: 57.100	AFL	0							
PROC. REF: GENERIC NO REF									
576001	LEFT AILERON ASSEMBLY							Component	ATA:57
PN:6324110-815	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23634028	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-60-05									
576001	RIGHT AILERON ASSEMBLY							Component	ATA:57
PN:6324001-832	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:23634102	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-60-05									
A570001 ^S	INSPECT EXTERNAL WING ZONAL : INSPECTION DOCUMENT 10							Service	ATA:57
	MOS	01-May-23	36 (+2m)						
	HRS	1522	1200 (+30)						
WC#: 57.010	AFL	1254							
PROC. REF: AMM 57-00-00									

PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A570003 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) MAIN LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 36							Service	ATA:57
	MOS	01-May-23	6 (+2m)						
	HRS	1522							
	AFL	1254							
					PROC. REF: AMM 57-00-00			PKG:36	
A570005 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) MAIN LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 02							Service	ATA:57
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
					PROC. REF: AMM 57-00-00			PKG:2	
A570007 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) AFT WING SPAR AREA: INSPECTION DOCUMENT 36							Service	ATA:57
	MOS	01-May-23	6 (+2m)						
	HRS	1522							
	AFL	1254							
					PROC. REF: AMM 57-00-00			PKG:36	
A570009 ^S	GENERAL VISUAL INSPECTION (CORROSION INSPECT) AFT WING SPAR AREA: INSPECTION DOCUMENT 02							Service	ATA:57
	MOS	01-May-23	12 (+2m)						
	HRS	1522							
	AFL	1254							
					PROC. REF: AMM 57-00-00			PKG:2	
ATA 70 - STANDARD PRACTICES - ENGINES									
700010 ^S	NO. 1 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES							Service	ATA:70
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
					PROC. REF: LMM 70-03-01-801A-300A-A			PKG:2	
700010 ^S	NO. 2 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES							Service	ATA:70
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
					PROC. REF: LMM 70-03-01-801A-300A-A			PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710010 ^S	NO. 1 ENGINE - INTERROGATE FADEC FOR FAULTS USING EMT							Service	ATA:71
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
	PROC. REF: LMM 71-00-00-801B-421A-A							PKG:1,2	
710010 ^S	NO. 2 ENGINE - INTERROGATE FADEC FOR FAULTS USING EMT							Service	ATA:71
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
	PROC. REF: LMM 71-00-00-801B-421A-A							PKG:1,2	
710015	NO. 1 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	04-Dec-19	A/R						
	HRS	1171.9							
	ENC	1032							
	PROC. REF: LMM 71-00-03-803A-258A-A								
710015	NO. 2 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	04-Dec-19	A/R						
	HRS	1171.9							
	ENC	1032							
	PROC. REF: LMM 71-00-03-803A-258A-A								
712001	LEFT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA4	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:LK3390	HRS	0	3500	TSN 0	3500		1962.7		
WC#: 71.010	AFL	0		TSN 0					
	PROC. REF: AMM 71-20-00								
712001	LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA5	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:4975	HRS	0	3500	TSN 0	3500		1962.7		
WC#: 71.020	AFL	0		TSN 0					
	PROC. REF: AMM 71-20-00								
712001	LEFT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA5	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:4956	HRS	0	3500	TSN 0	3500		1962.7		
WC#: 71.020	AFL	0		TSN 0					
	PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712001	RIGHT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA4	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:LK3402	HRS	0	3500	TSN 0	3500		1962.7		
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
712001	RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA5	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:4980	HRS	0	3500	TSN 0	3500		1962.7		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
712001	RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA5	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:4976	HRS	0	3500	TSN 0	3500		1962.7		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
716000	LH TEMPERATURE SWITCH							Component	ATA:71
PN:1173T0759	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6846	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
716000	RH TEMPERATURE SWITCH							Component	ATA:71
PN:1173T0759	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:6828	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:72100-201	MOS/MSC		E/C						
SN:290027	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-05									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:72100-201	MOS/MSC		E/C						
SN:290026	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720007	NO. 1 ENGINE - 1ST LP TURBINE NOZZLE							Component	ATA:72
PN:119455	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU22047	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720007	NO. 2 ENGINE - 1ST LP TURBINE NOZZLE							Component	ATA:72
PN:119455	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU22040	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723001	NO. 1 ENGINE - FAN ROTOR							Component	ATA:72
PN:117810	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW31788	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: LMM 72-00-31-801A-500A-A, LMM 72-00-31-801A-700A-A									
723001	NO. 2 ENGINE - FAN ROTOR							Component	ATA:72
PN:117810	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW31783	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: LMM 72-00-31-801A-500A-A, LMM 72-00-31-801A-700A-A									
723003 ^S	NO. 1 ENGINE - CLEAN FAN ROTOR AND PHYSICALLY INSPECT FOR DEFECTS (FEEL WITH FINGERS)							Service	ATA:72
PN:117810	MOS	16-Sep-19							
SN:HW31788	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 72-31-20-801A-310A-A									
723003 ^S	NO. 2 ENGINE - CLEAN FAN ROTOR AND PHYSICALLY INSPECT FOR DEFECTS (FEEL WITH FINGERS)							Service	ATA:72
PN:117810	MOS	16-Sep-19							
SN:HW31783	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 72-31-20-801A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:121684	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW38093	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		6734		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:121684	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW37611	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		6734		
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:66032	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW38047	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: LMM 72-00-34-801A-500A-A, LMM 72-00-34-801A-700A-A									
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:66032	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW37322	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: LMM 72-00-34-801A-500A-A, LMM 72-00-34-801A-700A-A									
723021 ^S	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 72-30-10-801A-310A-A									
723021 ^S	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 72-30-10-801A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU21311	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU21312	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:118924	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:RX12RT2469	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:118924	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:RX12RT2459	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:121728	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:RX13NG0483	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:121728	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:RX13NG0494	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723149	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:72
PN:69885	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU21890	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723149	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:72
PN:69885	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU21906	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 1 ENGINE - HP TURBINE ROTOR ASSEMBLY							Component	ATA:72
PN:111386	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:HW37375	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 2 ENGINE - HP TURBINE ROTOR ASSEMBLY							Component	ATA:72
PN:111386	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:HW37474	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:115471	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU200657	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:115471	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:AU200663	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:73853	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW37375	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		6734		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:73853	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW37474	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		6734		
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72704	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW36267	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72704	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW38344	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW37401	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	26-Dec-13		TSN 0				LIFE LIMIT	
SN:HW37394	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8734		
PROC. REF: GENERIC NO REF									
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:120746	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MX21166	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A, LMM 72-00-60-801A-700A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:120746	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:MX21167	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 72-00-60-801A-500A-A, LMM 72-00-60-801A-700A-A									
ATA 73 - ENGINE FUEL AND CONTROL									
730001	LEFT ENGINE FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:10280	HRS	0			TSN 0				
WC#: 73.010	AFL	0			TSN 0				
PROC. REF: AMM 73-30-05									
730001	RIGHT ENGINE FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:10279	HRS	0			TSN 0				
WC#: 73.010	AFL	0			TSN 0				
PROC. REF: AMM 73-30-05									
730002	NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:50817	MOS/MSC	07-Feb-22	O/C						
SN:BCC-00001728	HRS	1427.4							
	ENC	1193							
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A									
730002	NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:50817	MOS/MSC	07-Feb-22	O/C						
SN:BCC-00008289	HRS	1427.4							
	ENC	1193							
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A									
731010 ^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
PROC. REF: LMM 73-12-01-801A-310A-A									

PKG:1,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010 ^S	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 73-12-01-801A-310A-A			PKG:1.2	
731015 ^S	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 73-12-01-801A-363A-A			PKG:1.2	
731015 ^S	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 73-12-01-801A-363A-A			PKG:1.2	
731025 ^S	NO. 1 ENGINE - CHANGE FUEL PUMP FILTER							Service	ATA:73
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
					PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A			PKG:2	
731025 ^S	NO. 2 ENGINE - CHANGE FUEL PUMP FILTER							Service	ATA:73
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
					PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A			PKG:2	
731040	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:121784	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:AU22081	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: GENERIC NO REF				
731040	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:121784	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:AU22077	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732301	NO. 1 ELECTRIC IND-FUEL FILTER							Component	ATA:73
PN:57847	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:GE5095	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
732301	NO. 1 ENGINE - ELEC FUEL FILTER INDICATOR							Component	ATA:73
PN:57847	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:GE5095	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A									
732301	NO. 2 ELECTRIC IND-FUEL FILTER							Component	ATA:73
PN:57847	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:GE5168	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
732301	NO. 2 ENGINE - ELEC FUEL FILTER INDICATOR							Component	ATA:73
PN:57847	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:GE5168	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A									
732401	NO. 1 ENGINE - FUEL DELIVERY UNIT							Component	ATA:73
PN:119148	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:CL3ATW0684	HRS	0	8000 (+100)	TSN 0	(8000) 8000	8100	6462.7 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-19-01-801A-520A-A, LMM 73-19-01-801A-720A-A									
732401	NO. 2 ENGINE - FUEL DELIVERY UNIT							Component	ATA:73
PN:119148	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:CL3ATW0683	HRS	0	8000 (+100)	TSN 0	(8000) 8000	8100	6462.7 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-19-01-801A-520A-A, LMM 73-19-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732500	LEFT ENGINE FADEC							Component	ATA:73
PN:122108	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:CL12AW2205	HRS	0		TSN 0					
WC#: 73.060	AFL	0		TSN 0					
PROC. REF: AMM 76-12-05									
732500	RIGHT ENGINE FADEC							Component	ATA:73
PN:122108	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:CL12AW2274	HRS	0		TSN 0					
WC#: 73.060	AFL	0		TSN 0					
PROC. REF: AMM 76-12-05									
732610 ^S	NO. 1 ENGINE - SAVE ENGINE AND FADEC DATA AND SEND TO WILLIAMS INTERNATIONAL							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
PROC. REF: LMM 73-26-01-802A-913A-A									
732610 ^S	NO. 2 ENGINE - SAVE ENGINE AND FADEC DATA AND SEND TO WILLIAMS INTERNATIONAL							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
PROC. REF: LMM 73-26-01-802A-913A-A									
732615 ^S	NO. 1 ENGINE - USE EMT TO INTERROGATE FADEC FOR OPERATIONAL LIMIT EXCEEDANCES							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
PROC. REF: LMM 73-26-01-802A-913A-A									
732615 ^S	NO. 2 ENGINE - USE EMT TO INTERROGATE FADEC FOR OPERATIONAL LIMIT EXCEEDANCES							Service	ATA:73
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
PROC. REF: LMM 73-26-01-802A-913A-A									
732620 ^S	NO. 1 ENGINE - PERFORM PMA PHASE OUT TEST ON FADEC AND FDU							Service	ATA:73
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 73-26-01-804A-913A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732620 ^S	NO. 2 ENGINE - PERFORM PMA PHASE OUT TEST ON FADEC AND FDU							Service	ATA:73
	MOS		16-Sep-19						
	HRS		1130.2	600 (+30)					
	ENC		1003						
				PROC. REF: LMM 73-26-01-804A-913A-A				PKG:2	
733001	LEFT ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1573-4	MOS/MSC		26-Dec-13	O/C	TSN 0				
SN:AAF5347	HRS		0		TSN 0				
WC#: 73.040	AFL		0		TSN 0				
				PROC. REF: AMM 73-30-10					
733001	RIGHT ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1573-4	MOS/MSC		26-Dec-13	O/C	TSN 0				
SN:AAE9065	HRS		0		TSN 0				
WC#: 73.040	AFL		0		TSN 0				
				PROC. REF: AMM 73-30-10					
B732001 ^S	OPERATIONAL CHECK TT2 SENSOR: INSPECTION DOCUMENT 10							Service	ATA:73
	MOS		01-May-23	36 (+2m)					
	HRS		1522	1200 (+30)					
WC#: 73.050	AFL		1254						
				PROC. REF: AMM 73-20-05				PKG:10	
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC		26-Dec-13	O/C	TSN 0				
SN:CK1300514	HRS		0		TSN 0				
	ENC		0		TSN 0				
				PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A					
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC		26-Dec-13	O/C	TSN 0				
SN:CK1300498	HRS		0		TSN 0				
	ENC		0		TSN 0				
				PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741020		NO. 1 ENGINE - OUTBOARD IGNITION EXCITER					Component	ATA:74	
PN:68145	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:CK1300528	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A									
741020		NO. 2 ENGINE - OUTBOARD IGNITION EXCITER					Component	ATA:74	
PN:68145	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:CK1300503	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A									
742001		NO. 1 ENGINE - SHORT IGNITOR LEAD					Component	ATA:74	
PN:50852	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
742001		NO. 2 ENGINE - SHORT IGNITOR LEAD					Component	ATA:74	
PN:50852	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
742002		NO. 1 ENGINE - LONG IGNITOR LEAD					Component	ATA:74	
PN:50853	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
742002		NO. 2 ENGINE - LONG IGNITOR LEAD					Component	ATA:74	
PN:50853	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
742037 ^S		NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS					Service	ATA:74	
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
PROC. REF: LMM 74-22-01-801A-310A-A									

PKG:1,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742037 ^S	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 74-22-01-801A-310A-A			PKG:1,2	
742040 ^S	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1,2	
742040 ^S	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1,2	
742050 ^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742050 ^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
					PROC. REF: LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	07-Feb-22	O/C						
SN:CK-1903549	HRS	1427.4							
	ENC	1193							
					PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A				
742201	NO. 1 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	07-Feb-22	O/C						
SN:CK-1904621	HRS	1427.4							
	ENC	1193							
					PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	07-Feb-22	O/C						
SN:CK-210113	HRS	1427.4							
	ENC	1193							
PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A									
742201	NO. 2 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	07-Feb-22	O/C						
SN:CK-1905426	HRS	1427.4							
	ENC	1193							
PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A									
ATA 75 - AIR									
753010 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 75-30-01-801A-310A-A									
753010 ^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30)						
	ENC	1003							
PROC. REF: LMM 75-30-01-801A-310A-A									
ATA 76 - ENGINE CONTROLS									
B761201 ^S	OPERATIONAL CHECK TIME LIMITED DISPATCH (TLD): INSPECTION DOCUMENT MP							Service	ATA:76
	MOS	06-Feb-23	12					AIRWORTHINESS	
	HRS	1510.8	250						
	AFL	1247							
PROC. REF: AMM 76-12-05									
ATA 77 - ENGINE INDICATING									
771005	NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:MD-0165233	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-11-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771005 NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR Component ATA:77								
PN:57355	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:MD-0165231	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-11-01-801A-720A-A								
771005A NO. 1 ENGINE - TT2 SENSOR Component ATA:77								
PN:114944	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:AXT0200875	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-A								
771005A NO. 2 ENGINE - TT2 SENSOR Component ATA:77								
PN:114944	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:AXT0200912	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-A								
771015 NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR Component ATA:77								
PN:54831	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:MD-0166220	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-12-01-801A-720A-A								
771015 NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR Component ATA:77								
PN:54831	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:MD-0166369	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-12-01-801A-720A-A								
772002 NO. 1 ENGINE - ITT HARNESS Component ATA:77								
PN:75378	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:YYF002556	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
772002 NO. 2 ENGINE - ITT HARNESS Component ATA:77								
PN:75378	MOS/MSC	26-Dec-13	O/C	TSN 0				
SN:YYF002550	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792015 ^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
	PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A								PKG:1,2
792015 ^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
	PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A								PKG:1,2
792020 ^S	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
	PROC. REF: LMM 79-30-01-801A-310A-A								PKG:1,2
792020 ^S	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	07-Feb-22							
	HRS	1427.4	300 (+30)						
	ENC	1193							
	PROC. REF: LMM 79-30-01-801A-310A-A								PKG:1,2
792025 ^S	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30/-30)						
	ENC	1003							
	PROC. REF: LMM 72-00-03-803A-200A-A								PKG:2
792025 ^S	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	16-Sep-19							
	HRS	1130.2	600 (+30/-30)						
	ENC	1003							
	PROC. REF: LMM 72-00-03-803A-200A-A								PKG:2
792201	NO. 1 ENGINE - LUBE OIL COOLER							Component	ATA:79
PN:121535	MOS/MSC	26-Dec-13	O/C		TSN 0				
SN:PP1243	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792201	NO. 2 ENGINE - LUBE OIL COOLER							Component	ATA:79
PN:121535	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:PP1242	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-A									
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:120932	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:MX30053	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	3462.7 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A									
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:120932	MOS	26-Dec-13		TSN 0				OVERHAUL	
SN:MX30055	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	3462.7 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:183385	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: AMM 79-30-10									
793002	RIGHT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:183401	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: AMM 79-30-10									
793006	LEFT ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:S1103P89-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3621	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: AMM 79-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION M2 Serial: 525-0810 RegNo: N686JH HRS: 1537.3 AFL: 1266 As Of: 07-Jul-2023

21-Jul-2023 07:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793006	RIGHT ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:S1103P89-3	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:3622	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: AMM 79-30-05									
793008	LEFT OIL TRANSDUCER							Component	ATA:79
PN:S2800-1128	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8021-3-54	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
793008	RIGHT OIL TRANSDUCER							Component	ATA:79
PN:S2800-1128	MOS/MSC	26-Dec-13	O/C	TSN 0					
SN:8021-9-275	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 80 - STARTING									
801101	LEFT ENGINE STARTER/GENERATOR							Component	ATA:80
PN:MG94D-4	MOS	21-Oct-20		TSO 0				OVERHAUL	
SN:0587A	HRS	1284.2	1000	TSO 0	2284.2		746.9		
WC#: 80.010	AFL	1106		TSO 0					
PROC. REF: AMM 80-10-00									
801101	RIGHT ENGINE STARTER/GENERATOR							Component	ATA:80
PN:MG94D-4	MOS	09-Jan-19		TSO 0				OVERHAUL	
SN:0598	HRS	979.1	1000	TSO 0	1979.1		441.8		
WC#: 80.010	AFL	892		TSO 0					
PROC. REF: AMM 80-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task