OWNER:	LATITUDE 33 AVIATION, LLC	OPERATOR:	LATITUDE 33 AVIATION, LLC
ADDRESS:	2056 PALOMAR AIRPORT ROAD CARLSBAD CA 92011	ADDRESS:	2056 PALOMAR AIRPORT ROAD CARLSBAD CA 92011
OFFICE:		OFFICE:	
FAX:	760-278-2168	FAX:	760-278-2168

ANALYST:	ANDREY KORSUKOV	+1-514-636-2016 (DIRECT)	800-787-9749 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).
EMAIL:	AKORSUKOV@CAMPSYSTEMS.COM	+1-631-588-3200 (MAIN)	631-980-4222 (EFAX-CARDS)	
		WWW.CAMPSYSTEMS.COM		

AIRCRAFT

SERIAL/REGNO: 55020130 MODEL: PRAETOR 600 MANUFACTURER: EMBRAER

CERTIFICATION DATE: 29-SEP-2021

LAST ACTUALS:

559.2	A/C HRS	as of 11-JUL-2025
378	AFL	as of 11-JUL-2025
436	APH	as of 11-JUL-2025

APU

SERIAL/PART: P-365/70720189-2 MODEL: GTCP36-150(EMB) MANUFACTURER: HONEYWELL

INSTALLED ON: 12-FEB-2021

0 APU HRS 0 A/C HRS
0 APUS

LAST ACTUALS:

541	APU HRS	as of 11-JUL-2025
581	APUS	as of 11-JUL-2025

ENGINE NO. 1

SERIAL/PART: P131520/70040119-1 MODEL: AS907-3-1E-A3 MANUFACTURER: HONEYWELL

INSTALLED ON: 12-FEB-2021

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:

559.2	ENG. HRS	as of 11-JUL-2025
378	ENC	as of 11-JUL-2025

ENGINE NO. 2

SERIAL/PART: P131518/70040119-1 MODEL: AS907-3-1E-A3 MANUFACTURER: HONEYWELL

INSTALLED ON: 12-FEB-2021

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:

559.2	ENG. HRS	as of 11-JUL-2025
378	ENC	as of 11-JUL-2025

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 00 - INFORMATION									
L500-210507-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR LEGACY 450/ 500, DATED MAY 07, 2021								Service ATA:00
	MOS/MSC	29-Sep-21	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-210512-SMR AR	REVIEW LEGACY 450/500|PRAETOR 500/600 - AMM 5613 PART III - SCHEDULED MAINTENANCE REQUIREMENTS (SMR) ADVANCE REVISION (AR) DATED MAY 12, 2021								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-210514-AL	REVIEW LEGACY 450/500|PRAETOR 500/600 - AMM 5613 AIRWORTHINESS LIMITATIONS (AL) REV 12 DATED MAY 14, 2021								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-210727-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR LEGACY 450/500 | PRAETOR 500/600, DATED 27 JULY, 2021								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-210908-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMBRAER LEGACY 450/500 - PRAETOR 500/600, DATED SEP 8, 2021								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 00 - INFORMATION									
L500-220318		REVIEW LEGACY 450/500 | PRAETOR 500/600 AMM 5613 PART IV AWL REV. 00, DATED MAR 18/2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-220614-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM DATED JUN 14/2022 FOR EMBRAER LEGACY 450/500 - PRAETOR 500/600							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-220907-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM DATED SEP 07/2022 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-221107-SMR		REVIEW LEGACY 450/500 SCHEDULED MAINTENANCE REQUIREMENTS (SMR), REV 6 DATED NOV 07, 2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-221219-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM DATED DEC 19/2022 FOR EMB-545/550 - LEGACY 450/500 - AUDIT OF ITEM CODE: C21-31-01-001							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 00 - INFORMATION									
L500-230118-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM DATED JAN 18/2023 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
L500-230202-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM DATED FEB 02/2023 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
L500-230208-AWL		REVIEW EMB-545/550 - LEGACY 450/500 AMM-PART IV-AIRWORTHINESS LIMITATIONS (AWL) REV 1, DATED FEB 08/2023							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-230214-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM DATED FEB 14/2023 FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									
L500-230419-CAMP ADJUSTMENT		REVIEW CAMP ADJUSTMENT FORM, DATED APR 19/2023, FOR EMB-545/550 - LEGACY 450/500							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00PROC. REF: RCF 00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 04 - LIMITATIONS									
04-20-00		STRUCTURES AIRWORTHINESS LIMITATIONS (ALI)							Service ATA:04
	MOS	29-Sep-21						AIRWORTHINESS	
	HRS	0	T:25500		25500		24940.8		
	AFL	0	T:17000		17000		16622		
PROC. REF: AWL 04-20-00PROC. REF: AWL 04-20-00									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01		750 HOUR INSPECTION							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)		750	787	190.8 (+37)		
	AFL	0							
									PKG:1
PROC. REF: SMR 05-30-01PROC. REF: SMR 05-30-01									
05H00750		NO. 1 ENGINE - INSPECTIONS FOR EVERY 750 ENGINE OPERATING HOURS							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	750 (+100)		(750) 750	850	190.8 (+100)		
	ENC	0							
									PKG:1
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00									
05H00750		NO. 2 ENGINE - INSPECTIONS FOR EVERY 750 ENGINE OPERATING HOURS							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	750 (+100)		(750) 750	850	190.8 (+100)		
	ENC	0							
									PKG:1
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00									
05-30-05		1500 HOUR INSPECTION							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	1500 (+37/-37)		1500	1537	940.8 (+37)		
	AFL	0							
									PKG:5
PROC. REF: SMR 05-30-05PROC. REF: SMR 05-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05H04000		NO. 1 ENGINE - INSPECTIONS FOR EVERY 4,000 OR EVERY 4,500 ENGINE OPERATING HOURS							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
									PKG:5
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00									
05H04000		NO. 2 ENGINE - INSPECTIONS FOR EVERY 4,000 OR EVERY 4,500 ENGINE OPERATING HOURS							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
									PKG:5
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00									
05-30-10		2250 HOUR INSPECTION							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	2250 (+37/-37)		2250	2287	1690.8 (+37)		
	AFL	0							
									PKG:10
PROC. REF: SMR 05-30-10PROC. REF: SMR 05-30-10									
05-30-25		12 MONTH INSPECTION							Package ATA:05
	MOS	18-Feb-25	12 (+15d/-15d)	Adj -25d	24-Jan-26	08-Feb-26	197 d (+15)		
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: SMR 05-30-25PROC. REF: SMR 05-30-25									
05-30-15		3750 HOUR INSPECTION							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)		3750	3787	3190.8 (+37)		
	AFL	0							
									PKG:15
PROC. REF: SMR 05-30-15PROC. REF: SMR 05-30-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-16		4500 HOUR INSPECTION							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	4500 (+37/-37)		4500	4537	3940.8 (+37)		
	AFL	0							
									PKG:16
PROC. REF: SMR 05-30-16PROC. REF: SMR 05-30-16									
05-30-20		7500 HOUR INSPECTION							Package ATA:05
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)		7500	7537	6940.8 (+37)		
	AFL	0							
									PKG:20
PROC. REF: SMR 05-30-20PROC. REF: SMR 05-30-20									
05-30-30		24 MONTH INSPECTION							Package ATA:05
	MOS	18-Feb-25	24 (+15d/-15d)		18-Feb-27	05-Mar-27	587 d (+15)		
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: SMR 05-30-30PROC. REF: SMR 05-30-30									
05-30-35		36 MONTH INSPECTION							Package ATA:05
	MOS	24-Jan-24	36 (+15d/-15d)		24-Jan-27	08-Feb-27	562 d (+15)		
	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: SMR 05-30-35PROC. REF: SMR 05-30-35									
05-30-40		60 MONTH INSPECTION							Package ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)		29-Sep-26	14-Oct-26	445 d (+15)		
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: SMR 05-30-40PROC. REF: SMR 05-30-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-60	120 MONTH INSPECTION								Package ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: SMR 05-30-60PROC. REF: SMR 05-30-60									
05-30-90	120 MONTH THRESHOLD/60 MONTH INSPECTION								Package ATA:05
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: SMR 05-30-90PROC. REF: SMR 05-30-90									
05-20-01-200-801-A01	NO. 1 ENGINE - OVERHAUL - INSPECTION/CHECK								Service ATA:05
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-20-01PROC. REF: LMM 05-20-01									
05-20-01-200-801-A01	NO. 2 ENGINE - OVERHAUL - INSPECTION/CHECK								Service ATA:05
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-20-01PROC. REF: LMM 05-20-01									
05-50-01-210-801-A	GENERAL VISUAL INSPECTION -LIGHTNING STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-01-210-802-A	GENERAL VISUAL INSPECTION -FORWARD FUSELAGE AFTER LIGHTNING-STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01									
05-50-01-210-803-A	GENERAL VISUAL INSPECTION -CENTER FUSELAGE AND WING-TO-FUSELAGE FAIRING AFTER LIGHTNING-STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01									
05-50-01-210-804-A	GENERAL VISUAL INSPECTION -WINGS AFTER LIGHTNING-STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01									
05-50-01-210-805-A	GENERAL VISUAL INSPECTION -AFT FUSELAGE, TAIL CONE AND EMPENNAGE AFTER LIGHTNING-STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01									
05-50-01-210-806-A	GENERAL VISUAL INSPECTION -ENGINE AND NACELLE AFTER LIGHTNING-STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-02-200-801-A	INSPECTION -HARD LANDING/OFF TEMPERATURE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-02PROC. REF: AMM 05-50-02									
05-50-03-200-801-A	INSPECTION -HIGH DRAG/SIDE LOAD LANDING CONDITION								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-03PROC. REF: AMM 05-50-03									
05-50-06-210-801-A	INSPECTION -LANDING GEAR DOWN OVERSPEED								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-06PROC. REF: AMM 05-50-06									
05-50-07-210-801-A	DETAILED INSPECTION -FLAP EXTENDED OVERSPEED								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-07PROC. REF: AMM 05-50-07									
05-50-08-210-801-A	GENERAL VISUAL INSPECTION -CABIN DEPRESSURIZATION								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-08PROC. REF: AMM 05-50-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-09-200-801-A	INSPECTION -BIRD STRIKE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-09PROC. REF: AMM 05-50-09									
05-50-10-200-801-A	INSPECTION -HIGH-ENERGY STOP CONDITION								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-10PROC. REF: AMM 05-50-10									
05-50-11-210-801-A	GENERAL VISUAL INSPECTION -LANDING GEAR FREE FALL CONDITION								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-11PROC. REF: AMM 05-50-11									
05-50-12-210-801-A	GENERAL VISUAL INSPECTION -OVERHEATED WHEELS								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-12PROC. REF: AMM 05-50-12									
05-50-13-210-801-A	GENERAL VISUAL INSPECTION -WHEEL OVERSPEED								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-13PROC. REF: AMM 05-50-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-14-210-801-A	GENERAL VISUAL INSPECTION -TIRE TREAD FAILURE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-14	PROC. REF: AMM 05-50-14								
05-50-15-210-801-A	GENERAL VISUAL INSPECTION -TIRE BURST WITH LANDING GEAR FULLY RETRACTED								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-15	PROC. REF: AMM 05-50-15								
05-50-16-210-801-A	INSPECTION -ON-GROUND GALE EVENTS								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-16	PROC. REF: AMM 05-50-16								
05-50-17-280-801-A	SPECIAL INSPECTION -VOLCANIC ASH								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-17	PROC. REF: AMM 05-50-17								
05-50-18-200-801-A	INSPECTION -MAXIMUM OPERATING SPEED ENVELOPE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-18	PROC. REF: AMM 05-50-18								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-19-200-801-A	INSPECTION -OVERWEIGHT LANDING								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-19PROC. REF: AMM 05-50-19									
05-50-20-200-801-A	INSPECTION -SEVERE TURBULENCE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-20PROC. REF: AMM 05-50-20									
05-50-21-200-801-A	INSPECTION -FLAP ALTITUDE EXCEEDANCE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-21PROC. REF: AMM 05-50-21									
05-50-22-200-801-A	INSPECTION -HAILSTORM								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-22PROC. REF: AMM 05-50-22									
05-50-23-210-801-A	INSPECTION -SHEAR PIN FAILURE OR BRAKE USE DURING TOWING OPERATION								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-23PROC. REF: AMM 05-50-23									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-24-200-801-A	INSPECTION -LOAD FACTOR EXCEEDANCE								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-24PROC. REF: AMM 05-50-24									
05-50-25-200-801-A	INSPECTION - ICE OR SNOW CONDITION								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-25PROC. REF: AMM 05-50-25									
05-50-29-200-801-A	INSPECTION/CHECK FIRE EXTINGUISHING FOAM								Service ATA:05
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-29PROC. REF: AMM 05-50-29									
050004 U	RENEWAL FAA RE-REGISTRATION								Service ATA:05
	MOS	31-Jan-22	36		31-Jan-29 (M)		1300 d		
	HRS								
	AFL								
EW130-001 S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II UNDER THE FLOOR								Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW130-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II UNDER THE FLOOR HARNESSES (W101, W102, W103, W104, W123, W126 AND W127)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW130-003 S		ZONAL RESTORATION(CLEANING) OF CENTER FUSELAGE I AND II UNDER THE FLOOR						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW140-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF KEEL BEAM REGION						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW140-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF KEEL BEAM HARNESSES (W145, W157 AND W158)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW140-003		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD TANK						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW140-004		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD TANK FLEXIBLE CONNECTIONS, JUMPERS, CLAMPS, FLANGES AND FUEL QUANTITY GAUGING HARNESS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW140-005		ZONAL INTERNAL DETAILED INSPECTION OF FORWARD FUEL TANK QUANTITY GAUGING PROBES AND HARNESS CONNECTIONS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 28-41-07PROC. REF: AMM 28-41-07									
EW140-006		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VENTRAL FUEL TANK						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW140-007		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VENTRAL TANK FLEXIBLE CONNECTIONS, JUMPERS, CLAMPS, FLANGES AND FUEL QUANTITY GAUGING HARNESS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW140-008		ZONAL INTERNAL DETAILED INSPECTION OF VENTRAL FUEL QUANTITY GAUGING PROBES AND HARNESS CONNECTIONS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 28-41-08PROC. REF: AMM 28-41-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW190-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING FUSELAGE FAIRING						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW190-003		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING FUSELAGE FAIRING HARNESSES (W131, W132, W145, W155, W156, W157, W158, W160, W161, W501, W503, W601, W603, W711, W712, W721, W722, W143, W149, W154, W166 AND W167)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW200-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II SIDE AND TOP AREAS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW200-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II SIDE AND TOP AREAS HARNESSES (W101, W102, W103, W104, W201 AND W202)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW200-003 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW200-004 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE HARNESS (W001)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW212-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF RAM AIR TURBINE (RAT) COMPARTMENT						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW212-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF THE RAM AIR TURBINE (RAT) COMPARTMENT HARNESSES (W010 AND W011)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW223-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UPPER FLOOR, CONSOLES AND MAIN PANEL						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW223-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UPPER FLOOR HARNESSES (W101, W102, W121, W103, W104 AND W126)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW223-003 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UNDER FLOOR						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW223-004 S		ZONAL RESTORATION (CLEANING) OF COCKPIT UNDER FLOOR						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW223-005 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF UNDER COCKPIT FLOOR HARNESSES (W101, W102, W103, W104, W126 AND W200)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
EW240-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTRAL ELECTRONIC RACK REGION						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW240-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTRAL ELECTRONIC RACK HARNESSES (W101, W102, W103, W104, W125, W126, W135, W201, W202, W231, W232, W235, W240, W241 AND W242)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW240-003 S		ZONAL RESTORATION (CLEANING) OF CENTRAL ELECTRONIC RACK UNDER THE FLOOR						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
EW300-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM PRESSURE BULKHEAD TO FRAME 41						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
EW300-003		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM PRESSURE BULKHEAD TO FRAME 41 HARNESSES (W124, W125, W126, W130, W307, W308, W323, W330, W331, W332, W324, W325, W326, W335, W336, W340, W346, W349, W350, W366, W367, W401, W402, W403 AND W404)						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)		29-Sep-26	14-Oct-26	445 d (+15)		
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
EW310-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE HYDRAULIC BAY						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
EW310-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE HYDRAULIC BAY HARNESSES (W330, W332, W335, W336, W346 AND W347)						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW315-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM FRAME 41 TO AUXILIARY POWER UNIT (APU) FIREWALL, NOT INCLUDING THE HYDRAULIC BAY						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
EW315-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM FRAME 41 TO AUXILIARY POWER UNIT (APU) FIREWALL HARNESSES (W318, W323, W324, W330, W331, W332, W335, W336, W340, W341 AND W346), NOT INCLUDING THE HYDRAULIC BAY						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
EW320-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00									
EW320-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER HARNESSES (W300, W311, W312, W313, W314, W315 AND W316)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00									
EW330-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW330-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER HARNESSES (W300, W301, W302, W311, W312 AND W314)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00									
EW340-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE AND AUXILIARY POWER UNIT (APU)						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
EW400-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF ENGINE AND THRUST REVERSER						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00									
EW400-002 S		INTERNAL GENERAL VISUAL INSPECTION OF PYLON LEADING EDGE AND CENTER AREA						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00									
EW400-003 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF PYLON HARNESSES (W321, W322, W325, W326, W335 AND W336, W401, W402, W403 AND W404)						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW500-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING STUB AND WING TANK						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW500-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FLEXIBLE CONNECTIONS, JUMPERS, CLAMPS, FLANGES AND FUEL QUANTITY GAUGING HARNESS AT WING STUB AND WING MAIN BOX						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW500-003 S		ZONAL INTERNAL DETAILED INSPECTION OF FUEL QUANTITY GAUGING PROBES AND FUEL QUANTITY GAUGING HARNESS CONNECTIONS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04									
EW500-004 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING TRAILING EDGE AND FLIGHT CONTROL SURFACES						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW500-005 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING TRAILING EDGE HARNESSES (W502 AND W602)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW500-006 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING DRY AREA						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW500-007 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING DRY AREA HARNESSES (W503 AND W603)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW510-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING LEADING EDGE						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW510-002 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING LEADING EDGE HARNESSES (W501,W503, W601 AND W603)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
EW710-001 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW710-002 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR BAY HARNESSES (W701 AND W702)							Service ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
EW720-001 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY							Service ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
EW720-002 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR BAY HARNESSES (W145, W155, W156, W711, W712, W721 AND W722)							Service ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
F130-002		INTERNAL GENERAL VISUAL INSPECTION OF ANTI-ICING LINES AROUND THE WING STUB							Service ATA:05
	MOS	29-Sep-21						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F130-003		INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
F130-004	INTERNAL GENERAL VISUAL INSPECTION OF OTHER HARNESSES AND SUPPORTS BETWEEN FLOOR AND WING STUB								Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F500-001	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE FUEL TANK								Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
F500-003	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM IN-TANK HARNESS AND ITS INSTALLATION								Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
F500-005	INTERNAL GENERAL VISUAL INSPECTION OF HYDRAULIC LINES AND SUPPORTS, INSIDE THE FUEL TANK								Service ATA:05
	MOS	29-Sep-21						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
F500-006	INTERNAL GENERAL VISUAL INSPECTION OF HARNESS ROUTED ALONG THE TRAILING EDGE								Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
F500-007		INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES ROUTED INSIDE THE WING DRY AREA							Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
F510-001		INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES ROUTED ALONG THE LEADING EDGE							Service ATA:05
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									
F720-001		INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES AND SUPPORTS IN THE LANDING GEAR BAY							Service ATA:05
	MOS	29-Sep-21	60		29-Sep-26		445 d	FUEL SYSTEM LIMITATION	
	HRS	0	3750		3750		3190.8		
	AFL	0							
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
H130-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF ATTITUDE AND HEADING REFERENCE SYSTEMS (AHRS 1 AND 2) AND RAM AIR TURBINE (RAT) TRANSFORMER RECTIFIER UNIT (TRU) ELECTRICAL BONDING AND INTERFACE CONNECTORS IN THE CENTER FUSELAGE I (GALLEY UNDER THE FLOOR)							Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
H140-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE CENTER FUSELAGE II (TOILET AND LAVATORY UNDER THE FLOOR).							Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H145-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF HARNESS W145 OVERBRAID (KEEL BEAM REGION)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
H220-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF SMART PROBES CONNECTORS BACKSHELL AND ELECTRICAL BONDING BY INTERFACE (UNDER COCKPIT FLOOR)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
H223-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF SMART PROBE CONNECTORS BACKSHELL AND ELECTRICAL BONDING BY INTERFACE (ABOVE COCKPIT FLOOR)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
H240-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE CENTER FUSELAGE II (TOILET AND LAVATORY SIDE AREA)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
H300-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS AND BONDING JUMPERS AT VERTICAL STABILIZER TO REAR FUSELAGE CONNECTION						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H313-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE INTERFACE CONNECTORS (APU FIREWALL AND VERTICAL STABILIZER CONNECTION)						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
H340-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE HARNESSES (W340 AND W341) OVERBRAID						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
H430-001 S		INTERNAL GENERAL VISUAL INSPECTION OF CONNECTORS OF FADEC, GENERATOR, HYDRAULIC PUMP, HIGH PRESSURE SHUTOFF VALVE (HPSOV) AND PRESSURE REGULATOR SHUTOFF VALVE (PRSOV)						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00									
H430-002 S		L/HIRF INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00									
H590-001 S		L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF MULTIFUNCTION SPOILERS POWER CONTROL UNITS (PCUS) BONDING JUMPERS						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H700-001 S		L/HIRF EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
H710-001 S		L/HIRF EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS						Service	ATA:05
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00									
Z200-001 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
Z200-002 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
Z200-003 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF WING TO FUSELAGE FAIRING						Service	ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
Z223-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT CEILING							Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
Z300-001 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE AND TAIL CONE							Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
Z300-002 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF EMPENNAGE							Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00									
Z400-001 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF ENGINE, THRUST REVERSER, PYLON AND ENGINE COWLING							Service ATA:05
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00									
ATA 21 - AIR CONDITIONING									
21-24-03-001 S		DISCARD OF RECIRCULATION FAN HIGH-EFFICIENCY PARTICULATE AIR (HEPA) FILTER							Service ATA:21
	MOS	29-Sep-21						LIFE LIMIT	
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-24-03PROC. REF: AMM 21-24-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
21-25-00-001		OPERATIONAL CHECK OF EMERGENCY RAM AIR VENT DOOR ACTUATION							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	12750 (+37/-37)		12750	12787	12190.8 (+37)		
	AFL	0							
PROC. REF: AMM 21-25-01	PROC. REF: AMM 21-25-01								
21-25-00-002 S		OPERATIONAL CHECK OF EMERGENCY RAM AIR VENT CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	12750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-25-03	PROC. REF: AMM 21-25-03								
21-25-03-901 S		OPERATIONAL CHECK OF THE EMERGENCY RAM-AIR CHECK VALVE							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	12750						
	AFL	0							
PROC. REF: AMM 21-25-03	PROC. REF: AMM 21-25-03								
21-26-03-001 S		OPERATIONAL CHECK OF CENTER E-BAY THERMAL SWITCHES							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-26-03	PROC. REF: AMM 21-26-03								
21-26-04-001 S		OPERATIONAL CHECK OF FORWARD E-BAY THERMAL SWITCHES							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-26-04	PROC. REF: AMM 21-26-04								
21-31-00-001 S		OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-31-00	PROC. REF: AMM 21-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
21-31-00-002 S		OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (DUMP FUNCTION)							Service ATA:21
	MOS	29-Sep-21						CATEGORY 8	
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00									
21-31-00-710-802-A		CABIN PRESSURE CONTROL SYSTEM (CPCS) - OPERATIONAL TEST							Service ATA:21
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00									
21-31-00-901 S		OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	750						
	AFL	0							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00									
21-31-01-001 S		RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)							Service ATA:21
PN:2119286-10	MOS	29-Sep-21						OVERHAUL	
SN:2119286-01722	HRS	0	4500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									
21-31-01-901 S		RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)							Service ATA:21
PN:2119286-10	MOS	29-Sep-21						CMR	
SN:2119286-01722	HRS	0	5000						
	AFL	0							
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									
21-31-02-001 S		RESTORATION REAR (OFV) OUTFLOW VALVE (OVERHAUL)							Service ATA:21
PN:65000022-3	MOS	29-Sep-21						OVERHAUL	
SN:65000022-00234	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-31-02PROC. REF: AMM 21-31-02									
21-31-03-001 S		FUNCTIONAL CHECK OF PRESSURE RELIEF VALVE (PRV)							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-32-01PROC. REF: AMM 21-32-01									
21-31-03-901 S		FUNCTIONAL CHECK OF POSITIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	5000						
	AFL	0							
PROC. REF: AMM 21-32-01PROC. REF: AMM 21-32-01									
21-31-04-001 S		OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE (NPRV)							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-32-02PROC. REF: AMM 21-32-02									
21-31-04-901 S		OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	5000						
	AFL	0							
PROC. REF: AMM 21-32-02PROC. REF: AMM 21-32-02									
21-33-01-001 S		OPERATIONAL CHECK OF CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-33-01PROC. REF: AMM 21-33-01									
21-33-01-901 S		OPERATIONAL CHECK OF EQUALIZATION VALVE							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 21-33-01PROC. REF: AMM 21-33-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
21-41-03-001 S		FUNCTIONAL CHECK OF AFT CARGO COMPARTMENT HEATING SYSTEM							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-41-00PROC. REF: AMM 21-41-00									
21-51-04-001 S		RESTORATION (CLEANING) PACK REHEATER/CONDENSER							Service ATA:21
PN:PN	MOS	29-Sep-21							
SN:UNKNOWN	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-51-04PROC. REF: AMM 21-51-04									
21-51-08-001 S		OPERATIONAL CHECK OF PACK CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 21-51-08PROC. REF: AMM 21-51-08									
21-51-08-901 S		OPERATIONAL CHECK OF PACK CHECK VALVE							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 21-51-08PROC. REF: AMM 21-51-08									
21-51-12-001 S		DISCARD OF SERVICE PRESSURE REGULATOR FILTER							Service ATA:21
	MOS	29-Sep-21						LIFE LIMIT	
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 21-51-12PROC. REF: AMM 21-51-12									
21-51-12-002 S		RESTORATION (CLEANING) OF SERVICE PRESSURE REGULATOR FILTER							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-51-12PROC. REF: AMM 21-51-12									
21-53-00-901		FUNCTIONAL CHECK OF PACK BACKUP LINE FOR LEAKAGE							Service ATA:21
	MOS	29-Sep-21						CMR	
	HRS	0	6000		6000		5440.8		
	AFL	0							
PROC. REF: AMM 21-53-00PROC. REF: AMM 21-53-00									
21-53-01-001 S		RESTORATION REAR ALUMINUM BACKUP PACK HEAT EXCHANGER (CLEANING)							Service ATA:21
PN:381247000	MOS	29-Sep-21							
SN:T0150	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-53-01PROC. REF: AMM 21-53-01									
21-53-03-001 S		OPERATIONAL CHECK OF PACK BACKUP CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-53-03PROC. REF: AMM 21-53-03									
21-61-01-001 S		DETAILED INSPECTION OF COCKPIT ZONE TEMPERATURE SENSOR							Service ATA:21
	MOS	29-Sep-21						CATEGORY 9	
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 21-61-01PROC. REF: AMM 21-61-01									
21-61-05-001 S		OPERATIONAL CHECK OF COCKPIT TRIM CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
21-62-01-001 S		DETAILED INSPECTION OF CABIN ZONE TEMPERATURE SENSOR							Service ATA:21
	MOS	29-Sep-21						CATEGORY 9	
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 21-62-01PROC. REF: AMM 21-62-01									
21-62-05-001 S		OPERATIONAL CHECK OF CABIN TRIM AIR CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03									
21-71-01-001 S		RESTORATION REAR OZONE CONVERTER (CLEANING)							Service ATA:21
PN:67A42300-101	MOS	29-Sep-21							
SN:0216	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 21-71-01PROC. REF: AMM 21-71-01									
210002-0101		LH RACK AIR CONDITIONING PACK A CONTROLLER							Component ATA:21
PN:51090064-6	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:51090064-00453	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-00-03, AMM 21-00-03PROC. REF: AMM 21-00-03, AMM 21-00-03									
210003-0101		AIR CONDITION ENVIRONMENTAL CONTROL UNIT							Component ATA:21
PN:67000074-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:315	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210203-0101		OVERHEAD AIR CONDITION/PNEUMATIC OVERHEAD CONTROL PANEL							Component ATA:21
PN:430200-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:430200AA0233	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-00-02, AMM 21-00-02PROC. REF: AMM 21-00-02, AMM 21-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
212101-0101		REAR PACK INLET VALVE						Component	ATA:21
PN:63396724-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-01, AMM 21-21-01	PROC. REF: AMM 21-21-01, AMM 21-21-01								
212123-0101		REAR DIFFERENTIAL PRESSURE SENSOR						Component	ATA:21
PN:1153442-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153442-00743	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-02, AMM 21-21-02	PROC. REF: AMM 21-21-02, AMM 21-21-02								
212401-0101		REAR CARGO 28 VDC, 25 A RECIRCULATION FAN						Component	ATA:21
PN:AE1115B00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:L009100432	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-24-01, AMM 21-24-01	PROC. REF: AMM 21-24-01, AMM 21-24-01								
212402-0101		REAR ECS SHUTOFF RECIRCULATION VALVE						Component	ATA:21
PN:424335	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0142	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-24-02, AMM 21-24-02	PROC. REF: AMM 21-24-02, AMM 21-24-02								
212403-0101		MID AIR FILTER						Component	ATA:21
PN:P619544	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:KN29740921-0005	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-24-03, AMM 21-24-03	PROC. REF: AMM 21-24-03, AMM 21-24-03								
212502-0101		FUS WING ELECTROMEC ACTUATOR						Component	ATA:21
PN:ACL12B-2	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0251	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
212533-0101	REAR CHECK VALVE							Component	ATA:21
PN:4004-27	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212613-0101	NO.1 ELECTRO VENTILATION FAN WITH CHECK VALVE							Component	ATA:21
PN:SF9202J00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:L008801443	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212613-0102	NO.2 ELECTRO VENTILATION FAN WITH CHECK VALVE							Component	ATA:21
PN:SF9202J00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:L008801449	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212623-0101	NO.1 REAR 28 VDC ELECTRONIC VENTILATION FAN							Component	ATA:21
PN:SF9202H00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:L008701436	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212623-0102	NO.2 REAR 28 VDC ELECTRONIC VENTILATION FAN							Component	ATA:21
PN:SF9202H00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:L008701437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
213013-0101	OVERHEAD PRESSURIZATION, ASSY CONTROL PANEL							Component	ATA:21
PN:430100-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:430100AA0228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-30-01, AMM 21-30-01PROC. REF: AMM 21-30-01, AMM 21-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
213102-0101		REAR (OFV) OUTFLOW VALVE						Component	ATA:21
PN:65000022-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:65000022-00234	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02, AMM 21-31-02		PROC. REF: AMM 21-31-02, AMM 21-31-02							
213113-0101		RH RACK ELECTRONIC CONTROL AND MONITORING UNIT						Component	ATA:21
PN:2119286-10	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2119286-01722	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-01, AMM 21-31-01		PROC. REF: AMM 21-31-01, AMM 21-31-01							
213201-0101		REAR (PRV) PRESSURE RELIEF VALVE						Component	ATA:21
PN:65000024-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:65000024-00325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-32-01, AMM 21-32-01		PROC. REF: AMM 21-32-01, AMM 21-32-01							
213202-0101		LH REAR (NPR) NEGATIVE PRESSURE RELIEF VALVE						Component	ATA:21
PN:65000026-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:34163-0226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-32-02, AMM 21-32-02		PROC. REF: AMM 21-32-02, AMM 21-32-02							
213301-0101		CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE						Component	ATA:21
PN:120-48865-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001094276	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-33-01, AMM 21-33-01		PROC. REF: AMM 21-33-01, AMM 21-33-01							
215104-0101		PACK REHEATER/CONDENSER						Component	ATA:21
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-51-04, AMM 21-51-04		PROC. REF: AMM 21-51-04, AMM 21-51-04							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
215223-0101	REAR ECS SHUTOFF PACK BACKUP VALVE							Component	ATA:21
PN:424375-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0515	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-02, AMM 21-53-02	PROC. REF: AMM 21-53-02, AMM 21-53-02								
215301-0101	REAR ALUMINUM BACKUP PACK HEAT EXCHANGER							Component	ATA:21
PN:381247000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:T0150	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-01, AMM 21-53-01	PROC. REF: AMM 21-53-01, AMM 21-53-01								
215333-0101	REAR CHECK VALVE							Component	ATA:21
PN:4011-24	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-03, AMM 21-53-03	PROC. REF: AMM 21-53-03, AMM 21-53-03								
215333-0102	REAR CHECK VALVE							Component	ATA:21
PN:4024-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0220	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-03, AMM 21-53-03	PROC. REF: AMM 21-53-03, AMM 21-53-03								
216003-0101	NO. 1 AFT CHECK VALVE							Component	ATA:21
PN:4011-30	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0383	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03, AMM 21-60-03	PROC. REF: AMM 21-60-03, AMM 21-60-03								
216003-0102	NO. 2 AFT CHECK VALVE							Component	ATA:21
PN:4011-30	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0386	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03, AMM 21-60-03	PROC. REF: AMM 21-60-03, AMM 21-60-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
216013-0101	REAR TRIM AIR VALVE							Component	ATA:21
PN:63292012-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:63292012-534	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01, AMM 21-60-01PROC. REF: AMM 21-60-01, AMM 21-60-01									
216013-0102	REAR TRIM AIR VALVE							Component	ATA:21
PN:63292012-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:63292012-537	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01, AMM 21-60-01PROC. REF: AMM 21-60-01, AMM 21-60-01									
216202-0101	CARGO CP SENSOR							Component	ATA:21
PN:1153066-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153066-05397	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216301-0101	REAR FUS SENSOR							Component	ATA:21
PN:1153066-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153066-05407	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216301-0102	MID SENSOR							Component	ATA:21
PN:1153066-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153066-05394	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216301-0103	MID SENSOR							Component	ATA:21
PN:1153066-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153066-05398	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
216301-0104		CREW CAB SENSOR							Component ATA:21
PN:1153066-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153066-05413	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216301-0105		MID SENSOR							Component ATA:21
PN:1153066-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1153066-05415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
217113-0101		REAR OZONE CONVERTER							Component ATA:21
PN:67A42300-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0216	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-71-01, AMM 21-71-01PROC. REF: AMM 21-71-01, AMM 21-71-01									
C21-25-00-001		OPERATIONAL CHECK OF EMERGENCY RAM AIR CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	12750		12750		12190.8		
	AFL	0							
PROC. REF: AMM 21-25-03PROC. REF: AMM 21-25-03									
C21-31-00-001		OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00									
C21-31-01-001		RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)							Service ATA:21
PN:2119286-10	MOS	29-Sep-21						OVERHAUL	
SN:2119286-01722	HRS	0	4500		4500		3940.8		
	AFL	0							
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
C21-31-03-001		FUNCTIONAL CHECK OF POSITIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	5000		5000		4440.8		
	AFL	0							
PROC. REF: AMM 21-32-01PROC. REF: AMM 21-32-01									
C21-31-04-001		OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	5000		5000		4440.8		
	AFL	0							
PROC. REF: AMM 21-32-02PROC. REF: AMM 21-32-02									
C21-33-01-001		OPERATIONAL CHECK OF CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 21-33-01PROC. REF: AMM 21-33-01									
C21-51-08-001		OPERATIONAL CHECK OF PACK CHECK VALVE							Service ATA:21
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 21-51-08PROC. REF: AMM 21-51-08									
ATA 22 - AUTO FLIGHT									
221101-0101		AUTOMATIC FLIGHT CONTROL SYSTEM PANEL							Component ATA:22
PN:822-2826-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M00TR	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01PROC. REF: AMM 22-11-01, AMM 22-11-01									
ATA 23 - COMMUNICATIONS									
23-11-03-001 S		FUNCTIONAL CHECK OF HF COUPLER UNIT							Service ATA:23
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
	AFL	324							
									PKG:12
PROC. REF: AMM 23-11-03PROC. REF: AMM 23-11-03									
23-15-05-001		DISCARD OF SATELLITE TELEPHONE SYSTEM BATTERIES							Service ATA:23
	MOS	18-Feb-25	48 (+15d/-15d)		18-Feb-29	05-Mar-29	1318 d (+15)	LIFE LIMIT	
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 23-15-05PROC. REF: AMM 23-15-05									
23-51-01-001 S		OPERATIONAL CHECK OF COMMUNICATION AUDIO SYSTEM THROUGH THE OXYGEN MASK MICROPHONE							Service ATA:23
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00									
23-51-01-002 S		OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION							Service ATA:23
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00									
23-51-01-902 S		OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION							Service ATA:23
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00									
23-61-01-001 S		FUNCTIONAL CHECK OF STATIC DISCHARGERS RESISTANCE INSULATION VALUE							Service ATA:23
	MOS	01-May-25	60 (+15d/-15d)						
	HRS	529.2							
	AFL	355							
									PKG:40
PROC. REF: AMM 23-61-00PROC. REF: AMM 23-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
23-71-00-001 S		OPERATIONAL CHECK OF AUDIO RECORD FROM AUDIO CONTROL PANELS (ACPS) AND AREA MICROPHONE						Service	ATA:23
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 23-71-00PROC. REF: AMM 23-71-00									
23-71-05-001		DISCARD CVR (ULB) UNDERWATER LOCATOR BEACON BATTERY						Service	ATA:23
PN:266-E5542-00	MOS/MSC		DUE		01-Apr-27 (M)		629 d	LIFE LIMIT	
SN:ULB037385	HRS								
	AFL								
PROC. REF: AMM 23-71-05PROC. REF: AMM 23-71-05									
231101-0101		NO.1 HF TRANSCEIVER						Component	ATA:23
PN:822-0101-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M5980	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01, AMM 23-11-01PROC. REF: AMM 23-11-01, AMM 23-11-01									
231101-0102		NO.2 HF TRANSCEIVER						Component	ATA:23
PN:822-0101-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4P2D00	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01, AMM 23-11-01PROC. REF: AMM 23-11-01, AMM 23-11-01									
231103-0101		REAR HF ANTENNA COUPLER						Component	ATA:23
PN:685-0350-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:17790	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03, AMM 23-11-03PROC. REF: AMM 23-11-03, AMM 23-11-03									
231103-0102		REAR HF ANTENNA COUPLER						Component	ATA:23
PN:685-0350-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:17791	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03, AMM 23-11-03PROC. REF: AMM 23-11-03, AMM 23-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
231201-0101	C FLOOR VHF COMM DATA TRANSCEIVER							Component	ATA:23
PN:822-1468-390	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:78K1D	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01, AMM 23-12-01	PROC. REF: AMM 23-12-01, AMM 23-12-01								
231202-0101	VHF ANTENNA							Component	ATA:23
PN:S65-8280-41	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:322-7027	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02	PROC. REF: AMM 23-12-02, AMM 23-12-02								
231202-0102	VHF ANTENNA							Component	ATA:23
PN:S65-8280-41	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:322-7022	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02	PROC. REF: AMM 23-12-02, AMM 23-12-02								
231202-0103	VHF ANTENNA							Component	ATA:23
PN:S65-8280-41	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:322-7023	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02	PROC. REF: AMM 23-12-02, AMM 23-12-02								
231213-0101	C FLOOR VHF COMM TRANSCEIVER							Component	ATA:23
PN:822-1468-110	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:78K2T	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01, AMM 23-12-01	PROC. REF: AMM 23-12-01, AMM 23-12-01								
231213-0102	RH RACK VHF COMM TRANSCEIVER							Component	ATA:23
PN:822-1468-110	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:78K1R	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01, AMM 23-12-01	PROC. REF: AMM 23-12-01, AMM 23-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
231501-0101	RH RACK ICS MANAGEMENT BOARD TELEPHONE UNIT							Component	ATA:23
PN:710617-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M3FG3	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
231502-0101	IRIDIUM ANTENNA							Component	ATA:23
PN:AT1621-23	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:8482	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-02, AMM 23-15-02PROC. REF: AMM 23-15-02, AMM 23-15-02									
231504-0101	PAX CAB NO. 1 BASE STATION - CORDLESS HANDSET							Component	ATA:23
PN:962101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:S00433	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-05, AMM 23-15-05PROC. REF: AMM 23-15-05, AMM 23-15-05									
231504-0102	PAX CAB NO. 2 BASE STATION - CORDLESS HANDSET							Component	ATA:23
PN:962101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:S00441	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-05, AMM 23-15-05PROC. REF: AMM 23-15-05, AMM 23-15-05									
235101-0101	PILOT AUDIO CONTROL PANEL							Component	ATA:23
PN:822-2928-100	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M9PTR	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01									
235101-0102	CO-PILOT AUDIO CONTROL PANEL							Component	ATA:23
PN:822-2928-100	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M9PTT	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
235104-0101		LH CSL COCKPIT AUDIO JACKS PANEL ASSY						Component	ATA:23
PN:433100-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:433100AA0436	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235104-0102		RH CSL COCKPIT AUDIO JACKS PANEL ASSY						Component	ATA:23
PN:433100-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:433100AA0444	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235105-0101		COCKPIT ELECTRODYNAMIC MICROPHONE						Component	ATA:23
PN:85-03-12369-04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:579326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235105-0102		COCKPIT ELECTRODYNAMIC MICROPHONE						Component	ATA:23
PN:85-03-12369-04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:579330	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235107-0101		LH CSL COCKPIT HEADSET PANEL ASSY						Component	ATA:23
PN:433200-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:433200AA0424	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07									
235107-0102		RH CSL COCKPIT HEADSET PANEL ASSY						Component	ATA:23
PN:433200-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:433200AA0430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-07, AMM 23-51-07PROC. REF: AMM 23-51-07, AMM 23-51-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
235301-0101	C FLOOR RADIO INTERFACE (DATA LINK/SELCAL) UNIT							Component	ATA:23
PN:822-1863-637	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4L0F4L	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-53-01, AMM 23-53-01	PROC. REF: AMM 23-53-01, AMM 23-53-01								
235301-0102	RH RACK RADIO INTERFACE (WITH SELCAL) UNIT							Component	ATA:23
PN:822-1864-237	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4L0G7G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-53-01, AMM 23-53-01	PROC. REF: AMM 23-53-01, AMM 23-53-01								
237101-0101	COCKPIT VOICE RECORDER							Component	ATA:23
PN:5013-5001-50	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:002043746	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-01, AMM 23-71-01	PROC. REF: AMM 23-71-01, AMM 23-71-01								
237103-0101	CVR (ULB) UNDERWATER LOCATOR BEACON							Component	ATA:23
PN:266-E5542-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:ULB037385	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-03, AMM 23-71-03	PROC. REF: AMM 23-71-03, AMM 23-71-03								
237104-0101	SSC VOICE RECORDER MICROPHONE							Component	ATA:23
PN:S056-0051-00	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:002006767	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-03, AMM 23-71-03	PROC. REF: AMM 23-71-03, AMM 23-71-03								
237143-0101	REAR FUS BATTERY L INDEPENDENT POWER SUPPLY							Component	ATA:23
PN:500-4030-000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:002037564	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-04, AMM 23-71-04	PROC. REF: AMM 23-71-04, AMM 23-71-04								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
C23-51-01-001		OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION							Service ATA:23
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 23-51-00, AMM 23-51-00PROC. REF: AMM 23-51-00, AMM 23-51-00									
ATA 24 - ELECTRICAL POWER									
24-10-01-001 S		OPERATIONAL CHECK OF MAIN GENERATION SWITCH							Service ATA:24
	MOS	29-Sep-21							
	HRS	0	2250 (+37/-37)						
	AFL	0							
									PKG:10
PROC. REF: AMM 24-10-01PROC. REF: AMM 24-10-01									
24-10-01-002 S		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) GENERATION SWITCH							Service ATA:24
	MOS	29-Sep-21							
	HRS	0	2250 (+37/-37)						
	AFL	0							
									PKG:10
PROC. REF: AMM 24-10-01PROC. REF: AMM 24-10-01									
24-10-01-003 S		OPERATIONAL CHECK OF BUS TIE SWITCHING CIRCUIT							Service ATA:24
	MOS	29-Sep-21							
	HRS	0	2250 (+37/-37)						
	AFL	0							
									PKG:10
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00									
24-10-01-004 S		OPERATIONAL CHECK OF ELECTRICAL EMERGENCY SWITCHING CIRCUIT							Service ATA:24
	MOS	29-Sep-21							
	HRS	0	2250 (+37/-37)						
	AFL	0							
									PKG:10
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
24-23-00-901 S		OPERATIONAL CHECK OF RAM-AIR-TURBINE (RAT) - MANUAL DEPLOYMENT							Service ATA:24
	MOS	18-Feb-25						CMR	
	HRS	449.8	1500						
	AFL	324							
PROC. REF: AMM 24-23-00	PROC. REF: AMM 24-23-00								
24-23-00-902 S		FUNCTIONAL CHECK OF RAM-AIR-TURBINE (RAT) GENERATOR							Service ATA:24
	MOS	18-Feb-25						CMR	
	HRS	449.8	1500						
	AFL	324							
PROC. REF: AMM 24-23-00	PROC. REF: AMM 24-23-00								
24-23-01-001 S		FUNCTIONAL CHECK OF RAM AIR TURBINE (RAT) SYSTEM							Service ATA:24
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 24-23-00	PROC. REF: AMM 24-23-00								
24-23-01-002 S		LUBRICATION OF RAM AIR TURBINE (RAT) ASSEMBLY							Service ATA:24
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 24-23-01	PROC. REF: AMM 24-23-01								
24-23-05-001 S		OPERATIONAL CHECK OF RAM AIR TURBINE (RAT) MANUAL DEPLOYMENT							Service ATA:24
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 24-23-00	PROC. REF: AMM 24-23-00								
24-31-01-001		RESTORATION (OVERHAUL) OF THE LH ENGINE MAIN GENERATOR							Service ATA:24
PN:94982-5	MOS	29-Sep-21						OVERHAUL	
SN:1364	HRS	0	3750		3750		3190.8		
	AFL	0							
PROC. REF: AMM 24-31-01, AMM 24-32-01	PROC. REF: AMM 24-31-01, AMM 24-32-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
24-31-01-001		RESTORATION (OVERHAUL) OF THE RH ENGINE MAIN GENERATOR							Service ATA:24
PN:94982-5	MOS	29-Sep-21						OVERHAUL	
SN:1365	HRS	0	3750		3750		3190.8		
	AFL	0							
PROC. REF: AMM 24-31-01, AMM 24-32-01PROC. REF: AMM 24-31-01, AMM 24-32-01									
24-31-10-001 S		FUNCTIONAL CHECK OF MAIN GENERATOR SURGE SUPPRESSOR							Service ATA:24
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 24-31-10PROC. REF: AMM 24-31-10									
24-32-01-002 S		GENERAL VISUAL INSPECTION OF TRANSFORMER RECTIFIER UNIT (TRU) AIR INLET							Service ATA:24
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 24-32-01PROC. REF: AMM 24-32-01									
24-34-01-001		RESTORATION APU DC ELECTRIC GENERATOR (OVERHAUL)							Service ATA:24
PN:95034-4	MOS	29-Sep-21						OVERHAUL	
SN:1187	HRS	0							
	AFL	0							
	APH	0	3750		3750		3314		
PROC. REF: AMM 24-34-01PROC. REF: AMM 24-34-01									
24-36-01-002		FUNCTIONAL CHECK OF THE NO. 1 MAIN BATTERY							Service ATA:24
PN:416470	MOS	18-Feb-25	12		18-Feb-26		222 d		
SN:202203841	HRS	449.8	750		1199.8		640.6		
	AFL	324							
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01									
24-36-01-002		FUNCTIONAL CHECK OF THE NO. 2 MAIN BATTERY							Service ATA:24
PN:416470	MOS	18-Feb-25	12		18-Feb-26		222 d		
SN:202203848	HRS	449.8	750		1199.8		640.6		
	AFL	324							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01									
24-60-00-901		OPERATIONAL CHECK OF ELECTRICAL LOAD SHED (MANUAL AND AUTOMATIC)							Service ATA:24
	MOS	29-Sep-21						CMR	
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 24-60-00PROC. REF: AMM 24-60-00									
24-61-22-001 S		FUNCTIONAL CHECK OF LPDC SURGE SUPPRESSOR							Service ATA:24
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 24-61-22PROC. REF: AMM 24-61-22									
24-61-42-001 S		FUNCTIONAL CHECK OF BOTH RPDC SURGE SUPPRESSORS							Service ATA:24
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 24-61-42PROC. REF: AMM 24-61-42									
24-61-72-001 S		OPERATIONAL CHECK OF EMERGENCY TIE CONTACTOR (ETC)							Service ATA:24
	MOS	29-Sep-21							
	HRS	0	2250 (+37/-37)						
	AFL	0							
									PKG:10
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00									
241013-0101		OVERHEAD ELECTRICAL SYSTEM CONTROL PANEL							Component ATA:24
PN:430300-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:430300AA0235	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-10-01, AMM 24-10-01PROC. REF: AMM 24-10-01, AMM 24-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
242203-0101	RH FWD AIR DRIVEN GENERATOR ACTUATOR							Component	ATA:24
PN:1722007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
242301-0101	RH FWD AIR DRIVEN GENERATOR							Component	ATA:24
PN:1714291	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
242305-0101	RH FWD AIR DRIVEN GENERATOR UPLOCK							Component	ATA:24
PN:1714297	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0224	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
242307-0101	CREW CAB MANUAL CABLE RELEASE ASSY							Component	ATA:24
PN:5915561	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0245	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-23-07, AMM 24-23-07PROC. REF: AMM 24-23-07, AMM 24-23-07									
242309-0101	CREW CAB AIR DRIVEN GENRATOR CONTROL UNIT							Component	ATA:24
PN:1714293	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-23-09, AMM 24-23-09PROC. REF: AMM 24-23-09, AMM 24-23-09									
242309-0102	RH RACK DIGITAL GENERATOR CONTROL UNIT							Component	ATA:24
PN:95043-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2235	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-03, AMM 24-31-03PROC. REF: AMM 24-31-03, AMM 24-31-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
242309-0103	LH RACK DIGITAL GENERATOR CONTROL UNIT							Component	ATA:24
PN:95043-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2229	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-03, AMM 24-31-03	PROC. REF: AMM 24-31-03, AMM 24-31-03								
242311-0101	RH FWD AIR DRIVEN GENERATOR RESTOW PUMP							Component	ATA:24
PN:5915560	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:C0222	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-23-11, AMM 24-23-11	PROC. REF: AMM 24-23-11, AMM 24-23-11								
242403-0101	LH REAR INVERTER STATIC ASSY							Component	ATA:24
PN:SS120(E)	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:210	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-24-03, AMM 24-24-03	PROC. REF: AMM 24-24-03, AMM 24-24-03								
243103-0101	RH RACK DIGITAL GENERATOR CONTROL UNIT							Component	ATA:24
PN:95043-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2238	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-03, AMM 24-31-03	PROC. REF: AMM 24-31-03, AMM 24-31-03								
243113-0101	LH ENG DC ELECTRIC GENERATOR							Component	ATA:24
PN:94982-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1364	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01	PROC. REF: AMM 24-31-01, AMM 24-31-01								
243113-0102	RH ENG DC ELECTRIC GENERATOR							Component	ATA:24
PN:94982-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1365	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01	PROC. REF: AMM 24-31-01, AMM 24-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
243213-0101	CENT FUS TRANSFORMER RECTIFIER UNIT							Component	ATA:24
PN:5915825	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1542	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-32-01, AMM 24-32-01	PROC. REF: AMM 24-32-01, AMM 24-32-01								
243401-0101	APU DC ELECTRIC GENERATOR							Component	ATA:24
PN:95034-4	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1187	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-34-01, AMM 24-34-01	PROC. REF: AMM 24-34-01, AMM 24-34-01								
243401-0301	TAIL CONE - APU GENERATOR QAD							Component	ATA:24
PN:95473-1	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1537	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-34-01, AMM 24-34-01	PROC. REF: AMM 24-34-01, AMM 24-34-01								
243611-0101	NO. 1 40AH NICAD BATTERY							Component	ATA:24
PN:416470	MOS/MSC	20-Oct-22	O/C	TSN 1					
SN:202203841	HRS	178.1		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF								
243611-0102	NO. 2 40AH NICAD BATTERY							Component	ATA:24
PN:416470	MOS/MSC	20-Oct-22	O/C	TSN 1					
SN:202203848	HRS	178.1		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF								
246110-0101	LH RACK LEFT POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:129GC04Y06	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00231	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246120-0101	REAR FUS HALL EFFECT - GENERATOR SENSOR							Component	ATA:24
PN:126GC04Y02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:126GC04-1392	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-20, AMM 24-61-20PROC. REF: AMM 24-61-20, AMM 24-61-20									
246120-0102	REAR FUS HALL EFFECT - GENERATOR SENSOR							Component	ATA:24
PN:126GC04Y02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:126GC04-1398	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-20, AMM 24-61-20PROC. REF: AMM 24-61-20, AMM 24-61-20									
246120-0103	REAR FUS HALL EFFECT - GENERATOR SENSOR							Component	ATA:24
PN:126GC04Y02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:126GC04-1390	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-20, AMM 24-61-20PROC. REF: AMM 24-61-20, AMM 24-61-20									
246130-0101	RH RACK RIGHT POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:130GC04Y04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00247	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
246150-0101	CENT FUS EMERGENCY POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:137GC04Y05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-50, AMM 24-61-50PROC. REF: AMM 24-61-50, AMM 24-61-50									
246170-0101	REAR FUS EMERGENCY POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:128GC04Y04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00234	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-70, AMM 24-61-70PROC. REF: AMM 24-61-70, AMM 24-61-70									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246202-0101	C FLOOR POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:131GC04Y01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00878	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
246202-0102	C FLOOR POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:131GC04Y01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00882	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
246202-0103	RH RACK POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:131GC04Y01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00876	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
246202-0104	LH RACK POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:131GC04Y01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00877	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
246203-0101	C FLOOR CPS POWER SUPPLY BOARD							Component	ATA:24
PN:130CE06Y05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:730923IN01139	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03									
246203-0102	C FLOOR CPS POWER SUPPLY BOARD							Component	ATA:24
PN:130CE06Y05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:730923IN01141	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246203-0103	LH RACK CPS POWER SUPPLY BOARD							Component	ATA:24
PN:130CE06Y05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:730923IN01137	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03									
246203-0104	RH RACK CPS POWER SUPPLY BOARD							Component	ATA:24
PN:130CE06Y05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:730923IN01138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03PROC. REF: AMM 24-62-03, AMM 24-62-03									
246205-0101	C FLOOR BPS POWER SUPPLY BOARD							Component	ATA:24
PN:120CE06Y04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:01093	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05									
246205-0102	C FLOOR BPS POWER SUPPLY BOARD							Component	ATA:24
PN:120CE06Y04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:01097	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05									
246205-0103	LH RACK BPS POWER SUPPLY BOARD							Component	ATA:24
PN:120CE06Y04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:01107	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05									
246205-0104	RH RACK BPS POWER SUPPLY BOARD							Component	ATA:24
PN:120CE06Y04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:01090	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05PROC. REF: AMM 24-62-05, AMM 24-62-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246207-0101	EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	16-Jan-23	O/C						
SN:10654	HRS	194.4							
	AFL	133							
PROC. REF: AMM 24-62-07, AMM 24-62-07	PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0102	EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	16-Jan-23	O/C	TSN 23					
SN:10418	HRS	194.4		TSN 194.4					
	AFL	133		TSN 133					
PROC. REF: AMM 24-62-07, AMM 24-62-07	PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0103	EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10443	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07	PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0104	EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10448	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07	PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0105	EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10473	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07	PROC. REF: AMM 24-62-07, AMM 24-62-07								
246207-0106	EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10493	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07	PROC. REF: AMM 24-62-07, AMM 24-62-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246207-0107	LH RACK EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10405	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0108	RH RACK EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10408	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0109	RH RACK EMB1 POWER CONTROLLER BOARD							Component	ATA:24
PN:110CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10461	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0201	EMB2 POWER CONTROLLER BOARD							Component	ATA:24
PN:111CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0202	EMB2 POWER CONTROLLER BOARD							Component	ATA:24
PN:111CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10356	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0203	RH RACK EMB2 POWER CONTROLLER BOARD							Component	ATA:24
PN:111CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10276	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246207-0204	RH RACK EMB2 POWER CONTROLLER BOARD							Component	ATA:24
PN:111CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10327	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0205	LH RACK EMB2 POWER CONTROLLER BOARD							Component	ATA:24
PN:111CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10274	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0206	LH RACK EMB2 POWER CONTROLLER BOARD							Component	ATA:24
PN:111CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10398	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0301	C FLOOR EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10516	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0302	C FLOOR EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10556	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0303	C FLOOR EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10574	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246207-0304	C FLOOR EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10618	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0305	LH RACK EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10499	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0306	RH RACK EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10555	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0307	LH RACK EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10597	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0308	RH RACK EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10558	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0309	LH RACK EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10603	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
246207-0310	RH RACK EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10610	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0311	C FLOOR EMB3 POWER CONTROLLER BOARD							Component	ATA:24
PN:112CE06Y11	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10620	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07PROC. REF: AMM 24-62-07, AMM 24-62-07									
246293-0101	RH RACK 28VDC DISPLAY UNIT							Component	ATA:24
PN:154TS11ABY04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00480	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-09, AMM 24-62-09PROC. REF: AMM 24-62-09, AMM 24-62-09									
246293-0102	CREW CAB 28VDC DISPLAY UNIT							Component	ATA:24
PN:154TS11ABY04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00475	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
246401-0101	LEFT CIRCUIT BREAKER PANEL ASSY							Component	ATA:24
PN:EB500800-811	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-11-5	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-64-01, AMM 24-64-01PROC. REF: AMM 24-64-01, AMM 24-64-01									
246402-0101	RIGHT CIRCUIT BREAKER PANEL ASSY							Component	ATA:24
PN:EB500800-812	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:223676-2-8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-64-02, AMM 24-64-02PROC. REF: AMM 24-64-02, AMM 24-64-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
57-10-03-901	WING STUB REAR BOX UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE AND FASTENERS (BY THE CABIN SIDE)								Service ATA:24
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
C24-23-01-001	FUNCTIONAL CHECK OF RAM AIR TURBINE (RAT) GENERATOR								Service ATA:24
	MOS	18-Feb-25	24		18-Feb-27		587 d		
	HRS	449.8	1500		1949.8		1390.6		
	AFL	324							
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00									
C24-23-05-001	OPERATIONAL CHECK OF RAM AIR TURBINE (RAT) - MANUAL DEPLOYMENT								Service ATA:24
	MOS	18-Feb-25	24		18-Feb-27		587 d		
	HRS	449.8	1500		1949.8		1390.6		
	AFL	324							
PROC. REF: AMM 24-23-00PROC. REF: AMM 24-23-00									
F190-001	INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSES AND SUPPORTS COVERED BY WING-TO-FUSELAGE FAIRING								Service ATA:24
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 24-05-01PROC. REF: AMM 24-05-01									
F190-002	INTERNAL GENERAL VISUAL INSPECTION OF OTHER HARNESSES AND SUPPORTS COVERED BY WING-TO-FUSELAGE FAIRING								Service ATA:24
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 24-05-01PROC. REF: AMM 24-05-01									
F190-004	INTERNAL GENERAL VISUAL INSPECTION OF BRAKE SYSTEM HARNESSES BELOW THE WING STUB								Service ATA:24
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty

ATA 24 - ELECTRICAL POWER

PROC. REF: AMM 24-05-01PROC. REF: AMM 24-05-01

ATA 25 - EQUIPMENT/FURNISHINGS

25-11-01-001 S		DETAILED INSPECTION OF COCKPIT SEATS ATTACHMENT						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15

PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01

25-11-01-002 S		DETAILED INSPECTION OF COCKPIT SEAT BELTS						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15

PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01

25-11-01-003 S		OPERATIONAL CHECK OF COCKPIT SEATS INERTIAL REEL AND BUCKLE						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15

PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01

25-11-01-004 S		OPERATIONAL CHECK OF COCKPIT SEATS BACKREST AND VERTICAL MOVEMENT						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15

PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01

25-11-02-001 S		DETAILED INSPECTION OF OBSERVER SEAT ATTACHMENT						Service	ATA:25
PN:PN	MOS	29-Sep-21							
SN:UNKNOWN	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15

PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-02-002 S		DETAILED INSPECTION OF OBSERVER SEAT SEAT BELT							Service ATA:25
PN:PN	MOS	29-Sep-21							
SN:UNKNOWN	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02									
25-11-02-003 S		OPERATIONAL CHECK OF OBSERVER SEAT INERTIAL REEL AND BUCKLE							Service ATA:25
PN:PN	MOS	29-Sep-21							
SN:UNKNOWN	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02									
25-11-02-004 S		OPERATIONAL CHECK OF OBSERVER SEAT							Service ATA:25
PN:PN	MOS	29-Sep-21							
SN:UNKNOWN	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-11-02PROC. REF: AMM 25-11-02									
25-21-01-001 S		OPERATIONAL CHECK OF PASSENGER SEATS							Service ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01									
25-21-01-002 S		DETAILED INSPECTION OF PASSENGER SEATS ATTACHMENT							Service ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01-003 S		OPERATIONAL CHECK OF PASSENGER SEATS INERTIAL REEL AND BUCKLE						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01									
25-21-01-004 S		DETAILED INSPECTION OF PASSENGER SEAT BELTS						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01									
25-21-02-001 S		DETAILED INSPECTION OF DIVAN ATTACHMENT						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02									
25-21-02-002 S		OPERATIONAL CHECK OF DIVAN INERTIAL REEL AND BUCKLE						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02									
25-21-02-003 S		DETAILED INSPECTION OF DIVAN BELTS						Service	ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-02-004 S		DETAILED INSPECTION OF DIVAN SLEEPER BELT							Service ATA:25
	MOS	29-Sep-21						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02									
25-21-03-002 S		DETAILED INSPECTION OF SIDE FACING SEAT ATTACHMENT							Service ATA:25
	MOS	29-Sep-21						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-03PROC. REF: AMM 25-21-03									
25-21-03-003 S		DETAILED INSPECTION OF SIDE FACING SEAT BELT							Service ATA:25
	MOS	29-Sep-21						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-21-03PROC. REF: AMM 25-21-03									
25-21-04-002		DETAILED INSPECTION OF NO. 1 DIVAN CENTER SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	18-Feb-25	48		18-Feb-29		1318 d	CATEGORY 8	
SN:UNKNOWN	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-002		DETAILED INSPECTION OF NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	18-Feb-25	48		18-Feb-29		1318 d	CATEGORY 8	
SN:UNKNOWN	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-003		FUNCTIONAL CHECK OF NO. 1 DIVAN CENTER SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	18-Feb-25	48		18-Feb-29		1318 d	CATEGORY 8	
SN:UNKNOWN	HRS	449.8							
	AFL	324							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-003		FUNCTIONAL CHECK OF NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	18-Feb-25	48		18-Feb-29		1318 d	CATEGORY 8	
SN:UNKNOWN	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-004		DISCARD OF THE AIRBAG INFLATOR GAS CYLINDER - NO. 1 DIVAN CENTER SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	04-May-21	120		04-May-31		2123 d	LIFE LIMIT	
SN:UNKNOWN	HRS	0							
	AFL	0							
			Manufacture Date:: 04-May-21						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-004		DISCARD OF THE AIRBAG INFLATOR GAS CYLINDER - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:510184-401	MOS	01-Oct-20	120		01-Oct-30		1908 d	LIFE LIMIT	
SN:AS2A5TEYAHT	HRS								
	AFL								
			Manufacture Date:: 01-Oct-20						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-005		RESTORATION (REPAIR) OF THE NO. 1 DIVAN CENTER SEAT BELT AIRBAG SYSTEM ELECTRONIC MODULE ASSEMBLY (EMA)							Service ATA:25
PN:PN	MOS	29-Sep-21	84		29-Sep-28		1176 d	RESTORE	
SN:UNKNOWN	HRS	0							
	AFL	0							
			Manufacture Date:: 29-Sep-21						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									
25-21-04-005		RESTORATION (REPAIR) OF THE NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM ELECTRONIC MODULE ASSEMBLY (EMA)							Service ATA:25
PN:508358-415	MOS	01-Jan-21	84		01-Jan-28		904 d	RESTORE	
SN:A20JAN21-18	HRS								
	AFL								
			Manufacture Date:: 01-Jan-21						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-05-004		DISCARD OF THE NO. 1 PASSENGER-SEAT LAP BELT INFLATOR GAS CYLINDER						Service	ATA:25
PN:PN	MOS/MSC	04-May-21	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-21-05	PROC. REF: AMM 25-21-05								
25-21-05-004		DISCARD OF THE NO. 2 PASSENGER-SEAT LAP BELT INFLATOR GAS CYLINDER						Service	ATA:25
PN:PN	MOS/MSC	04-May-21	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-21-05	PROC. REF: AMM 25-21-05								
25-21-05-005		RESTORATION (REPAIR)OF THE NO. 1 PASSENGER-SEAT LAP BELT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY						Service	ATA:25
PN:PN	MOS/MSC	04-May-21	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-21-05, AMM 25-21-05	PROC. REF: AMM 25-21-05, AMM 25-21-05								
25-21-05-005		RESTORATION (REPAIR)OF THE NO. 2 PASSENGER-SEAT LAP BELT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY						Service	ATA:25
PN:PN	MOS/MSC	04-May-21	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-21-05, AMM 25-21-05	PROC. REF: AMM 25-21-05, AMM 25-21-05								
25-21-06-001		DETAILED INSPECTION OF NO. 1 DIVAN LEG RESTRAINT AIRBAG ASSEMBLY						Service	ATA:25
PN:PN	MOS	18-Feb-25	48		18-Feb-29		1318 d		
SN:UNKNOWN	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-21-06	PROC. REF: AMM 25-21-06								
25-21-06-003		FUNCTIONAL CHECK OF NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM						Service	ATA:25
PN:PN	MOS	18-Feb-25	48		18-Feb-29		1318 d		
SN:UNKNOWN	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-21-06	PROC. REF: AMM 25-21-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-06-004		DISCARD OF THE AIRBAG INFLATOR GAS CYLINDER - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	04-May-21	120		04-May-31		2123 d	LIFE LIMIT	
SN:UNKNOWN	HRS	0							
	AFL	0							
			Manufacture Date:: 04-May-21						
PROC. REF: AMM 25-21-06PROC. REF: AMM 25-21-06									
25-21-06-005		RESTORATION (REPAIR) OF THE NO. NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM ELECTRONIC MODULE ASSEMBLY (EMA)							Service ATA:25
PN:PN	MOS	04-May-21	84		04-May-28		1028 d	RESTORE	
SN:UNKNOWN	HRS	0							
	AFL	0							
			Manufacture Date:: 04-May-21						
PROC. REF: AMM 25-21-06, AMM 25-21-06PROC. REF: AMM 25-21-06, AMM 25-21-06									
25-42-00-001 S		DETAILED INSPECTION OF TOILET SEAT BELT							Service ATA:25
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 25-42-02PROC. REF: AMM 25-42-02									
25-42-03-005		RESTORATION (REPAIR) OF THE TOILET SEAT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA (ELECTRONIC MODULEASSEMBLY) INTERNAL BATTERY							Service ATA:25
PN:508358-415	MOS	01-Nov-20	84		01-Nov-27		843 d	RESTORE	
SN:A11NOV20-8	HRS								
	AFL								
			Manufacture Date:: 01-Nov-20						
PROC. REF: AMM 25-42-03, AMM 25-42-03PROC. REF: AMM 25-42-03, AMM 25-42-03									
25-61-00-001		OPERATIONAL CHECK OF EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM							Service ATA:25
	MOS	18-Feb-25	12		18-Feb-26		222 d		
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-61-00-002		GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER (ELT)							Service ATA:25
	MOS	18-Feb-25	12		18-Feb-26		222 d		
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00									
25-61-04-001		DISCARD EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Service ATA:25
PN:S1820506-01E	MOS/MSC		DUE		01-Sep-26 (M)		417 d	LIFE LIMIT	
SN:447995	HRS								
	AFL								
PROC. REF: AMM 25-61-04PROC. REF: AMM 25-61-04									
25-61-05-001		RESTORATION OF ELT/NAV (INTERNAL MEMORY)							Service ATA:25
PN:S1825502-02	MOS	01-Feb-20	120		01-Feb-30		1666 d	CATEGORY 8	
SN:TM0000175981	HRS	0	16000		16000		15440.8		
	AFL								
PROC. REF: AMM 25-61-08PROC. REF: AMM 25-61-08									
25-62-01-001		GENERAL VISUAL INSPECTION OF FIRST AID KIT							Service ATA:25
PN:501268	MOS/MSC	18-Feb-25	DUE		28-Feb-26 (M)		232 d		
SN:091621004	HRS	449.8							
	AFL	324							
			Expiry Date: : 28-Feb-26						
PROC. REF: AMM 25-62-01PROC. REF: AMM 25-62-01									
25-62-02-001		RESTORATION (OVERHAUL) CO-PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	01-Jan-20	120		01-Jan-30		1635 d	OVERHAUL	
SN:L5144246	HRS								
	AFL								
			OverHaul Date:: 01-Jan-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	01-Oct-20	120		01-Oct-30		1908 d	OVERHAUL	
SN:L5144253	HRS								
	AFL								
			OverHaul Date:: 01-Oct-20						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-002		RESTORATION (OVERHAUL) CO-PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS/MSC		N/A						
SN:L5144246	HRS								
	AFL								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-002		RESTORATION (OVERHAUL) NO. 7 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:RSS-301	MOS	01-Feb-21	60		01-Feb-26		205 d	OVERHAUL	
SN:2335569	HRS								
	AFL								
			Restoration Date:: 01-Feb-21						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-002		RESTORATION (OVERHAUL) PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS/MSC		N/A						
SN:L5144253	HRS								
	AFL								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-003		RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS	01-Feb-21	120		01-Feb-31		2031 d	OVERHAUL	
SN:2335674	HRS								
	AFL								
			Restoration Date:: 01-Feb-21						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-003		RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS	01-Feb-21	120		01-Feb-31		2031 d	OVERHAUL	
SN:2335697	HRS								
	AFL								
			OverHaul Date:: 01-Feb-21						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-003		RESTORATION (OVERHAUL) DIVAN NO. 3 LIFE VEST							Service ATA:25
PN:RSS-301P	MOS	01-Feb-21	120		01-Feb-31		2031 d	OVERHAUL	
SN:2335679	HRS								
	AFL								
			Restoration Date:: 01-Feb-21						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-004		RESTORATION (OVERHAUL) OF SIDE FACING SEAT LIFE VEST							Service ATA:25
PN:RSS-301P	MOS	01-Feb-21	120		01-Feb-31		2031 d	CATEGORY 8	
SN:2335706	HRS								
	AFL								
			OverHaul Date:: 01-Feb-21						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-005		RESTORATION (OVERHAUL) NO. 1 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Dec-20	120		01-Dec-30		1969 d	OVERHAUL	
SN:L5166154	HRS								
	AFL								
			Restoration Date:: 01-Dec-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-005		RESTORATION (OVERHAUL) NO. 2 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Dec-20	120		01-Dec-30		1969 d	OVERHAUL	
SN:L5166156	HRS								
	AFL								
			Restoration Date:: 01-Dec-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-005		RESTORATION (OVERHAUL) NO. 3 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Dec-20	120		01-Dec-30		1969 d	OVERHAUL	
SN:L5166165	HRS								
	AFL								
			Restoration Date:: 01-Dec-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-005		RESTORATION (OVERHAUL) NO. 4 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Dec-20	120		01-Dec-30		1969 d	OVERHAUL	
SN:L5166164	HRS								
	AFL								
			Restoration Date:: 01-Dec-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-005		RESTORATION (OVERHAUL) NO. 5 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Dec-20	120		01-Dec-30		1969 d	OVERHAUL	
SN:L5166157	HRS								
	AFL								
			Restoration Date:: 01-Dec-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-005		RESTORATION (OVERHAUL) NO. 6 PASSENGER CABIN LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Dec-20	120		01-Dec-30		1969 d	OVERHAUL	
SN:L5166162	HRS								
	AFL								
			Restoration Date:: 01-Dec-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-03-001		RESTORATION (OVERHAUL) NO. 1 LIFE RAFT							Service ATA:25
PN:1320FASA-6K4-1-115	MOS	26-Jan-24	36		26-Jan-27		564 d	OVERHAUL	
SN:13SA-00261	HRS								
	AFL								
			OverHaul Date:: 26-Jan-24						
PROC. REF: AMM 25-62-03PROC. REF: AMM 25-62-03									
25-62-05-001 S		GENERAL VISUAL INSPECTION LIFELINE							Service ATA:25
PN:PN	MOS	29-Sep-21	60 (+15d/-15d)						
SN:UNKNOWN	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 25-62-05PROC. REF: AMM 25-62-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
251101-0101	PILOT CL328 DUNE SHEEPSKIN SEAT							Component	ATA:25
PN:1431-01DL	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:476-1431	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01	PROC. REF: AMM 25-11-01, AMM 25-11-01								
251101-0102	COPILOT CL328 DUNE SHEEPSKIN SEAT							Component	ATA:25
PN:1431-02DL	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:475-1431	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01	PROC. REF: AMM 25-11-01, AMM 25-11-01								
251101-0103	OBSERVER SEAT							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-02, AMM 25-11-02	PROC. REF: AMM 25-11-02, AMM 25-11-02								
252101-0101	PAX CAB LEGACY 450/500 LH FWD FACING SEAT							Component	ATA:25
PN:3AQF1113107EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000553568	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01	PROC. REF: AMM 25-21-01, AMM 25-21-01								
252101-0102	PAX CAB LEGACY 450/500 LH AFT FACING SEAT							Component	ATA:25
PN:3AQF1113108EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000553570	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01	PROC. REF: AMM 25-21-01, AMM 25-21-01								
252101-0103	PAX CAB LEGACY 450/500 LH FWD FACING SEAT							Component	ATA:25
PN:3AQF1113107EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000553569	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01	PROC. REF: AMM 25-21-01, AMM 25-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
252101-0104	PAX CAB LEGACY 450/500 LH AFT FACING SEAT							Component	ATA:25
PN:3AQF1113108EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000553571	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-03, AMM 25-21-03	PROC. REF: AMM 25-21-03, AMM 25-21-03								
252101-0105	PAX CAB LEGACY 450/500 RH FWD FACING SEAT							Component	ATA:25
PN:3AQF1113106EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000553567	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01	PROC. REF: AMM 25-21-01, AMM 25-21-01								
252101-0106	PAX CAB LEGACY 450/500 RH AFT FACING SEAT							Component	ATA:25
PN:3AQF1113105EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000553566	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01	PROC. REF: AMM 25-21-01, AMM 25-21-01								
252102-0101	PAX CAB LEGACY 450/500 RH DIVAN							Component	ATA:25
PN:3DQF1113030EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000558806	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-02, AMM 25-21-02	PROC. REF: AMM 25-21-02, AMM 25-21-02								
252102-0102	PAX CAB LEGACY 450/500 RH DIVAN							Component	ATA:25
PN:3DQF1113008EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000558804	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-02, AMM 25-21-02	PROC. REF: AMM 25-21-02, AMM 25-21-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
252102-0103	PAX CAB LEGACY 450/500 RH DIVAN							Component	ATA:25
PN:3DQF1113016EQFI	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000558805	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02									
252103-0101	NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04									
252103-0102	NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05									
252103-0103	NO. 2 PASSENGER-SEAT SEATBELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05PROC. REF: AMM 25-21-05, AMM 25-21-05									
252103-0105	NO. 1 DIVAN CENTER SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04									
252105-0101	AIRBAG CYLINDER INFLATOR, ACH COLD (PAX SEAT C5)							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
252105-0102	AIRBAG CYLINDER INFLATOR, ACH COLD (PAX SEAT C6)							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									
252106-0101	NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-06, AMM 25-21-06PROC. REF: AMM 25-21-06, AMM 25-21-06									
252106-0201	ELECTRONIC MODULE ASSEMBLY (EMA) - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-06, AMM 25-21-06PROC. REF: AMM 25-21-06, AMM 25-21-06									
252106-0301	AIRBAG INFLATOR GAS CYLINDER, ACH COLD - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:510184-401	MOS/MSC	29-Sep-21	H/T	TSN 0					
SN:AS2A5TEYAHT	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04									
252107-0101	ELECTRONIC MODULE ASSEMBLY (EMA) - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:508358-415	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:A20JAN21-18	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04									
252107-0102	ELECTRONIC MODULE ASSEMBLY (EMA) - NO. 1 DIVAN CENTER SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
252108-0101	ELECTRONIC MODULE ASSEMBLY - NO. 1 PAX SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05	PROC. REF: AMM 25-21-05, AMM 25-21-05								
252108-0102	ELECTRONIC MODULE ASSEMBLY - NO. 2 PAX SEAT BELT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05	PROC. REF: AMM 25-21-05, AMM 25-21-05								
252109-0101	AIRBAG INFLATOR GAS CYLINDER, ACH COLD - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04	PROC. REF: AMM 25-21-04, AMM 25-21-04								
252603-0101	SIDE FACING SEAT ASSEMBLY							Component	ATA:25
PN:3LQF1118001EQET	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4000573433	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-26-03, AMM 25-26-03	PROC. REF: AMM 25-26-03, AMM 25-26-03								
253101-0101	GALLEY BLURAY PLAYER							Component	ATA:25
PN:990-E4750-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004445	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-31-01, AMM 25-31-01	PROC. REF: AMM 25-31-01, AMM 25-31-01								
253202-0101	GALLEY CABINET MICROWAVE OVEN							Component	ATA:25
PN:910-0022-02	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:19-04-09816	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-32-01, AMM 25-32-01	PROC. REF: AMM 25-32-01, AMM 25-32-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
253204-0101	GALLEY ELECTRICAL NESPRESSO COFFEE MAKER							Component	ATA:25
PN:400-1907-06	MOS/MSC	11-Sep-24	O/C	TSR 6					
SN:18-07-08122	HRS	423.6		TSR 0					
	AFL	291		TSR 0					
PROC. REF: AMM 25-32-04, AMM 25-32-04	PROC. REF: AMM 25-32-04, AMM 25-32-04								
254203-0401	ELECTRONIC MODULE ASSEMBLY - TOILET SEAT LEG RESTRAINT							Component	ATA:25
PN:508358-415	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:A11NOV20-8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-42-03, AMM 25-42-03	PROC. REF: AMM 25-42-03, AMM 25-42-03								
256100-0101	EMERGENCY LOCATOR TRANSMITTER							Component	ATA:25
PN:S1821502-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LX1101339848	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-01, AMM 25-61-01	PROC. REF: AMM 25-61-01, AMM 25-61-01								
256101-0101	LH RACK INTERCONNECTION CABLE							Component	ATA:25
PN:S1825503-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TM0000185287	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1	PROC. REF: AMM GENERIC 1								
256102-0101	GND PROX/ELT ASSY CONTROL PANEL							Component	ATA:25
PN:433700-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:433700AA0236	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-02, AMM 25-61-02	PROC. REF: AMM 25-61-02, AMM 25-61-02								
256103-0101	WHITE ELT ANTENNA							Component	ATA:25
PN:S65-1231	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:160-1634	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-03, AMM 25-61-03	PROC. REF: AMM 25-61-03, AMM 25-61-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
256104-0101	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Component	ATA:25
PN:S1820506-01E	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:447995	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-01, AMM 25-61-01PROC. REF: AMM 25-61-01, AMM 25-61-01									
256105-0101	LH RACK ELT/NAV INTERFACE MODULE							Component	ATA:25
PN:S1825502-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TM0000175981	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-05, AMM 25-61-05PROC. REF: AMM 25-61-05, AMM 25-61-05									
256201-0101	FIRST AID KIT							Component	ATA:25
PN:501268	MOS/MSC	18-Feb-25	O/C	TSO 13					
SN:091621004	HRS	449.8		TSO 144					
	AFL	324		TSO 105					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0101	PILOT LIFE VEST							Component	ATA:25
PN:66601-505	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:L5144253	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0102	CO-PILOT LIFE VEST							Component	ATA:25
PN:66601-505	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:L5144246	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
256202-0103	NO. 1 PASSENGER CABIN LIFE VEST							Component	ATA:25
PN:66601-105	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:L5166154	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
256202-0104	NO. 2 PASSENGER CABIN LIFE VEST							Component	ATA:25
PN:66601-105	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:L5166156	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0107	NO. 5 PASSENGER CABIN LIFE VEST							Component	ATA:25
PN:66601-105	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:L5166157	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0108	NO. 6 PASSENGER CABIN LIFE VEST							Component	ATA:25
PN:66601-105	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:L5166162	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0109	NO. 7 PASSENGER CABIN LIFE VEST							Component	ATA:25
PN:RSS-301	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:2335569	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0110	NO. 8 PASSENGER CABIN LIFE VEST							Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0115	DIVAN NO. 1 LIFE VEST							Component	ATA:25
PN:RSS-301P	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:2335674	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
256202-0116		DIVAN NO. 2 LIFE VEST						Component	ATA:25
PN:RSS-301P	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:2335697	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0117		DIVAN NO. 3 LIFE VEST						Component	ATA:25
PN:RSS-301P	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:2335679	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256202-0118		SIDE FACING SEAT EMERGENCY LIFE VEST						Component	ATA:25
PN:RSS-301P	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:2335706	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256203-0101		NO. 1 LIFE RAFT						Component	ATA:25
PN:1320FASA-6K4-1-115	MOS/MSC	02-Feb-24	O/C	TSN 29, TSO 1					
SN:13SA-00261	HRS	309.4		TSN 309.4, TSO 0					
	AFL	224		TSN 224, TSO 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
256205-0101		LIFELINE						Component	ATA:25
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
Z500-001 S		ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF WING MAIN BOX, WING LEADING EDGE, SPOILER SURFACES AND WINGLET						Service	ATA:25
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-20-00-001		RESTORATION (OVERHAUL) ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE A)							Service ATA:26
PN:33000101-2	MOS	01-Aug-20	120		01-Aug-30		1847 d	OVERHAUL	
SN:82331B1	HRS								
	AFL								
			OverHaul Date:: 01-Aug-20						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
26-20-00-001		RESTORATION (OVERHAUL) ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE B)							Service ATA:26
PN:33000101-2	MOS	01-Aug-20	120		01-Aug-30		1847 d	OVERHAUL	
SN:82329B1	HRS								
	AFL								
			OverHaul Date:: 01-Aug-20						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
26-20-00-002 S		OPERATIONAL CHECK OF ENGINE / AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
26-21-00-001 S		FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 26-21-05PROC. REF: AMM 26-21-05									
26-21-01-001 S		OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PUSHBUTTONS							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-21-04-001		DISCARD NO. 1 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903962-1	MOS	01-Aug-20	120		01-Aug-30		1847 d	DISCARD	
SN:2506AD	HRS								
	AFL								
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04									
26-21-04-001		DISCARD NO. 1 (BOTTLE B) ENGINE FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903962-1	MOS	01-Aug-20	120		01-Aug-30		1847 d	DISCARD	
SN:0558AF	HRS								
	AFL								
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04									
26-21-04-001		DISCARD NO. 2 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903963-1	MOS	01-Aug-20	120		01-Aug-30		1847 d	DISCARD	
SN:0848AF	HRS								
	AFL								
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04									
26-21-04-001		DISCARD NO. 2 (BOTTLE B) ENGINE FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903963-1	MOS	01-Aug-20	120		01-Aug-30		1847 d	DISCARD	
SN:0849AF	HRS								
	AFL								
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-21-04PROC. REF: AMM 26-21-04									
26-22-00-001 S		FUNCTIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 26-22-05PROC. REF: AMM 26-22-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-22-01-001 S		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING PUSHBUTTON							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01									
26-22-01-002 S		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FUEL SHUTOFF SYSTEM							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01									
26-22-01-901 S		OPERATIONAL CHECK OF APU FIRE EXTINGUISHING PANEL							Service ATA:26
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01									
26-22-04-001		DISCARD APU (BOTTLE A) FIRE EXTINGUISHER CARTRIDGE							Service ATA:26
PN:30903899	MOS	01-Aug-20	120		01-Aug-30		1847 d	DISCARD	
SN:2023AD	HRS								
	AFL								
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-22-04PROC. REF: AMM 26-22-04									
26-22-04-001		DISCARD APU (BOTTLE B) FIRE EXTINGUISHER CARTRDIGE							Service ATA:26
PN:30903899	MOS	01-Aug-20	120		01-Aug-30		1847 d	DISCARD	
SN:2030AD	HRS								
	AFL								
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-22-04PROC. REF: AMM 26-22-04									
26-23-00-001 S		OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PUSHBUTTON							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01									
26-23-00-002		RESTORATION (OVERHAUL) AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (1050 CU IN) BOTTLE						Service	ATA:26
PN:34550007-1	MOS	01-Jul-20	120		01-Jul-30		1816 d	OVERHAUL	
SN:11424H1	HRS								
	AFL								
			OverHaul Date:: 01-Jul-20						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-002		RESTORATION (OVERHAUL) OF AFT CARGO COMPARTMENT HIGH-RATE FIRE EXTINGUISHING (86 CU IN) BOTTLE						Service	ATA:26
PN:33100037-1	MOS	01-May-20	120		01-May-30		1755 d	OVERHAUL	
SN:82107B1	HRS								
	AFL								
			OverHaul Date:: 01-May-20						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-003		DISCARD AFT CARGO COMPARTMENT HIGH-RATE FIRE EXTINGUISHING (86 CU IN) BOTTLE CARTRIDGE						Component	ATA:26
PN:30903963	MOS	01-Aug-20	120	TSN 0	01-Aug-30		1847 d	LIFE LIMIT	
SN:0826AF	HRS			TSN 0					
	AFL			TSN 0					
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-003		DISCARD AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (1050 CU IN) BOTTLE CARTRIDGE						Component	ATA:26
PN:30903962-1	MOS	01-Aug-20	120	TSN 0	01-Aug-30		1847 d	LIFE LIMIT	
SN:1125AG	HRS			TSN 0					
	AFL			TSN 0					
			Manufacture Date:: 01-Aug-20						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-004 S		OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING BOTTLE PRESSURE SWITCHES						Service	ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-23-00-005 S		FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 26-23-00	PROC. REF: AMM 26-23-00								
26-23-00-006		RESTORATION (OVERHAUL) CARGO COMPARTMENT FIRE EXTINGUISHING FLOW METERING VALVE							Service ATA:26
PN:36500078-2	MOS	01-Oct-20	120		01-Oct-30		1908 d	OVERHAUL	
SN:FM-100840	HRS								
	AFL								
			OverHaul Date:: 01-Oct-20						
PROC. REF: AMM 26-23-08	PROC. REF: AMM 26-23-08								
26-23-00-901 S		OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PANEL							Service ATA:26
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 26-22-01	PROC. REF: AMM 26-22-01								
26-23-00-902 S		FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING SYSTEM							Service ATA:26
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 26-23-00	PROC. REF: AMM 26-23-00								
26-24-00-001		FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:P3APP003010A	MOS/MSC		N/A						
SN:027209	HRS								
	AFL								
PROC. REF: AMM 26-24-01	PROC. REF: AMM 26-24-01								
26-24-00-001		FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:892480	MOS	18-Feb-25	12		14-Feb-26		218 d	WEIGHT CHECK	
SN:44742	HRS	449.8							
	AFL	324							
			WeightCheck Date : : 14-Feb-25						
PROC. REF: AMM 26-24-01	PROC. REF: AMM 26-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-24-00-002		FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:P3APP003010A	MOS	18-Feb-25	24		18-Feb-27		587 d	WEIGHT CHECK	
SN:027209	HRS	449.8							
	AFL	324							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-24-00-002		FUNCTIONAL CHECK PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:P3APP003010A	MOS	18-Feb-25	24		18-Feb-27		587 d	WEIGHT CHECK	
SN:027679	HRS	449.8							
	AFL	324							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-24-00-002		FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)							Service ATA:26
PN:892480	MOS/MSC		N/A						
SN:44742	HRS								
	AFL								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-24-01-001		DISCARD COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:P3APP003010A	MOS	01-Mar-20	144		01-Mar-32		2425 d	LIFE LIMIT	
SN:027209	HRS								
	AFL								
			Manufacture Date:: 01-Mar-20						
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-24-01-001		DISCARD PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:P3APP003010A	MOS	01-Mar-20	144		01-Mar-32		2425 d	LIFE LIMIT	
SN:027679	HRS								
	AFL								
			Manufacture Date:: 01-Mar-20						
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-24-02-001		RESTORE (OVERHAUL) OF VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE							Service ATA:26
PN:892480	MOS	18-Feb-25	60		14-Feb-30		1679 d	OVERHAUL	
SN:44742	HRS	449.8							
	AFL	324							
			OverHaul Date:: 14-Feb-25						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-24-02-002		RESTORATION (OVERHAUL) COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE						Service	ATA:26
PN:P3APP003010A	MOS/MSC		N/A						
SN:027209	HRS								
	AFL								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
26-25-01-001 S		VISUAL CHECK LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE GAUGE						Service	ATA:26
PN:BA24320J-1	MOS/MSC	18-Feb-25	N/A						
SN:90496	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 26-25-01PROC. REF: AMM 26-25-01									
26-25-01-002		FUNCTIONAL CHECK LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)						Service	ATA:26
PN:BA24320J-1	MOS	18-Feb-25	48		18-Feb-29		1318 d		
SN:90496	HRS	449.8							
	AFL	324							
			WeightCheck Date : : 18-Feb-25						
PROC. REF: AMM 26-25-01PROC. REF: AMM 26-25-01									
261213-0101		APU ASSY FIRE DETECTOR						Component	ATA:26
PN:3601-135-470/200C-3.5M	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:277690	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-12-01, AMM 26-12-01PROC. REF: AMM 26-12-01, AMM 26-12-01									
261301-0101		REAR FUS MODEL 602 DUAL CHANNEL SMOKE DETECTOR						Component	ATA:26
PN:8930-222B60H401	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:30070	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-13-01, AMM 26-13-01PROC. REF: AMM 26-13-01, AMM 26-13-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
261302-0101	TOILET MODEL 602 SINGLE CHANNEL SMOKE DETECTOR							Component	ATA:26
PN:909987-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:26124	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-14-01, AMM 26-14-01	PROC. REF: AMM 26-14-01, AMM 26-14-01								
261302-0102	INT BAG MODEL 602 SINGLE CHANNEL SMOKE DETECTOR							Component	ATA:26
PN:8930-214B60H411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28249	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-13-02, AMM 26-13-02	PROC. REF: AMM 26-13-02, AMM 26-13-02								
261501-0101	MODE ELECTRONIC BAY SMOKE DETECTOR							Component	ATA:26
PN:8930-212B63H142	MOS/MSC	18-Feb-25	O/C	TSN 47					
SN:28401	HRS	449.8		TSN 0					
	AFL	324		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01	PROC. REF: AMM 26-15-01, AMM 26-15-01								
261501-0102	C FLOOR MODE ELECTRONIC BAY SMOKE DETECTOR							Component	ATA:26
PN:8930-212B63H142	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11841	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01	PROC. REF: AMM 26-15-01, AMM 26-15-01								
261501-0103	RIGHT MODE ELECTRONIC BAY SMOKE DETECTOR							Component	ATA:26
PN:8930-212B63H142	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28344	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01	PROC. REF: AMM 26-15-01, AMM 26-15-01								
262102-0101	ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE A)							Component	ATA:26
PN:33000101-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:82331B1	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
PROC. REF: AMM 26-21-02, AMM 26-21-02	PROC. REF: AMM 26-21-02, AMM 26-21-02								
262102-0102	ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE B)							Component	ATA:26
PN:33000101-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:82329B1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-20-00, AMM 26-20-00	PROC. REF: AMM 26-20-00, AMM 26-20-00								
262104-0101	NO. 1 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903962-1	MOS/MSC	01-Aug-20	H/T	TSN 0					
SN:2506AD	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 26-21-04	PROC. REF: AMM 26-21-04								
262104-0101	NO. 2 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903963-1	MOS/MSC	01-Aug-20	H/T	TSN 0					
SN:0848AF	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 26-21-04	PROC. REF: AMM 26-21-04								
262104-0102	NO. 1 (BOTTLE B) ENGINE/APU FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903962-1	MOS/MSC	01-Aug-20	H/T	TSN 0					
SN:0558AF	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 26-21-04	PROC. REF: AMM 26-21-04								
262104-0102	NO. 2 (BOTTLE B) ENGINE/APU FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903963-1	MOS/MSC	01-Aug-20	H/T	TSN 0					
SN:0849AF	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 26-21-04	PROC. REF: AMM 26-21-04								
262113-0101	CSL CENT ENGINE FIRE ASSY CONTROL PANEL							Component	ATA:26
PN:432300-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:432300AA0230	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-01, AMM 26-21-01	PROC. REF: AMM 26-21-01, AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
262204-0101	APU (BOTTLE A) FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903899	MOS/MSC	01-Aug-20	H/T	TSN 0					
SN:2023AD	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 26-22-04	PROC. REF: AMM 26-22-04								
262204-0102	APU (BOTTLE B) FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903899	MOS/MSC	01-Aug-20	H/T	TSN 0					
SN:2030AD	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 26-22-04	PROC. REF: AMM 26-22-04								
262213-0101	OVERHEAD FIRE PROTECTION SYS CONTROL PANEL							Component	ATA:26
PN:431100-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:431100AA0226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-22-01, AMM 26-22-01	PROC. REF: AMM 26-22-01, AMM 26-22-01								
262301-0101	AFT CARGO COMPARTMENT HIGH-RATE FIRE EXTINGUISHING (86 CU IN) BOTTLE							Component	ATA:26
PN:33100037-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:82107B1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-23-01, AMM 26-23-01	PROC. REF: AMM 26-23-01, AMM 26-23-01								
262301-0102	AFT CARGO COMPARTMENT METERED FIRE EXTINGUISHING (1050 CU IN) BOTTLE							Component	ATA:26
PN:34550007-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11424H1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-23-01, AMM 26-23-01	PROC. REF: AMM 26-23-01, AMM 26-23-01								
262301-0301	CARGO COMPARTMENT FIRE EXTINGUISHING FLOW METERING VALVE							Component	ATA:26
PN:36500078-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:FM-100840	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-23-08, AMM 26-23-08	PROC. REF: AMM 26-23-08, AMM 26-23-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
262401-0101		COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE						Component	ATA:26
PN:P3APP003010A	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:027209	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01									
262401-0102		PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE						Component	ATA:26
PN:P3APP003010A	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:027679	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
262401-0103		VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE						Component	ATA:26
PN:892480	MOS/MSC	18-Feb-25	O/C	TSN 41, TSO 0					
SN:44742	HRS	449.8		TSN 449.8, TSO 0					
	AFL	324		TSN 324, TSO 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
262500-0101		LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE						Component	ATA:26
PN:BA24320J-1	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:90496	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-25-01, AMM 26-25-01PROC. REF: AMM 26-25-01, AMM 26-25-01									
C26-22-01-001		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING PUSHBUTTON						Service	ATA:26
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01									
C26-23-00-001		OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PUSHBUTTON						Service	ATA:26
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
C26-23-00-002		FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service ATA:26
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
ATA 27 - FLIGHT CONTROLS									
27-00-00-001 S		OPERATIONAL CHECK (INTEGRITY TEST) OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
27-00-00-002 S		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) COMPENSATORS							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
27-00-00-901 S		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) -INTEGRITY TEST							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	750						
	AFL	0							
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
27-00-00-902 S		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER UNITS (PCUS) COMPENSATORS							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
27-01-00-001 S		OPERATIONAL CHECK OF FLY-BY-WIRE BACKUP BATTERY SYSTEM							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01-003 S		OPERATIONAL CHECK OF THE FLY-BY-WIRE BACKUP BATTERY							Service ATA:27
PN:100-2410-08	MOS	18-Feb-25	12 (+15d/-15d)						
SN:1192521	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-03-00-001 S		OPERATIONAL CHECK OF SIDESTICK PRIORITY FUNCTION							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01									
27-03-00-002 S		OPERATIONAL CHECK OF SIDESTICK TACTILE WARNING							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01									
27-03-00-901 S		OPERATIONAL CHECK OF SIDE STICK PRIORITY FUNCTION							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	750						
	AFL	0							
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01									
27-03-01-001 S		OPERATIONAL CHECK OF FLIGHT CONTROL PANEL							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-03-01-901 S		OPERATIONAL CHECK OF FLIGHT CONTROLS PANEL							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	750						
	AFL	0							
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01									
27-12-01-001 S		LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 12-21-10PROC. REF: AMM 12-21-10									
27-12-01-003 S		FUNCTIONAL CHECK OF AILERON BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
27-12-01-901 S		LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	18-Feb-25						CMR	
	HRS	449.8	750						
	AFL	324							
PROC. REF: AMM 12-21-10PROC. REF: AMM 12-21-10									
27-12-01-902 S		FUNCTIONAL CHECK OF AILERON BACKLASH							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
27-21-02-901		GENERAL VISUAL INSPECTION OF RUDDER PEDAL ASSEMBLY EXTENSION SPRINGS							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-22-01-001 S		LUBRICATION OF RUDDER POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 12-21-12	PROC. REF: AMM 12-21-12								
27-22-01-003 S		FUNCTIONAL CHECK OF RUDDER BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-20-00	PROC. REF: AMM 27-20-00								
27-22-01-901 S		LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)							Service ATA:27
	MOS	18-Feb-25						CMR	
	HRS	449.8	750						
	AFL	324							
PROC. REF: AMM 12-21-12	PROC. REF: AMM 12-21-12								
27-22-01-902 S		FUNCTIONAL CHECK OF RUDDER BACKLASH							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 27-20-00	PROC. REF: AMM 27-20-00								
27-32-01-001 S		LUBRICATION OF ELEVATOR POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 12-21-11	PROC. REF: AMM 12-21-11								
27-32-01-003 S		FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-30-00	PROC. REF: AMM 27-30-00								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-32-01-901 S		LUBRICATION OF ELEVATOR POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	18-Feb-25						CMR	
	HRS	449.8	750						
	AFL	324							
PROC. REF: AMM 12-21-11	PROC. REF: AMM 12-21-11								
27-32-01-902 S		FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 27-30-00	PROC. REF: AMM 27-30-00								
27-43-01-001 S		FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-43-01	PROC. REF: AMM 27-43-01								
27-43-01-002 S		FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-40-00	PROC. REF: AMM 27-40-00								
27-43-01-003 S		OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY FUNCTION							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-43-01	PROC. REF: AMM 27-43-01								
27-43-01-901 S		FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 27-43-01	PROC. REF: AMM 27-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-43-01-902 S		FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
27-43-01-903 S		OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	750						
	AFL	0							
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01									
27-51-01-001 S		LUBRICATION OF FLAP ACTUATOR BALLSCREW							Service ATA:27
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-21-13PROC. REF: AMM 12-21-13									
27-51-01-002 S		SERVICE FLAP ACTUATOR GEARBOX							Service ATA:27
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 12-21-13, AMM 12-21-13PROC. REF: AMM 12-21-13, AMM 12-21-13									
27-51-01-003 S		FUNCTIONAL CHECK OF FLAP ACTUATOR FORCE LIMITER							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01									
27-51-02-001 S		DETAILED INSPECTION OF FLAP FLEXIBLE SHAFTS							Service ATA:27
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-51-02PROC. REF: AMM 27-51-02									
27-51-03-001 S		LUBRICATION OF FLAP ACTUATOR PIN INTERFACE WITH FLAP TRACK 3							Service ATA:27
	MOS	18-Feb-25	12 (+15d/-15d)					CATEGORY 9	
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 27-51-04PROC. REF: AMM 27-51-04									
27-53-02-001 S		FUNCTIONAL CHECK OF POWER DRIVE UNIT (PDU) SLIP CLUTCH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 27-53-02PROC. REF: AMM 27-53-02									
27-53-02-002 S		FUNCTIONAL CHECK OF POWER DRIVE UNIT (PDU) TORQUE BRAKE							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 27-53-02PROC. REF: AMM 27-53-02									
27-64-01-901 S		OPERATIONAL CHECK OF THE SPOILERS PCU SELF RETRACTION FEATURE							Service ATA:27
	MOS	29-Sep-21						CMR	
	HRS	0	750						
	AFL	0							
PROC. REF: AMM 27-64-01PROC. REF: AMM 27-64-01									
27-65-01-001 S		OPERATIONAL CHECK OF MULTIFUNCTION SPOILER DOWNLOCK VALVE							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 27-65-01PROC. REF: AMM 27-65-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-65-01-002 S	OPERATIONAL CHECK OF MULTI FUNCTION SPOILER ELECTRO HYDRAULIC SERVO VALVE (EHSV)							Service	ATA:27
	MOS	29-Sep-21						CATEGORY 8	
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 27-64-01PROC. REF: AMM 27-64-01									
270100-0101	FLY-BY-WIRE BACKUP BATTERY							Component	ATA:27
PN:100-2410-08	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1192521	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01									
270302-0101	C FLOOR (IIM) INCEPTOR INTERFACE MODULE							Component	ATA:27
PN:493000-1009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2165	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02									
270302-0102	LH RACK (IIM) INCEPTOR INTERFACE MODULE							Component	ATA:27
PN:493000-1009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02									
270302-0103	C FLOOR (IIM) INCEPTOR INTERFACE MODULE							Component	ATA:27
PN:493100-1009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2085	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02									
270302-0104	RH RACK (IIM) INCEPTOR INTERFACE MODULE							Component	ATA:27
PN:493200-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2077	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02PROC. REF: AMM 27-03-02, AMM 27-03-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
270303-0101	C FLOOR (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519700-1005	MOS/MSC	19-Dec-24	O/C	TSN 46					
SN:20J6108	HRS	446.4		TSN 446.4					
	AFL	319		TSN 319					
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0102	LH RACK (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519700-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20J6051	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0103	LH RACK (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519700-1005	MOS/MSC	19-Dec-24	O/C						
SN:13L0084	HRS	446.4		TSN 350					
	AFL	319		TSN 167					
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0104	RH RACK (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519700-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20H6024	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0105	CARGO CP (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519800-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20J6064	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0106	CARGO CP (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519800-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20J6065	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03PROC. REF: AMM 27-03-03, AMM 27-03-03									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
270303-0107	RH RACK (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519800-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20J6070	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03	PROC. REF: AMM 27-03-03, AMM 27-03-03								
270303-0108	CARGO CP (REU) REMOTE ELECTRONIC UNIT							Component	ATA:27
PN:519800-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20J6069	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03	PROC. REF: AMM 27-03-03, AMM 27-03-03								
270304-0101	LH RACK ELECTRONICS MOTOR CONTROL							Component	ATA:27
PN:493300-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2128	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-04, AMM 27-03-04	PROC. REF: AMM 27-03-04, AMM 27-03-04								
270304-0102	CARGO CP ELECTRONICS MOTOR CONTROL							Component	ATA:27
PN:493300-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2125	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-04, AMM 27-03-04	PROC. REF: AMM 27-03-04, AMM 27-03-04								
270305-0101	C FLOOR (FCC) FLIGHT CONTROL COMPUTER							Component	ATA:27
PN:494910-1009	MOS/MSC	28-Apr-23	O/C	TSN 26					
SN:00542	HRS	229.2		TSN 229.2					
	AFL	167		TSN 167					
PROC. REF: AMM 27-03-05, AMM 27-03-05	PROC. REF: AMM 27-03-05, AMM 27-03-05								
270305-0102	LH RACK (FCC) FLIGHT CONTROL COMPUTER							Component	ATA:27
PN:494910-1009	MOS/MSC	28-Apr-23	O/C	TSN 26					
SN:00296	HRS	229.2		TSN 229.2					
	AFL	167		TSN 167					
PROC. REF: AMM 27-03-05, AMM 27-03-05	PROC. REF: AMM 27-03-05, AMM 27-03-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
270313-0101		CSL CENT FLIGHT CONTROLS ASSY CONTROL PANEL						Component	ATA:27
PN:432000-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:432000AA0232	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
270313-0102		CONTROL PANEL, STEEP APPROACH, ASSY						Component	ATA:27
PN:434600-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:434600AA0083	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-01, AMM 27-03-01PROC. REF: AMM 27-03-01, AMM 27-03-01									
270501-0101		PILOT W/O EVS SIDESTICK						Component	ATA:27
PN:493800-4009	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0097	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-05-01, AMM 27-05-01PROC. REF: AMM 27-05-01, AMM 27-05-01									
270501-0102		COPILOT W/O EVS SIDESTICK						Component	ATA:27
PN:493800-3010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-05-01, AMM 27-05-01PROC. REF: AMM 27-05-01, AMM 27-05-01									
271101-0101		LEFT AILERON ASSY						Component	ATA:27
PN:550-66101-413	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000020652	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01									
271101-0102		RIGHT AILERON ASSY						Component	ATA:27
PN:550-66101-414	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000020941	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
271201-0101	LH OUTBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484000-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
271201-0102	RH OUTBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484000-1005	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0923	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
271201-0103	LH INBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484000-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0880	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
271201-0104	RH INBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484000-1005	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0920	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
271301-0101	LH AILERON SINGLE LVDT POSITION SENSOR							Component	ATA:27
PN:489600-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CWL0886	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01PROC. REF: AMM 27-13-01, AMM 27-13-01									
271301-0102	RH AILERON SINGLE LVDT POSITION SENSOR							Component	ATA:27
PN:489600-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CWL0892	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01PROC. REF: AMM 27-13-01, AMM 27-13-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
271301-0103	LH AILERON SINGLE LVDT POSITION SENSOR							Component	ATA:27
PN:489600-1001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:CWL0942	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01	PROC. REF: AMM 27-13-01, AMM 27-13-01								
271301-0104	RH AILERON SINGLE LVDT POSITION SENSOR							Component	ATA:27
PN:489600-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CWL0883	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01	PROC. REF: AMM 27-13-01, AMM 27-13-01								
272101-0101	RUDDER RUDDER ASSY							Component	ATA:27
PN:550-67805-409	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090339	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-01, AMM 27-21-01	PROC. REF: AMM 27-21-01, AMM 27-21-01								
272102-0101	LEFT RUDDER PEDAL ASSEMBLY							Component	ATA:27
PN:3005-1M05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CH00533	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-02, AMM 27-21-02	PROC. REF: AMM 27-21-02, AMM 27-21-02								
272102-0102	RIGHT RUDDER PEDAL ASSEMBLY							Component	ATA:27
PN:3005-1M05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CH00563	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-02, AMM 27-21-02	PROC. REF: AMM 27-21-02, AMM 27-21-02								
272201-0101	RUDDER UPPER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484200-1007	MOS/MSC	07-Jun-24	O/C	TSR 1					
SN:0610	HRS	346.7		TSR 0					
	AFL	264		TSR 0					
PROC. REF: AMM GENERIC 1	PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
272201-0102	RUDDER LOWER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484200-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0444	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
272301-0101	RUDDER SINGLE LVDT POSITION SENSOR							Component	ATA:27
PN:489800-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CWL0223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-23-01, AMM 27-23-01PROC. REF: AMM 27-23-01, AMM 27-23-01									
273101-0101	LEFT ELEVATOR ASSY							Component	ATA:27
PN:550-67905-411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001095932	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01, AMM 27-31-01PROC. REF: AMM 27-31-01, AMM 27-31-01									
273101-0102	RIGHT ELEVATOR ASSY							Component	ATA:27
PN:550-67905-412	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001095154	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01, AMM 27-31-01PROC. REF: AMM 27-31-01, AMM 27-31-01									
273102-0303	RH ELEVATOR UPPER SKIN							Component	ATA:27
PN:550-67910-402	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001094190	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
273102-0304	RH ELEVATOR LOWER SKIN							Component	ATA:27
PN:550-67911-404	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001094265	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
273201-0101	LH INBOARD ELEVATOR HYDROMECANIC LINEAR ACTUATOR							Component	ATA:27
PN:484100-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
273201-0102	RH INBOARD ELEVATOR HYDROMECANIC LINEAR ACTUATOR							Component	ATA:27
PN:484100-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0884	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
273201-0103	LH OUTBOARD ELEVATOR HYDROMECANIC LINEAR ACTUATOR							Component	ATA:27
PN:484100-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0877	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
273201-0104	RH OUTBOARD ELEVATOR HYDROMECANIC LINEAR ACTUATOR							Component	ATA:27
PN:484100-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0885	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
274101-0101	COMPLETION							Component	ATA:27
PN:555-12900-413	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001089791	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
274301-0102	ELETROMECHANICAL ACTUATOR ASSY							Component	ATA:27
PN:492600-1017	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0220	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
274303-0101	HORIZONTAL STABILIZER							Component	ATA:27
PN:550-04000-421	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021455	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-41-01, AMM 27-41-01, AMM 55-10-08, AMM 55-10-08PROC. REF: AMM 27-41-01, AMM 27-41-01, AMM 55-10-08, AMM 55-10-08									
274333-0101	CSL CENT TRIM SYSTEM ASSY CONTROL PANEL							Component	ATA:27
PN:432100-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:432100AA0229	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-43-03, AMM 27-43-03PROC. REF: AMM 27-43-03, AMM 27-43-03									
275101-0101	NO. 1 FLAP MECHANICAL ACTUATOR							Component	ATA:27
PN:488200-1009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1321	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0102	NO. 1 FLAP MECHANICAL ACTUATOR							Component	ATA:27
PN:488200-1009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1173	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0103	NO. 2 FLAP MECHANICAL ACTUATOR							Component	ATA:27
PN:488200-2009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0104	NO. 2 FLAP MECHANICAL ACTUATOR							Component	ATA:27
PN:488200-2010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1279	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275101-0105	NO. 3 FLAP MECHANICAL ACTUATOR							Component	ATA:27
PN:488200-3009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01	PROC. REF: AMM 27-51-01, AMM 27-51-01								
275101-0106	NO. 3 FLAP MECHANICAL ACTUATOR							Component	ATA:27
PN:488200-3010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1331	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01	PROC. REF: AMM 27-51-01, AMM 27-51-01								
275102-0101	LH FLAP FLEXIBLE 1 SHAFT							Component	ATA:27
PN:488310-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0451	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0102	RH FLAP FLEXIBLE 1 SHAFT							Component	ATA:27
PN:488310-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0450	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0103	LH FLAP FLEXIBLE 2 SHAFT							Component	ATA:27
PN:488310-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0438	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0104	RH FLAP FLEXIBLE 2 SHAFT							Component	ATA:27
PN:488310-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0427	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275102-0105	LH FLAP FLEXIBLE 3 SHAFT							Component	ATA:27
PN:488310-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0451	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0106	RH FLAP FLEXIBLE 3 SHAFT							Component	ATA:27
PN:488310-1005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0107	LH FLAP FLEXIBLE 4 SHAFT							Component	ATA:27
PN:488310-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0446	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275102-0108	RH FLAP FLEXIBLE 4 SHAFT							Component	ATA:27
PN:488310-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SSW0445	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02	PROC. REF: AMM 27-51-02, AMM 27-51-02								
275103-0101	LH WING INBOARD FLAP ASSEMBLY							Component	ATA:27
PN:550-65001-421	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SA21032	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03	PROC. REF: AMM 27-51-03, AMM 27-51-03								
275103-0102	RH WING INBOARD FLAP ASSEMBLY							Component	ATA:27
PN:550-65001-422	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SA21031	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03	PROC. REF: AMM 27-51-03, AMM 27-51-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275104-0101	LH WING OUTBOARD FLAP ASSEMBLY							Component	ATA:27
PN:550-65003-423	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SA11086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04, AMM 27-51-04	PROC. REF: AMM 27-51-04, AMM 27-51-04								
275104-0102	RH WING OUTBOARD FLAP ASSEMBLY							Component	ATA:27
PN:550-65003-424	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SA11086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04, AMM 27-51-04	PROC. REF: AMM 27-51-04, AMM 27-51-04								
275301-0101	LH WING FLAP TRANSMISSION BRAKE							Component	ATA:27
PN:488400-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0453	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01	PROC. REF: AMM 27-53-01, AMM 27-53-01								
275301-0102	RH WING FLAP TRANSMISSION BRAKE							Component	ATA:27
PN:488400-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0439	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01	PROC. REF: AMM 27-53-01, AMM 27-53-01								
275302-0101	W STUB FLAP CONTROL POWER DRIVE UNIT							Component	ATA:27
PN:488100-1019	MOS/MSC	24-Jan-24	O/C	TSR 3					
SN:0314	HRS	305.8		TSR 0					
	AFL	219		TSR 0					
PROC. REF: AMM 27-53-02, AMM 27-53-02	PROC. REF: AMM 27-53-02, AMM 27-53-02								
275304-0101	LEFT FLAP ACTUATOR DISCONNECTION SENSOR							Component	ATA:27
PN:488300-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WMP0463	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04	PROC. REF: AMM 27-53-04, AMM 27-53-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275304-0102	RIGHT FLAP ACTUATOR DISCONNECTION SENSOR							Component	ATA:27
PN:488300-1004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WMP0464	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04	PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0103	LEFT FLAP ACTUATOR DISCONNECTION SENSOR							Component	ATA:27
PN:488300-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WMP0469	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04	PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0104	RIGHT FLAP ACTUATOR DISCONNECTION SENSOR							Component	ATA:27
PN:488300-1004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WMP0467	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04	PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0105	LH FLAP ACTUATOR DISCONNECTION SENSOR							Component	ATA:27
PN:488300-2003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WMP0249	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04	PROC. REF: AMM 27-53-04, AMM 27-53-04								
275304-0106	RH FLAP ACTUATOR DISCONNECTION SENSOR							Component	ATA:27
PN:488300-2004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WMP0238	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04	PROC. REF: AMM 27-53-04, AMM 27-53-04								
275333-0101	CSL CENT FLAP SELECTOR LEVER							Component	ATA:27
PN:494200-1009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:BP00279	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03	PROC. REF: AMM 27-53-03, AMM 27-53-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
276013-0101	CSL CENT SPEED BRAKE LEVER							Component	ATA:27
PN:494300-1007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0273	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-61-01, AMM 27-61-01	PROC. REF: AMM 27-61-01, AMM 27-61-01								
276401-0101	LH SPOILER 1 ASSY							Component	ATA:27
PN:550-66301-411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021245	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01	PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0102	RH SPOILER 1 ASSY							Component	ATA:27
PN:550-66301-412	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021254	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01	PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0103	LH SPOILER 2 ASSY							Component	ATA:27
PN:550-66401-411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021243	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01	PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0104	RH SPOILER 2 ASSY							Component	ATA:27
PN:550-66401-412	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021255	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01	PROC. REF: AMM 27-64-01, AMM 27-64-01								
276401-0105	LH SPOILER 3 ASSY							Component	ATA:27
PN:550-66501-411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021256	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01	PROC. REF: AMM 27-64-01, AMM 27-64-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
276401-0106	RH SPOILER 3 ASSY							Component	ATA:27
PN:550-66501-412	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000021257	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01PROC. REF: AMM 27-64-01, AMM 27-64-01									
276501-0101	LH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:483900-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0422	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
276501-0102	RH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:483900-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0439	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
276501-0103	LH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484300-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0871	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
276501-0104	RH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484300-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0872	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
276501-0105	LH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component	ATA:27
PN:484300-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0874	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
276501-0106		RH SPOILER HYDROMECHANIC LINEAR ACTUATOR						Component	ATA:27
PN:484300-1003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0875	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
C27-00-00-001		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) - INTEGRITY TEST						Service	ATA:27
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
C27-00-00-002		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) COMPENSATORS						Service	ATA:27
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
C27-03-00-001		OPERATIONAL CHECK OF SIDESTICK PRIORITY FUNCTION						Service	ATA:27
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: AMM 27-05-01PROC. REF: AMM 27-05-01									
C27-03-01-001		OPERATIONAL CHECK OF FLIGHT CONTROLS PANEL						Service	ATA:27
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
C27-12-01-001		FUNCTIONAL CHECK OF AILERON BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
C27-12-01-002		LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)							Service ATA:27
	MOS	18-Feb-25	12		18-Feb-26		222 d		
	HRS	449.8	750		1199.8		640.6		
	AFL	324							
PROC. REF: AMM 12-21-10PROC. REF: AMM 12-21-10									
C27-22-01-001		FUNCTIONAL CHECK OF RUDDER BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
C27-22-01-002		LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)							Service ATA:27
	MOS	18-Feb-25	12		18-Feb-26		222 d		
	HRS	449.8	750		1199.8		640.6		
	AFL	324							
PROC. REF: AMM 12-21-12PROC. REF: AMM 12-21-12									
C27-32-01-001		FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
C27-32-01-002		LUBRICATION OF ELEVATOR POWER CONTROL UNIT (PCUS)							Service ATA:27
	MOS	18-Feb-25	12		18-Feb-26		222 d		
	HRS	449.8	750		1199.8		640.6		
	AFL	324							
PROC. REF: AMM 12-21-11PROC. REF: AMM 12-21-11									
C27-43-01-001		FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01									
C27-43-01-002		FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
C27-43-01-003		OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY FUNCTION							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: AMM 27-43-01PROC. REF: AMM 27-43-01									
C27-65-01-001		OPERATIONAL CHECK OF MULTI FUNCTION SPOILER ELECTRO HYDRAULIC SERVO VALVE (EHSV)							Service ATA:27
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: AMM 27-64-01PROC. REF: AMM 27-64-01									
ATA 28 - FUEL									
28-01-00-001 S		OPERATIONAL CHECK OF FUEL BACKUP BATTERY SYSTEM							Service ATA:28
	MOS	29-Sep-21							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 28-01-01PROC. REF: AMM 28-01-01									
28-01-01-003 S		OPERATIONAL CHECK OF THE FUEL BACKUP BATTERY						Service	ATA:28
PN:100-2410-08	MOS	18-Feb-25	12 (+15d/-15d)						
SN:1194532	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 28-01-01PROC. REF: AMM 28-01-01									
28-11-00-001 S		FUNCTIONAL CHECK OF FUEL TANKS FOR MICROORGANISMS AND BIOCIDE APPLICATION						Service	ATA:28
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00									
28-11-01-001 S		DETAILED INSPECTION OF FUEL TANK FLAPPER AND BAFFLE VALVES						Service	ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 28-11-01PROC. REF: AMM 28-11-01									
28-11-03-001 S		DRAINING WATER FROM THE FUEL TANKS						Service	ATA:28
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-11-00PROC. REF: AMM 12-11-00									
28-12-01-001 S		OPERATIONAL CHECK OF FLOAT VENT VALVE						Service	ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
PROC. REF: AMM 28-12-01PROC. REF: AMM 28-12-01									
28-12-02-001 S		DETAILED INSPECTION OF FLAME ARRESTOR						Service	ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 28-12-02PROC. REF: AMM 28-12-02									
28-12-03-001 S		OPERATIONAL CHECK OF VENTING TUBE FLOAT DRAIN VALVE						Service	ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03									
28-12-04-001 S		GENERAL VISUAL INSPECTION OF NACA AIR INLET						Service	ATA:28
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 28-12-04PROC. REF: AMM 28-12-04									
28-15-05-001 S		DETAILED INSPECTION OF FORWARD TANK FLAME ARRESTOR (VENT LINE)						Service	ATA:28
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 28-15-05PROC. REF: AMM 28-15-05									
28-15-06-001 S		DETAILED INSPECTION OF VENTRAL TANK FLAME ARRESTOR (VENT LINE)						Service	ATA:28
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 28-15-06PROC. REF: AMM 28-15-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
28-15-12-001		FUNCTIONAL CHECK OF FORWARD NEGATIVE PRESSURE RELIEF VALVE							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)		3750	3787	3190.8 (+37)		
	AFL	0							
									PKG:15
PROC. REF: AMM 28-15-12PROC. REF: AMM 28-15-12									
28-15-13-001		FUNCTIONAL CHECK OF VENTRAL NEGATIVE PRESSURE RELIEF VALVE							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)		3750	3787	3190.8 (+37)		
	AFL	0							
									PKG:15
PROC. REF: AMM 28-15-13PROC. REF: AMM 28-15-13									
28-21-00-901 S		OPERATIONAL CHECK OFCROSSFEED SYSTEM							Service ATA:28
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06									
28-21-01-001 S		OPERATIONAL CHECK OF FUEL SUCTION CHECK VALVE							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 28-21-01PROC. REF: AMM 28-21-01									
28-21-04-001 S		OPERATIONAL CHECK OF ENGINE FUEL SHUTOFF VALVE (SOV)							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 28-21-04PROC. REF: AMM 28-21-04									
28-21-04-901 S		OPERATIONAL CHECK OF ENGINE SHUTOFF SYSTEM							Service ATA:28
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
PROC. REF: AMM 28-21-04PROC. REF: AMM 28-21-04									
28-21-06-001 S		OPERATIONAL CHECK OF FUEL CROSS-FEED VALVE							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06									
28-21-10-001 S		FUNCTIONAL CHECK OF ENGINE FUEL FEED LINES SHROUD AND DRAINS							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 28-21-10PROC. REF: AMM 28-21-10									
28-22-01-001 S		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) SHUTOFF VALVE (SOV)							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01									
28-22-01-902 S		OPERATIONAL CHECK OF APU FUEL SOV IN THE FUEL TANK							Service ATA:28
	MOS	29-Sep-21						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01									
28-22-04-001 S		FUNCTIONAL CHECK OF AUXILIARY POWER UNIT (APU) FUEL FEED LINE SHROUD AND DRAIN							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 28-22-04PROC. REF: AMM 28-22-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
28-24-01-001 S		OPERATIONAL CHECK OF THE AUXILIARY FUEL TANKS MANUAL TRANSFER (FWD AND VTRL)						Service	ATA:28
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 28-24-00PROC. REF: AMM 28-24-00									
280100-0101		FUEL BACKUP BATTERY						Component	ATA:28
PN:100-2410-08	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1194532	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-01-01, AMM 28-01-01PROC. REF: AMM 28-01-01, AMM 28-01-01									
281102-0101		LH WING HALF ASSEMBLY						Component	ATA:28
PN:555-01010-407	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000017130	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 6PROC. REF: AMM GENERIC 6									
281102-0102		RH WING HALF ASSEMBLY						Component	ATA:28
PN:555-01010-408	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000017135	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 6PROC. REF: AMM GENERIC 6									
281103-0101		LH WING DRAIN VALVE						Component	ATA:28
PN:100-0576-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00989	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03, AMM 28-11-03PROC. REF: AMM 28-11-03, AMM 28-11-03									
281103-0102		RH WING DRAIN VALVE						Component	ATA:28
PN:100-0576-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:01081	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03, AMM 28-11-03PROC. REF: AMM 28-11-03, AMM 28-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
281103-0103	LH WSTUB DRAIN VALVE							Component	ATA:28
PN:100-0576-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00982	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03, AMM 28-11-03	PROC. REF: AMM 28-11-03, AMM 28-11-03								
281103-0104	RH WSTUB DRAIN VALVE							Component	ATA:28
PN:100-0576-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00983	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03, AMM 28-11-03	PROC. REF: AMM 28-11-03, AMM 28-11-03								
281103-0105	L/H F AUX TANK DRAIN VALVE							Component	ATA:28
PN:100-0576-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00991	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03, AMM 28-11-03	PROC. REF: AMM 28-11-03, AMM 28-11-03								
281105-0101	LH WING REFUEL GRAVITY ADAPTOR CAP							Component	ATA:28
PN:2940030-301	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:7522	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05	PROC. REF: AMM 28-11-05, AMM 28-11-05								
281105-0102	RH WING REFUEL GRAVITY ADAPTOR CAP							Component	ATA:28
PN:2940030-301	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:7523	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05	PROC. REF: AMM 28-11-05, AMM 28-11-05								
281105-0103	LH WING REFUEL GRAVITY ADAPTOR CAP							Component	ATA:28
PN:2940030-301	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:7582	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05	PROC. REF: AMM 28-11-05, AMM 28-11-05								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
281105-0104	RH F AUX T REFUEL GRAVITY ADAPTOR CAP							Component	ATA:28
PN:2940030-301	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:7527	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05	PROC. REF: AMM 28-11-05, AMM 28-11-05								
281201-0101	LH WING FUEL SYSTEM VENT FLOAT VALVE							Component	ATA:28
PN:2060091-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02798	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-01, AMM 28-12-01	PROC. REF: AMM 28-12-01, AMM 28-12-01								
281201-0102	RH WING FUEL SYSTEM VENT FLOAT VALVE							Component	ATA:28
PN:2060091-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02810	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-01, AMM 28-12-01	PROC. REF: AMM 28-12-01, AMM 28-12-01								
281202-0101	LH WING STEEL FUEL TANK FLAME ARRESTOR							Component	ATA:28
PN:2990050-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3905	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-02, AMM 28-12-02	PROC. REF: AMM 28-12-02, AMM 28-12-02								
281202-0102	RH WING STEEL FUEL TANK FLAME ARRESTOR							Component	ATA:28
PN:2990050-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3912	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-02, AMM 28-12-02	PROC. REF: AMM 28-12-02, AMM 28-12-02								
281203-0101	LH WING AL TK FUEL SYSTEM DRAIN FLOAT VALVE							Component	ATA:28
PN:2990076-103	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10576	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03	PROC. REF: AMM 28-12-03, AMM 28-12-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
281203-0102	RH WING AL TK FUEL SYSTEM DRAIN FLOAT VALVE							Component	ATA:28
PN:2990076-103	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10573	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03PROC. REF: AMM 28-12-03, AMM 28-12-03									
281203-0103	R/H FUS TANK FLOAT DRAIN-FUEL SYS (AL) VALVE							Component	ATA:28
PN:2990076-103	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10465	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
281203-0104	L/H STUB TANK FLOAT DRAIN-FUEL SYS (AL) VALVE							Component	ATA:28
PN:2990076-103	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10580	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
281203-0105	R/H STUB TANK FLOAT DRAIN-FUEL SYS (AL) VALVE							Component	ATA:28
PN:2990076-103	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10614	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
281402-0101	VENTRAL FUEL TANK ASSY - EQUIPPED							Component	ATA:28
PN:555-12247-409	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001096406	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
281403-0101	VENT TK (VENTRAL FUEL-TANK) DRAIN VALVE							Component	ATA:28
PN:100-0576-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00916	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-14-03, AMM 28-14-03PROC. REF: AMM 28-14-03, AMM 28-14-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
281507-0101	L/H AUX FUEL TANK (AL, 1.000IN) VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1448	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-15-07, AMM 28-15-07PROC. REF: AMM 28-15-07, AMM 28-15-07									
282013-0101	OVERHEAD FUEL SYSTEM CONTROL PANEL ASSY							Component	ATA:28
PN:434200-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:434200AA0051	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01, AMM 28-20-01PROC. REF: AMM 28-20-01, AMM 28-20-01									
282100-0101	LH STUB AL FUEL LINE ASSY CHECK VALVE							Component	ATA:28
PN:2090096-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0423	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
282100-0102	RH STUB AL FUEL LINE ASSY CHECK VALVE							Component	ATA:28
PN:2090096-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0424	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
282101-0101	LH STUB SUCTION-FUEL SYSTEM CHECK VALVE							Component	ATA:28
PN:2100072-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:ACH4428	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01									
282101-0102	RH STUB FUEL SYSTEM SUCTION CHECK VALVE							Component	ATA:28
PN:2100072-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:ACH4434	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282102-0101	LH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9BU101	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02	PROC. REF: AMM 28-21-02, AMM 28-21-02								
282102-0102	RH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10BU104	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02	PROC. REF: AMM 28-21-02, AMM 28-21-02								
282102-0103	LH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9BU97	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02	PROC. REF: AMM 28-21-02, AMM 28-21-02								
282102-0104	RH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10BU105	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02	PROC. REF: AMM 28-21-02, AMM 28-21-02								
282103-0101	LH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9BU92	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03	PROC. REF: AMM 28-21-03, AMM 28-21-03								
282103-0102	RH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9BU94	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03	PROC. REF: AMM 28-21-03, AMM 28-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282103-0103	LH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9BU93	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03									
282103-0104	RH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9BU95	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03									
282104-0101	LH TCOLL AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1449	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
282104-0102	RH TCOLL AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1444	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
282104-0103	LH WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1467	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
282108-0101	LH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component	ATA:28
PN:2070157-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0853	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282108-0102	RH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component	ATA:28
PN:2070157-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0856	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08									
282108-0103	LH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component	ATA:28
PN:2070157-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0855	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08									
282108-0104	RH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component	ATA:28
PN:2070157-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0857	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08									
282109-0101	RH TCOLL AL FUEL TANK ASSY 0.375IN VALVE							Component	ATA:28
PN:2070159-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
282301-0101	CENT FUS FUEL ASSY PRESS REFUEL CONTROL PANEL							Component	ATA:28
PN:366-239-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2048	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-01, AMM 28-23-01PROC. REF: AMM 28-23-01, AMM 28-23-01									
282302-0101	RH CENT FUEL REPEATER INDICATOR							Component	ATA:28
PN:366-927-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:391	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-02, AMM 28-23-02PROC. REF: AMM 28-23-02, AMM 28-23-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282307-0101	CENT FUS PRESSURE REFUELING/DEFUELING ADAPTER ASSY							Component	ATA:28
PN:2960006-103	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0896	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-07, AMM 28-23-07, AMM 28-23-08, AMM 28-23-08PROC. REF: AMM 28-23-07, AMM 28-23-07, AMM 28-23-08, AMM 28-23-08									
282315-0101	R/H AUX FUEL TANK (AL, 1.000IN) VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1424	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-15, AMM 28-23-15PROC. REF: AMM 28-23-15, AMM 28-23-15									
282315-0102	L/H AUX FUEL TANK (AL, 1.000IN) VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1473	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-15, AMM 28-23-15PROC. REF: AMM 28-23-15, AMM 28-23-15									
282315-0103	R/H AUX FUEL TANK (AL, 1.000IN) VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1453	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-15, AMM 28-23-15PROC. REF: AMM 28-23-15, AMM 28-23-15									
282315-0104	R/H AUX FUEL TANK (AL, 1.000IN) VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1461	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-15, AMM 28-23-15PROC. REF: AMM 28-23-15, AMM 28-23-15									
282315-0105	R/H AUX FUEL TANK (AL, 1.000IN) VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1464	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-15, AMM 28-23-15PROC. REF: AMM 28-23-15, AMM 28-23-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284102-0101		LH STUB AL FUEL TANK PROBE 2 ASSY						Component	ATA:28
PN:020-261-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0365	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0102		RH STUB AL FUEL TANK PROBE 2 ASSY						Component	ATA:28
PN:020-261-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0103		LH STUB AL FUEL TANK PROBE 3 ASSY						Component	ATA:28
PN:020-261-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0446	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0104		RH STUB AL FUEL TANK PROBE 3 ASSY						Component	ATA:28
PN:020-261-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0460	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0105		LH WING AL FUEL TANK PROBE 4 ASSY						Component	ATA:28
PN:020-261-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0420	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0106		RH WING AL FUEL TANK PROBE 4 ASSY						Component	ATA:28
PN:020-261-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0435	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284102-0107		LH WING AL FUEL TANK PROBE 5 ASSY						Component	ATA:28
PN:020-261-004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0108		RH WING AL FUEL TANK PROBE 5 ASSY						Component	ATA:28
PN:020-261-004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0429	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0109		LH WING AL FUEL TANK PROBE 6 ASSY						Component	ATA:28
PN:020-261-005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0417	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0110		RH WING AL FUEL TANK PROBE 6 ASSY						Component	ATA:28
PN:020-261-005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0420	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0111		LH WING AL FUEL TANK PROBE 7 ASSY						Component	ATA:28
PN:020-261-006	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0112		RH WING AL FUEL TANK PROBE 7 ASSY						Component	ATA:28
PN:020-261-006	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0423	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284102-0113		LH WING AL FUEL TANK PROBE 8 ASSY						Component	ATA:28
PN:020-261-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0114		RH WING AL FUEL TANK PROBE 8 ASSY						Component	ATA:28
PN:020-261-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0434	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0115		LH WING AL FUEL TANK PROBE 9 ASSY						Component	ATA:28
PN:020-261-008	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0427	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0116		RH WING AL FUEL TANK PROBE 9 ASSY						Component	ATA:28
PN:020-261-008	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0447	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0117		LH WING AL FUEL TANK PROBE 10 ASSY						Component	ATA:28
PN:020-261-009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0443	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284102-0118		RH WING AL FUEL TANK PROBE 10 ASSY						Component	ATA:28
PN:020-261-009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284103-0101	LH STUB AL FUEL TANK COMP PROBE 1 ASSY							Component	ATA:28
PN:021-071-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0426	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284103-0102	RH STUB AL FUEL TANK COMP PROBE 1 ASSY							Component	ATA:28
PN:021-071-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0433	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284113-0101	RH RACK FUEL SIGNAL CONDITIONING UNIT							Component	ATA:28
PN:367-510-004	MOS/MSC	21-Feb-24	O/C						
SN:3064	HRS	318.1		TSO 481.2					
	AFL	231		TSO 301					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284143-0101	LH WING FUEL QUANTITY GAUGING SYSTEM HARNESS							Component	ATA:28
PN:080-343-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0483	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-04, AMM 28-41-04PROC. REF: AMM 28-41-04, AMM 28-41-04									
284143-0102	RH WING FUEL QUANTITY GAUGING SYSTEM HARNESS							Component	ATA:28
PN:080-343-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0481	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-04, AMM 28-41-04PROC. REF: AMM 28-41-04, AMM 28-41-04									
284301-0101	STUB FUEL TEMPERATURE SENSOR							Component	ATA:28
PN:862-015-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:88-3829	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01PROC. REF: AMM 28-43-01, AMM 28-43-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284301-0201	CENTRAL FUSELAGE FUEL TEMPRATURE SENSOR							Component	ATA:28
PN:862-015-001	MOS/MSC	13-Dec-23	O/C	TSN 0					
SN:88-4315	HRS	304.5		TSN 0					
	AFL	218		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01PROC. REF: AMM 28-43-01, AMM 28-43-01									
284302-0101	LEFT FUEL PRESSURE SWITCH							Component	ATA:28
PN:F7-1168-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00426	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-02, AMM 28-43-02PROC. REF: AMM 28-43-02, AMM 28-43-02									
284302-0102	RIGHT FUEL PRESSURE SWITCH							Component	ATA:28
PN:F7-1168-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00427	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-02, AMM 28-43-02PROC. REF: AMM 28-43-02, AMM 28-43-02									
284304-0101	LH WING FUEL TANK HI LO LEVEL SENSOR							Component	ATA:28
PN:057-031-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0939	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									
284304-0102	RH WING FUEL TANK HI LO LEVEL SENSOR							Component	ATA:28
PN:057-031-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0949	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									
284304-0103	LH STUB FUEL TANK HI LO LEVEL SENSOR							Component	ATA:28
PN:057-031-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0941	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284304-0104	RH STUB FUEL TANK HI LO LEVEL SENSOR							Component	ATA:28
PN:057-031-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0958	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									
284304-0105	R/H AUX. FUEL TANK HI-LO LEVEL SENSOR							Component	ATA:28
PN:057-031-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0923	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04PROC. REF: AMM 28-43-04, AMM 28-43-04									
284304-0106	VENT TK FUEL TANK HI LO LEVEL SENSOR							Component	ATA:28
PN:057-031-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0816	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284305-0101	CENTER FUSELAGE LIGHTNING ISOLATE FIBER GLASS EPOXY							Component	ATA:28
PN:CA680-24	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HU2001	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0102	VENTRAL TANK 12 PSI FUEL PRESSURE SWITCH							Component	ATA:28
PN:F7-1238-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00091	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0103	LEFT FWD AUX TANK 12 PSI FUEL PRESSURE SWITCH							Component	ATA:28
PN:F7-1238-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00123	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284305-0104	LEFT FWD AUX TANK FUEL QUANTITY SENSOR ASSEMBLY							Component	ATA:28
PN:020-261-010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0169	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-05, AMM 28-41-05	PROC. REF: AMM 28-41-05, AMM 28-41-05								
284305-0105	RIGHT FWD AUX TANK FUEL QUANTITY SENSOR ASSEMBLY							Component	ATA:28
PN:020-261-010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-05, AMM 28-41-05	PROC. REF: AMM 28-41-05, AMM 28-41-05								
284305-0106	VENTRAL TANK NO.1 FUEL QUANTITY SENSOR ASSY							Component	ATA:28
PN:020-261-011	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0153	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-06, AMM 28-41-06	PROC. REF: AMM 28-41-06, AMM 28-41-06								
284305-0107	VENTRAL TANK NO.2 FUEL QUANTITY SENSOR ASSY							Component	ATA:28
PN:020-261-011	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0156	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-06, AMM 28-41-06	PROC. REF: AMM 28-41-06, AMM 28-41-06								
284305-0108	VENTRAL TANK NO.3 FUEL QUANTITY SENSOR ASSY							Component	ATA:28
PN:020-261-012	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-06, AMM 28-41-06	PROC. REF: AMM 28-41-06, AMM 28-41-06								
284305-0109	VENTRAL TANK NO.4 FUEL QUANTITY SENSOR ASSY							Component	ATA:28
PN:020-261-012	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0089	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-06, AMM 28-41-06	PROC. REF: AMM 28-41-06, AMM 28-41-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284305-0110		VENTRAL TANK FUEL GAUGE HARNESS ASSY						Component	ATA:28
PN:080-407-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0060	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-08, AMM 28-41-08PROC. REF: AMM 28-41-08, AMM 28-41-08									
284305-0111		FWD TANK FUEL GAUGE HARNESS ASSY						Component	ATA:28
PN:080-408-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0117	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-07, AMM 28-41-07PROC. REF: AMM 28-41-07, AMM 28-41-07									
284305-0112		VENTRAL TANK FUEL VALVE ASSY 1.000IN						Component	ATA:28
PN:2070158-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1436	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0113		VENTRAL TANK MOTORIZED SHUTOFF VALVE ASSY						Component	ATA:28
PN:2160044-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00052	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0114		VENTRAL TANK 0.3PSI 1/2 IN NE CHECK RELIEF VALVE						Component	ATA:28
PN:2170013-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00111	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0115		RIGHT FWD AUX TANK 0.3PSI 1/2 IN NE CHECK RELIEF VALVE						Component	ATA:28
PN:2170013-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00116	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284305-0116	RIGHT FWD AUX TANK FUEL SYSTEM EJECTOR PUMP							Component	ATA:28
PN:2170014-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0117	VENTRAL TANK FUEL SYSTEM EJECTOR PUMP							Component	ATA:28
PN:2170014-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00095	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0118	LEFT WING STUB FUEL TANK ASSY 1/2 INCH VALVE							Component	ATA:28
PN:2170015-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0098	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0119	RIGHT WING STUB FUEL TANK ASSY 1/2 INCH VALVE							Component	ATA:28
PN:2170015-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0100	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0120	FWD TANK 1/2 INCH CHECK VALVE							Component	ATA:28
PN:2170016-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00094	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0121	VENTRAL TANK 1/2 INCH CHECK VALVE							Component	ATA:28
PN:2170016-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00106	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284305-0122	AFT WING STUB 28 VDC ACTUATOR VALVE							Component	ATA:28
PN:2090049-110	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1874	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0123	RIGHT FWD AUX TANK 28 VDC ACTUATOR VALVE							Component	ATA:28
PN:2090049-110	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1881	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0124	AFT WING STUB 28 VDC ACTUATOR VALVE							Component	ATA:28
PN:2090049-110	MOS/MSC	27-Jul-23	O/C	TSR 0					
SN:1660	HRS	272.6		TSR 0					
	AFL	190		TSR 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0125	RIGHT WING STUB 28 VDC ACTUATOR VALVE							Component	ATA:28
PN:2090049-111	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1910	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0126	LEFT WING STUB 28 VDC ACTUATOR VALVE							Component	ATA:28
PN:2090049-111	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1913	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0127	VENTRAL TANK 28 VDC ACTUATOR VALVE							Component	ATA:28
PN:2090049-112	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1843	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284305-0128		LEFT AUX TANK 28 VDC ACTUATOR VALVE						Component	ATA:28
PN:2090049-112	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1900	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0129		RIGHT AUX TANK 28 VDC ACTUATOR VALVE						Component	ATA:28
PN:2090049-112	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1944	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0131		RIGHT WING STUB 28 VDC ACTUATOR VALVE						Component	ATA:28
PN:2090049-112	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1945	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0132		LEFT WING STUB 28 VDC ACTUATOR VALVE						Component	ATA:28
PN:2090049-112	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1942	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0133		RIGHT AUX TANK 28 VDC ACTUATOR VALVE						Component	ATA:28
PN:2090049-113	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1864	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
284305-0134		LEFT AUX TANK 28 VDC ACTUATOR VALVE						Component	ATA:28
PN:2090049-113	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1884	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284305-0135		RIGHT AUX TANK 28 VDC ACTUATOR VALVE							Component ATA:28
PN:2090049-112	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1946	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
C28-21-04-001		OPERATIONAL CHECK OF ENGINE FUEL SHUTOFF VALVE (SOV)							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 28-21-04PROC. REF: AMM 28-21-04									
C28-21-06-001		OPERATIONAL CHECK OF FUEL CROSS-FEED VALVE							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06									
C28-22-01-001		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) SHUTOFF VALVE (SOV)							Service ATA:28
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 28-22-01PROC. REF: AMM 28-22-01									
F100-001		INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM HARNESS OUTSIDE THE FUEL TANK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
F100-002		INTERNAL GENERAL VISUAL INSPECTION OF FUEL TEMPERATURE SENSOR HARNESS INSTALLATION							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04									
F130-001		INTERNAL GENERAL VISUAL INSPECTION OF THERMAL INSULATION FELT							Service ATA:28
	MOS	29-Sep-21						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00									
F130-005		INTERNAL GENERAL VISUAL INSPECTION OF GLUED STANDOFFS OVER THE WING STUB							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00									
F130-006		INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F140-001		INTERNAL GENERAL VISUAL INSPECTION OF AIR TEMPERATURE SENSOR HARNESS INSTALLATION							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 36-17-01PROC. REF: AMM 36-17-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
F140-002		DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON VENTILATION LINE							Service ATA:28
	MOS	18-Feb-25	48		18-Feb-29		1318 d	FUEL SYSTEM LIMITATION	
	HRS	449.8	2000		2449.8		1890.6		
	AFL	324							
PROC. REF: AMM 28-15-06	PROC. REF: AMM 28-15-06								
F140-003		DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON PRESSURIZATION LINE							Service ATA:28
	MOS	18-Feb-25	48		18-Feb-29		1318 d	FUEL SYSTEM LIMITATION	
	HRS	449.8	2000		2449.8		1890.6		
	AFL	324							
PROC. REF: AMM 28-14-05	PROC. REF: AMM 28-14-05								
F140-004		DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON INTERCONNECTION LINE							Service ATA:28
	MOS	18-Feb-25	48		18-Feb-29		1318 d	FUEL SYSTEM LIMITATION	
	HRS	449.8	2000		2449.8		1890.6		
	AFL	324							
PROC. REF: AMM 28-14-05	PROC. REF: AMM 28-14-05								
F190-003		INTERNAL GENERAL VISUAL INSPECTION INTERNAL GENERAL VISUAL INSPECTION OF PRESSURE REFUEL LINE, COUPLINGS, BONDING JUMPERS AND SUPPORTS, AT WING TO FUSELAGE FAIRING.							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 28-23-09	PROC. REF: AMM 28-23-09								
F190-005		INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE FWD FUEL TANK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-42-00	PROC. REF: AMM 05-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
F190-006		INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE VTRL FUEL TANK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F190-007		INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM INTANK HARNESS AND ITS INSTALLATION – FWD TK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F190-008		INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM INTANK HARNESS AND ITS INSTALLATION – VTRL TK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F190-009		DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS – FWD TK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 28-41-07PROC. REF: AMM 28-41-07									
F190-010		DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS – VTRL TK							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 28-41-08PROC. REF: AMM 28-41-08									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
F190-011		INTERNAL GENERAL VISUAL INSPECTION OF HYDRAULIC LINES AND SUPPORTS, INSIDE THE FUEL TANK.							Service ATA:28
	MOS	29-Sep-21						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00									
F190-012		DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON VENTILATION LINE							Service ATA:28
	MOS	18-Feb-25	48		18-Feb-29		1318 d	FUEL SYSTEM LIMITATION	
	HRS	449.8	2000		2449.8		1890.6		
	AFL	324							
PROC. REF: AMM 28-15-05PROC. REF: AMM 28-15-05									
F190-013		DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON PRESSURIZATION LINE							Service ATA:28
	MOS	18-Feb-25	48		18-Feb-29		1318 d	FUEL SYSTEM LIMITATION	
	HRS	449.8	2000		2449.8		1890.6		
	AFL	324							
PROC. REF: AMM 28-13-05PROC. REF: AMM 28-13-05									
F190-014		DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON INTERCONNECTION LINE							Service ATA:28
	MOS	18-Feb-25	48		18-Feb-29		1318 d	FUEL SYSTEM LIMITATION	
	HRS	449.8	2000		2449.8		1890.6		
	AFL	324							
PROC. REF: AMM 28-13-05PROC. REF: AMM 28-13-05									
F500-002		DETAILED INSPECTION OF FUEL PUMP ELECTRICAL BONDING							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9440.8		
	AFL	0							
PROC. REF: AMM 28-21-02PROC. REF: AMM 28-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
F500-004		DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS							Service ATA:28
	MOS	29-Sep-21	120		29-Sep-31		2271 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14440.8		
	AFL	0							
PROC. REF: AMM 28-41-04PROC. REF: AMM 28-41-04									
ATA 29 - HYDRAULIC POWER									
29-11-00-001 S		VISUAL CHECK OF HYDRAULIC SYSTEM 1 RESERVOIR FLUID LEVEL							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-11-08PROC. REF: AMM 29-11-08									
29-11-00-002 S		VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40									
29-11-00-003 S		VISUAL CHECK OF HYDRAULIC SYSTEM 1 ECOLOGY BOTTLE FLUID LEVEL							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-11-16PROC. REF: AMM 29-11-16									
29-11-00-004 S		VISUAL CHECK OF HYDRAULIC SYSTEM 1 PRESSURE GAUGE/ FILL POINT ACCUMULATOR							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-11-00-005 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40									
29-11-00-006 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 RELIEF VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-11-41PROC. REF: AMM 29-11-41									
29-11-00-007 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 BLEED / RELIEF VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-11-10PROC. REF: AMM 29-11-10									
29-11-00-901 S		VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATORS(DPI)							Service ATA:29
	MOS	29-Sep-21						CMR	
	HRS	0	1500						
	AFL	0							
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40									
29-11-00-902		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service ATA:29
	MOS	29-Sep-21						CMR	
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-11-11-001 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 1 SHUTOFF VALVE (SOV)							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 29-11-11PROC. REF: AMM 29-11-11									
29-11-19-001 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 1 CHECK VALVES							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-11-19PROC. REF: AMM 29-11-19									
29-11-20-001 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 BOOTSTRAP PRIORITY VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 29-11-20PROC. REF: AMM 29-11-20									
29-12-00-001 S		VISUAL CHECK OF HYDRAULIC SYSTEM 2 RESERVOIR FLUID LEVEL							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-12-08PROC. REF: AMM 29-12-08									
29-12-00-002 S		VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-12-00-003 S		VISUAL CHECK OF HYDRAULIC SYSTEM 2 ECOLOGY BOTTLE FLUID LEVEL						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-12-16PROC. REF: AMM 29-12-16									
29-12-00-004 S		VISUAL CHECK OF HYDRAULIC SYSTEM 2 PRESSURE GAUGE/FILL POINT ACCUMULATOR						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-12-00PROC. REF: AMM 29-12-00									
29-12-00-005 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 BLEED / RELIEF VALVE						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-12-10PROC. REF: AMM 29-12-10									
29-12-00-006 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40									
29-12-00-007 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 RELIEF VALVE						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-12-41PROC. REF: AMM 29-12-41									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-12-00-901 S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATORS (DPI)							Service	ATA:29
	MOS	29-Sep-21						CMR	
	HRS	0	1500						
	AFL	0							
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40									
29-12-00-902	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service	ATA:29
	MOS	29-Sep-21						CMR	
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 29-12-04PROC. REF: AMM 29-12-04									
29-12-11-001 S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 2 SHUTOFF VALVE (SOV)							Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 29-12-11PROC. REF: AMM 29-12-11									
29-12-19-001 S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 2 CHECK VALVES							Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-12-19PROC. REF: AMM 29-12-19									
29-12-20-001 S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 BOOTSTRAP PRIORITY VALVE							Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 29-12-20PROC. REF: AMM 29-12-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-13-00-001 S		VISUAL CHECK OF HYDRAULIC SYSTEM 3 RESERVOIR FLUID LEVEL						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-13-08PROC. REF: AMM 29-13-08									
29-13-00-002 S		VISUAL CHECK OF HYDRAULIC SYSTEM 3 PRESSURE GAUGE/FILL POINT ACCUMULATOR						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00									
29-13-00-003 S		VISUAL CHECK OF HYDRAULIC SYSTEM 3 DIFFERENTIAL PRESSURE INDICATOR (DPI)						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-13-40PROC. REF: AMM 29-13-40									
29-13-00-004 S		VISUAL CHECK OF HYDRAULIC SYSTEM 3 ECOLOGY BOTTLE FLUID LEVEL						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 29-13-16PROC. REF: AMM 29-13-16									
29-13-00-005 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 DIFFERENTIAL PERSSURE INDICATOR (DPI) AND RETURN FILTER BYPASS						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-13-40PROC. REF: AMM 29-13-40									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-13-00-006 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 RELIEF VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-13-41PROC. REF: AMM 29-13-41									
29-13-00-007 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 BLEED / RELIEF VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-13-10PROC. REF: AMM 29-13-10									
29-13-00-901 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION							Service ATA:29
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00									
29-13-19-001 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 CHECK VALVES							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-13-19PROC. REF: AMM 29-13-19									
29-13-20-001 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 BOOTSTRAP PRIORITY VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 29-13-20PROC. REF: AMM 29-13-20									
29-21-00-001 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00									
29-21-00-002 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU) PRIORITY VALVE							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-21-03PROC. REF: AMM 29-21-03									
29-21-00-901 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)							Service ATA:29
	MOS	29-Sep-21						CMR	
	HRS	0	15000						
	AFL	0							
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00									
29-31-00-001 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM PRESSURE SWITCH							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-31-00PROC. REF: AMM 29-31-00									
29-31-00-002 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM PRESSURE TRANSDUCER							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 29-31-01PROC. REF: AMM 29-31-01									
29-33-01-001 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM TEMPERATURE TRANSDUCERS							Service ATA:29
	MOS	29-Sep-21							
	HRS	0	1500 (+37/-37)						
	AFL	0							
									PKG:5
PROC. REF: AMM 29-33-01PROC. REF: AMM 29-33-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-33-02-001 S		FUNCTIONAL CHECK OF HYDRAULIC SYSTEM TEMPERATURE SWITCHES						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 29-33-02PROC. REF: AMM 29-33-02									
291001-0101		RH ENGINE DRIVEN HYDRAULIC PUMP						Component	ATA:29
PN:53102-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:K0454	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01PROC. REF: AMM 29-12-01, AMM 29-12-01									
291001-0102		LH ENGINE DRIVEN HYDRAULIC PUMP						Component	ATA:29
PN:53102-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:K0451	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-01, AMM 29-11-01PROC. REF: AMM 29-11-01, AMM 29-11-01									
291013-0101		OVERHEAD HYDRAULIC SYSTEM CONTROL PANEL ASSY						Component	ATA:29
PN:430500-001	MOS/MSC	20-Oct-22	O/C	TSN 2					
SN:430500AA0252	HRS	178.1		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 29-10-01, AMM 29-10-01PROC. REF: AMM 29-10-01, AMM 29-10-01									
291100-0101		HYDRAULIC SYSTEM PRESSURE SWITCH						Component	ATA:29
PN:945196-351	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:985050733	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
291102-0101		HYDRAULIC BRUSHLESS MOTOR DRIVEN DC PUMP						Component	ATA:29
PN:53104-05	MOS/MSC	20-Oct-22	O/C	TSN 3					
SN:0282	HRS	178.1		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 29-11-02, AMM 29-11-02PROC. REF: AMM 29-11-02, AMM 29-11-02									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291108-0101	HYDRAULIC BOOTSTRAP RESERVOIR							Component	ATA:29
PN:960466-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-08, AMM 29-11-08	PROC. REF: AMM 29-11-08, AMM 29-11-08								
291119-0101	CHECK VALVE							Component	ATA:29
PN:975254-12	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1486	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19	PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0102	CHECK VALVE							Component	ATA:29
PN:975254-12	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1491	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19	PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0103	CHECK VALVE							Component	ATA:29
PN:975254-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0789	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19	PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0104	CHECK VALVE							Component	ATA:29
PN:975254-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0809	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19	PROC. REF: AMM 29-11-19, AMM 29-11-19								
291119-0201	CHECK VALVE							Component	ATA:29
PN:975254-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0794	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19	PROC. REF: AMM 29-11-19, AMM 29-11-19								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291119-0202	CHECK VALVE							Component	ATA:29
PN:975254-9	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0822	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19	PROC. REF: AMM 29-11-19, AMM 29-11-19								
291204-0101	HYDRAULIC SYSTEMS 1 & 2 FILTER MANIFOLD							Component	ATA:29
PN:945196-5	MOS/MSC	20-Oct-22	O/C	TSN 31					
SN:18350/0381	HRS	178.1		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04	PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04								
291204-0102	HYDRAULIC SYSTEMS 1 & 2 FILTER MANIFOLD							Component	ATA:29
PN:945196-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:18350/0455	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04	PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04								
291208-0101	HYDRAULIC BOOTSTRAP RESERVOIR							Component	ATA:29
PN:960467-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0221	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-08, AMM 29-12-08	PROC. REF: AMM 29-12-08, AMM 29-12-08								
291211-0101	HYDRAULIC SYSTEM A SHUTOFF VALVE							Component	ATA:29
PN:975358-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0444	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-11, AMM 29-12-11	PROC. REF: AMM 29-12-11, AMM 29-12-11								
291211-0102	HYDRAULIC SYSTEM A SHUTOFF VALVE							Component	ATA:29
PN:975358-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0448	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-11, AMM 29-12-11	PROC. REF: AMM 29-12-11, AMM 29-12-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291212-0101	75 IN GAS HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:623600-0751	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0460	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-12, AMM 29-12-12PROC. REF: AMM 29-12-12, AMM 29-12-12									
291212-0102	75 IN GAS HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:623600-0751	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0453	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-12, AMM 29-12-12PROC. REF: AMM 29-12-12, AMM 29-12-12									
291212-0103	GEN 3 75 IN GAS HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:623600-0751	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0458	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-12, AMM 29-12-12PROC. REF: AMM 29-12-12, AMM 29-12-12									
291219-0101	CHECK VALVE							Component	ATA:29
PN:975254-10	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4014	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-19, AMM 29-12-19PROC. REF: AMM 29-12-19, AMM 29-12-19									
291219-0102	CHECK VALVE							Component	ATA:29
PN:975254-8	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:6851	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-19, AMM 29-12-19PROC. REF: AMM 29-12-19, AMM 29-12-19									
291220-0101	BOOST HYDRAULIC SYSTEM PRIORITY VALVE							Component	ATA:29
PN:975361-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0635	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291220-0102	BOOST HYDRAULIC SYSTEM PRIORITY VALVE							Component	ATA:29
PN:975361-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0631	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20									
291220-0103	GEN 3 BOOST HYDRAULIC SYSTEM PRIORITY VALVE							Component	ATA:29
PN:975361-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0638	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20									
291226-0101	HYDRAULIC DUMP/THERMAL RELIEF VALVE							Component	ATA:29
PN:975362-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0615	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
291226-0102	HYDRAULIC DUMP/THERMAL RELIEF VALVE							Component	ATA:29
PN:975362-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0651	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
291226-0103	GEN 3 HYDRAULIC DUMP/THERMAL RELIEF VALVE							Component	ATA:29
PN:975362-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0648	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
291231-0101	PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component	ATA:29
PN:975384-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0644	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-31, AMM 29-12-31PROC. REF: AMM 29-12-31, AMM 29-12-31									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291231-0102	PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component	ATA:29
PN:975384-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0647	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-31, AMM 29-12-31	PROC. REF: AMM 29-12-31, AMM 29-12-31								
291231-0103	GEN 3 PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component	ATA:29
PN:975384-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0624	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-31, AMM 29-12-31	PROC. REF: AMM 29-12-31, AMM 29-12-31								
291302-0101	GEN 3 BRUSHLESS DC MOTOR DRIVEN HYDRAULIC PUMP							Component	ATA:29
PN:53117-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-13-02, AMM 29-13-02	PROC. REF: AMM 29-13-02, AMM 29-13-02								
291304-0101	GEN 3 HYDRAULIC SYSTEM 3 FILTER MANIFOLD							Component	ATA:29
PN:945197-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:18350/0241	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-13-04, AMM 29-13-04	PROC. REF: AMM 29-13-04, AMM 29-13-04								
291308-0101	GEN 3 HYDRAULIC BOOTSTRAP RESERVOIR							Component	ATA:29
PN:960469-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-13-08, AMM 29-13-08	PROC. REF: AMM 29-13-08, AMM 29-13-08								
291319-0101	CHECK VALVE							Component	ATA:29
PN:975254-7	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4429	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-13-19, AMM 29-13-19	PROC. REF: AMM 29-13-19, AMM 29-13-19								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291319-0102	CHECK VALVE							Component	ATA:29
PN:975254-7	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4433	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-13-19, AMM 29-13-19	PROC. REF: AMM 29-13-19, AMM 29-13-19								
291319-0201	CHECK VALVE							Component	ATA:29
PN:975254-7	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4457	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-13-19, AMM 29-13-19	PROC. REF: AMM 29-13-19, AMM 29-13-19								
292101-0101	HYDRAULIC POWER TRANSFER UNIT							Component	ATA:29
PN:53103-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:K0215	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-01, AMM 29-21-01	PROC. REF: AMM 29-21-01, AMM 29-21-01								
292102-0101	HYDRAULIC SYSTEM PTU SELECT VALVE							Component	ATA:29
PN:975359-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CR0434	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-02, AMM 29-21-02	PROC. REF: AMM 29-21-02, AMM 29-21-02								
292102-0102	HYDRAULIC SYSTEM PTU SELECT VALVE							Component	ATA:29
PN:975359-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CR0437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-02, AMM 29-21-02	PROC. REF: AMM 29-21-02, AMM 29-21-02								
292103-0101	HYDRAULIC SYS AL PTU PRIORITY VALVE							Component	ATA:29
PN:975360-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-03, AMM 29-21-03	PROC. REF: AMM 29-21-03, AMM 29-21-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
292103-0102		HYDRAULIC SYS AL PTU PRIORITY VALVE						Component	ATA:29
PN:975360-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PN0435	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-03, AMM 29-21-03PROC. REF: AMM 29-21-03, AMM 29-21-03									
C29-11-00-001		VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATORS (DPI)						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)		750	787	190.8 (+37)		
	AFL	0							
									PKG:1
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40									
C29-12-00-001		VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATORS (DPI)						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)		750	787	190.8 (+37)		
	AFL	0							
									PKG:1
PROC. REF: AMM 29-12-40PROC. REF: AMM 29-12-40									
C29-21-00-001		OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)						Service	ATA:29
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00									
ATA 30 - ICE AND RAIN PROTECTION									
30-00-01-001 S		OPERATIONAL CHECK OF WING/STAB ANTI-ICING SYSTEM (MANUAL OVERRIDE)						Service	ATA:30
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
30-20-00-710-801-A	ENGINE ANTI-ICE SYSTEM - OPERATIONAL TEST								Service ATA:30
	MOS/MSC	10-Mar-22	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	66.5							
	AFL	54							
PROC. REF: AMM 30-20-00	PROC. REF: AMM 30-20-00								
30-30-00-710-801-A	AIR-DATA HEATING SYSTEM - OPERATIONAL TEST								Service ATA:30
	MOS/MSC	18-Feb-25	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 30-30-00	PROC. REF: AMM 30-30-00								
30-42-00-001	OPERATIONAL CHECK OF INTERFACE BETWEEN WINDSHIELD HEATING SYSTEM INDICATION								Service ATA:30
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 30-42-00	PROC. REF: AMM 30-42-00								
30-43-00-001 S	FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING								Service ATA:30
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 30-43-01	PROC. REF: AMM 30-43-01								
300101-0101	LEFT ICE DETECTOR								Component ATA:30
PN:0871LM3-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2607	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-01, AMM 30-81-01	PROC. REF: AMM 30-81-01, AMM 30-81-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
300101-0102	RIGHT ICE DETECTOR							Component	ATA:30
PN:0871LM3-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2613	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-01, AMM 30-81-01PROC. REF: AMM 30-81-01, AMM 30-81-01									
300103-0101	OVERHEAD ICE PROTECTION SYSTEM CONTROL PANEL							Component	ATA:30
PN:431200-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:431200AA0226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-00-01, AMM 30-00-01PROC. REF: AMM 30-00-01, AMM 30-00-01									
300203-0101	OVERHEAD HEATERS SYSTEM CONTROL PANEL ASSY							Component	ATA:30
PN:430400-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:430400AA0235	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-00-02, AMM 30-00-02PROC. REF: AMM 30-00-02, AMM 30-00-02									
301001-0101	LH CENTER LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1537	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301001-0102	LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1523	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301001-0103	LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1530	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
301001-0201	LH ENG LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1550	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301001-0202	RH ENG LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1548	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301001-0203	LH ENG LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1552	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301001-0204	RH ENG LIGHTNING TRAP DEVICE							Component	ATA:30
PN:LTD-43-72-30-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LCY023A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301207-0101	LH WING PRESSURE TRANSDUCER SENSOR							Component	ATA:30
PN:A3000-A-114M8113MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11745840	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07									
301207-0102	RH WING PRESSURE TRANSDUCER SENSOR							Component	ATA:30
PN:A3000-A-114M8113MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11745831	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
301207-0103		PRESSURE TRANSDUCER SENSOR						Component	ATA:30
PN:A3000-A-114M8113MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11689999	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07									
301207-0104		PRESSURE TRANSDUCER SENSOR						Component	ATA:30
PN:A3000-A-114M8113MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11745836	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07PROC. REF: AMM 30-12-07, AMM 30-12-07									
301213-0101		REAR ANTI-ICE SHUTOFF VALVE						Component	ATA:30
PN:424345-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0438	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-01, AMM 30-12-01PROC. REF: AMM 30-12-01, AMM 30-12-01									
302101-0101		LH ENG PRESSURE REGULATING AND SHUT OFF VALVE						Component	ATA:30
PN:WBG3020G103-003	MOS/MSC	18-Nov-21	O/C	TSN 0					
SN:0125	HRS	41.9		TSN 0					
	AFL	28		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
302101-0102		RH ENG PRESSURE REGULATING AND SHUT OFF VALVE						Component	ATA:30
PN:WBG3020G103-003	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0206	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
302102-0101	LH ENG LOW / HIGH PRESSURE SWITCH							Component	ATA:30
PN:WBA3020G107-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1837	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02	PROC. REF: AMM 30-21-02, AMM 30-21-02								
302102-0102	RH ENG LOW / HIGH PRESSURE SWITCH							Component	ATA:30
PN:WBA3020G107-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1836	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02	PROC. REF: AMM 30-21-02, AMM 30-21-02								
302102-0201	LH ENGINE - TUBE ASSY, ANTI-ICING SYSTEM							Component	ATA:30
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03	PROC. REF: AMM 30-21-03, AMM 30-21-03								
302102-0202	RH ENGINE - TUBE ASSY, ANTI-ICING SYSTEM							Component	ATA:30
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03	PROC. REF: AMM 30-21-03, AMM 30-21-03								
302103-0101	LH ENGINE ANTI-ICING TUBE, INCONEL							Component	ATA:30
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03	PROC. REF: AMM 30-21-03, AMM 30-21-03								
302103-0102	RH ENGINE ANTI-ICING TUBE, INCONEL							Component	ATA:30
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03	PROC. REF: AMM 30-21-03, AMM 30-21-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
302104-0101		LH ENGINE ANTI-ICING TUBE						Component	ATA:30
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03									
302104-0102		RH ENGINE ANTI-ICING TUBE						Component	ATA:30
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03PROC. REF: AMM 30-21-03, AMM 30-21-03									
304201-0101		WINDSHIELD HEATING CONTROL UNIT						Component	ATA:30
PN:EWHCU-550-00-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0239	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01									
304201-0102		WINDSHIELD HEATING CONTROL UNIT						Component	ATA:30
PN:EWHCU-550-00-02	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0243	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01									
H430-003 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF THE ELECTRICAL-HYDRAULIC PRIMARY LOCK (EHPL)						Service	ATA:30
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	APH	0							
									PKG:40
PROC. REF: AMM 78-32-03PROC. REF: AMM 78-32-03									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-01-001 S		FUNCTIONAL CHECK OF FLIGHT DATA RECORDER (FDR)						Service	ATA:31
	MOS	29-Sep-21							
	HRS	0	1500 (+37/-37)						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS									
	AFL	0							
									PKG:5
PROC. REF: AMM 31-31-00PROC. REF: AMM 31-31-00									
31-31-04-001		DISCARD FDR (ULB) UNDERWATER LOCATOR BEACON BATTERY							Service ATA:31
PN:266-E5542-00	MOS/MSC		DUE		01-Apr-27 (M)		629 d	LIFE LIMIT	
SN:ULB037440	HRS								
	AFL								
PROC. REF: AMM 31-31-04PROC. REF: AMM 31-31-04									
31-61-01-001 S		OPERATIONAL CHECK OF REVERSION CONTROL PANEL							Service ATA:31
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 31-61-03PROC. REF: AMM 31-61-03									
31-61-01-901 S		OPERATIONAL CHECK OF REVERSIONARY SWITCH PANEL							Service ATA:31
	MOS	29-Sep-21						CMR	
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 31-61-03PROC. REF: AMM 31-61-03									
31-64-01-001 S		OPERATIONAL CHECK OF HEAD UP BREAKAWAYPOSITION							Service ATA:31
	MOS	29-Sep-21						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 31-64-01PROC. REF: AMM 31-64-01									
312206-0101		LH RACK (APM) AIRCRAFT PERSONALITY MODULE							Component ATA:31
PN:822-2195-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KVM5T	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-06, AMM 42-22-06PROC. REF: AMM 42-22-06, AMM 42-22-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS									
312207-0101		LH RACK (APM) AIRCRAFT PERSONALITY MODULE						Component	ATA:31
PN:822-2195-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N97CC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-06, AMM 42-22-06	PROC. REF: AMM 42-22-06, AMM 42-22-06								
313102-0101		LEFT IMPACT SWITCH						Component	ATA:31
PN:2098-5-000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:556	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-03, AMM 31-31-03	PROC. REF: AMM 31-31-03, AMM 31-31-03								
313102-0102		RIGHT IMPACT SWITCH						Component	ATA:31
PN:2098-5-000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:550	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-03, AMM 31-31-03	PROC. REF: AMM 31-31-03, AMM 31-31-03								
313103-0101		CENT FUS TRI AXIAL ACCELEROMETER						Component	ATA:31
PN:550-22734-401	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0920-DT6773R	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1	PROC. REF: AMM GENERIC 1								
313104-0101		FDR (ULB) UNDERWATER LOCATOR BEACON						Component	ATA:31
PN:266-E5542-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:ULB037440	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-04, AMM 31-31-04	PROC. REF: AMM 31-31-04, AMM 31-31-04								
313113-0101		(FDR) FLIGHT DATA RECORDER						Component	ATA:31
PN:5013-3100-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:002044338	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-01, AMM 31-31-01	PROC. REF: AMM 31-31-01, AMM 31-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS									
315113-0101	CSL CENT TAKEOFF CONF/EVENT CONTROL PANEL							Component	ATA:31
PN:432400-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:432400AA0213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
316101-0101	LEFT AFD 15.1" ADAPTIVE FLIGHT DISPLAY							Component	ATA:31
PN:822-2332-430	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M7H7N	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01									
316101-0102	MID AFD 15.1" ADAPTIVE FLIGHT DISPLAY							Component	ATA:31
PN:822-2332-430	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCG6P	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01									
316101-0103	RIGHT AFD 15.1" ADAPTIVE FLIGHT DISPLAY							Component	ATA:31
PN:822-2332-430	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4P3C4Y	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01									
316101-0104	AFD 15.1" ADAPTIVE FLIGHT DISPLAY							Component	ATA:31
PN:822-2332-430	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M7H9N	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01									
316102-0101	LH PANEL DCP-5080 DISPLAY CONTROL PANEL							Component	ATA:31
PN:822-2839-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4LYY30	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-02, AMM 31-61-02PROC. REF: AMM 31-61-02, AMM 31-61-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS									
316102-0102		RH PANEL DCP-5080 DISPLAY CONTROL PANEL						Component	ATA:31
PN:822-2839-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M0114	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-02, AMM 31-61-02		PROC. REF: AMM 31-61-02, AMM 31-61-02							
316103-0101		LEFT RSP REVERSION SWITCH PANEL						Component	ATA:31
PN:866-0218-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:48LNPD	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-03, AMM 31-61-03		PROC. REF: AMM 31-61-03, AMM 31-61-03							
316103-0102		RIGHT RSP REVERSION SWITCH PANEL						Component	ATA:31
PN:866-0218-100	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:48LNNT	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-03, AMM 31-61-03		PROC. REF: AMM 31-61-03, AMM 31-61-03							
316143-0101		PILOT CCP-6120 CURSOR CONTROL PANEL						Component	ATA:31
PN:822-2837-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M00YV	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-04, AMM 31-61-04		PROC. REF: AMM 31-61-04, AMM 31-61-04							
316143-0102		COPILOT CCP-6120 CURSOR CONTROL PANEL						Component	ATA:31
PN:822-2837-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M013C	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-04, AMM 31-61-04		PROC. REF: AMM 31-61-04, AMM 31-61-04							
316153-0101		NO. 1 MKP MULTIFUNCTION KEYBOARD PANEL						Component	ATA:31
PN:822-2858-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M9N10	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-05, AMM 31-61-05		PROC. REF: AMM 31-61-05, AMM 31-61-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS									
316153-0102	NO. 2 MKP MULTIFUNCTION KEYBOARD PANEL							Component	ATA:31
PN:822-2858-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M9PR9	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-05, AMM 31-61-05	PROC. REF: AMM 31-61-05, AMM 31-61-05								
316173-0101	IMT-6500 INSTRUMENT MOUNTING TRAY							Component	ATA:31
PN:822-2337-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCK73	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07	PROC. REF: AMM 31-61-07, AMM 31-61-07								
316173-0102	IMT-6500 INSTRUMENT MOUNTING TRAY							Component	ATA:31
PN:822-2337-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCK7D	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07	PROC. REF: AMM 31-61-07, AMM 31-61-07								
316173-0103	IMT-6500 INSTRUMENT MOUNTING TRAY							Component	ATA:31
PN:822-2337-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCK7H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07	PROC. REF: AMM 31-61-07, AMM 31-61-07								
316173-0104	IMT-6500 INSTRUMENT MOUNTING TRAY							Component	ATA:31
PN:822-2337-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCK7M	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07	PROC. REF: AMM 31-61-07, AMM 31-61-07								
316213-0101	RH RACK SVM-6110 SYNTHETIC VISION MODULE							Component	ATA:31
PN:822-2539-101	MOS/MSC	01-May-25	O/C	TSO 0					
SN:5132MB	HRS	529.2		TSO 0					
	AFL	355		TSO 0					
PROC. REF: AMM 31-62-01, AMM 31-62-01	PROC. REF: AMM 31-62-01, AMM 31-62-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 31 - INDICATING/RECORDING SYSTEMS									
316401-0101		HEAD UP PILOT DISPLAY UNIT (HUD PDU)						Component	ATA:31
PN:1500-3570-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:71802	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-64-01, AMM 31-64-01PROC. REF: AMM 31-64-01, AMM 31-64-01									
316402-0101		FWD FUSELAGE (PILOT CABIN) HEAD UP POWER SUPPLY UNIT (HUD PSU, HGS)						Component	ATA:31
PN:1500-3590-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1000DR	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-64-02, AMM 31-64-02PROC. REF: AMM 31-64-02, AMM 31-64-02									
C31-61-01-001		OPERATIONAL CHECK OF REVERSION CONTROL PANEL						Service	ATA:31
	MOS	29-Sep-21							
	HRS	0	3750		3750		3190.8		
	AFL	0							
									PKG:15
PROC. REF: AMM 31-61-03PROC. REF: AMM 31-61-03									
ATA 32 - LANDING GEAR									
32-01-00-001 S		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION						Service	ATA:32
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00									
32-11-00-001 S		LUBRICATION OF LH AND RH MAIN LANDING GEAR						Service	ATA:32
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01									
32-11-00-002		RESTORATION LEFT MAIN LANDING GEAR ASSEMBLY (OVERHAUL)						Service	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									
32-11-00-002		RESTORATION RIGHT MAIN LANDING GEAR ASSEMBLY (OVERHAUL)						Service	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									
32-11-01-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SHOCK STRUT ASSEMBLY						Service	ATA:32
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00									
32-11-01-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - DRESSED SHOCK STRUT ASSEMBLY (LH)						Service	ATA:32
PN:200-7125-001	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:HER02C-0088	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-01-003		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - DRESSED SHOCK STRUT ASSEMBLY (RH)						Service	ATA:32
PN:200-7125-002	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:HER02C-0079	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-03-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SIDE STAY						Service	ATA:32
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-11-04-001 S		SERVICE LH AND RH MAIN LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-14-01PROC. REF: AMM 12-14-01									
32-11-04-002 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00									
32-21-01-001 S		LUBRICATION OF NOSE LANDING GEAR							Service ATA:32
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02									
32-21-01-002		RESTORATION NOSE LANDING GEAR ASSEMBLY (OVERHAUL)							Service ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									
32-21-01-003 S		SERVICE NOSE LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-14-02PROC. REF: AMM 12-14-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-21-01-004 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF NOSE LANDING GEAR SHOCK STRUT ASSEMBLY							Service ATA:32
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: NDT 32-21-00PROC. REF: NDT 32-21-00									
32-21-01-005		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRESSED SHOCK STRUT ASSEMBLY							Service ATA:32
PN:200-4025-027	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:H0223	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-21-02-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF NOSE LANDING GEAR DRAG STRUT							Service ATA:32
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: NDT 32-21-00PROC. REF: NDT 32-21-00									
32-30-00-001 S		OPERATIONAL CHECK OF LANDING GEAR LEVER OVERRIDE FUNCTION							Service ATA:32
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 32-33-01PROC. REF: AMM 32-33-01									
32-31-01-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - RETRACT ACTUATOR (LH)							Service ATA:32
PN:200-3800-009	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:HAI-0433	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-31-01-003		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - RETRACT ACTUATOR (RH)						Service	ATA:32
PN:200-3800-009	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:HAI-0440	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-31-05-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SIDE STAY ASSEMBLY (LH)						Service	ATA:32
PN:200-3700-005	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:VLA01U-0215	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-31-05-003		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SIDE STAY ASSEMBLY (RH)						Service	ATA:32
PN:200-3700-005	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:VLA01U-0222	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-31-10-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCK LINK ASSEMBLY (LH)						Service	ATA:32
PN:200-3750-005	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:VLA01U-0212	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-31-10-003		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCK LINK ASSEMBLY (RH)						Service	ATA:32
PN:200-3750-005	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:VLA01U-0213	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-32-01-002		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - RETRACT ACTUATOR							Service ATA:32
PN:200-4200-001	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:HAI-0223	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-32-05-002		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSEMBLY							Service ATA:32
PN:200-4100-007	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:VLA01U-0111	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-32-10-002		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCK LINK ASSEMBLY							Service ATA:32
PN:200-4150-003	MOS	29-Sep-21	120		29-Sep-31		2271 d		
SN:CFN02C-0221	HRS	0							
	AFL	0	8500		8500		8122		
	APH	0							
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-34-00-001 S		FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service ATA:32
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 32-34-00PROC. REF: AMM 32-34-00									
32-34-00-002 S		GENERAL VISUAL INSPECTION OF LANDING GEAR EMERGENCY EXTENSION LINKAGES							Service ATA:32
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 32-34-00PROC. REF: AMM 32-34-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-41-00-001		OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0864	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-001		OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0857	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-001		OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0868	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-001		OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0859	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-901		OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS	29-Sep-21						CMR	
SN:AUG20-0864	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-901		OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS	29-Sep-21						CMR	
SN:AUG20-0857	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-41-00-901		OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS	29-Sep-21						CMR	
SN:AUG20-0868	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-901		OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS	29-Sep-21						CMR	
SN:AUG20-0859	HRS	0	7500		7500		6940.8		
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-44-00-001 S		FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM							Service ATA:32
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00									
32-44-00-002 S		FUNCTIONAL CHECK OF EMERGENCY / PARKING BRAKE ACCUMULATOR							Service ATA:32
	MOS	29-Sep-21							
	HRS	0	1500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 32-44-04PROC. REF: AMM 32-44-04									
32-44-03-001 S		GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE CABLE/MECHANISM							Service ATA:32
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00									
32-44-04-901 S		FUNCTIONAL CHECK OF EMERGENCY / PARKING BRAKE ACCUMULATOR							Service ATA:32
	MOS	29-Sep-21						CMR	
	HRS	0	1500						
	AFL	0							
PROC. REF: AMM 32-44-04PROC. REF: AMM 32-44-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-44-06-001 S		DISCARD OF L/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE							Service ATA:32
PN:90009634	MOS	29-Sep-21						CATEGORY 8	
SN:JAN20-0580	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 32-44-08PROC. REF: AMM 32-44-08									
32-44-06-001 S		DISCARD OF R/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE							Service ATA:32
PN:90009634	MOS	29-Sep-21						CATEGORY 8	
SN:JAN20-0590	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 32-44-08PROC. REF: AMM 32-44-08									
32-49-01-002		RESTORATION (OVERHAUL) OF LH INBOARD MAIN WHEEL ASSEMBLY							Service ATA:32
PN:90011353	MOS	23-Nov-22							
SN:FEB19-0034	HRS	184.7							
	AFL	123	1500		1623		1245		
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01									
32-49-01-002		RESTORATION (OVERHAUL) OF LH OUTBOARD MAIN WHEEL ASSEMBLY							Service ATA:32
PN:90011353	MOS	29-Sep-21							
SN:JUN20-0219	HRS	0							
	AFL	0	1500		1500		1122		
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01									
32-49-01-002		RESTORATION (OVERHAUL) OF RH INBOARD MAIN WHEEL ASSEMBLY							Service ATA:32
PN:90011353	MOS	28-Sep-23							
SN:MAY21-0393	HRS	295.3							
	AFL	207	1500	TAC 197	1510		1132		
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01									
32-49-01-002		RESTORATION (OVERHAUL) OF RH OUTBOARD MAIN WHEEL ASSEMBLY							Service ATA:32
PN:90011353	MOS	29-Sep-21							
SN:OCT20-0287	HRS	0							
	AFL	0	1500		1500		1122		
PROC. REF: AMM 32-49-01, AMM 32-49-01PROC. REF: AMM 32-49-01, AMM 32-49-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-49-04-002		RESTORATION (OVERHAUL) OF LEFT NOSE WHEEL ASSEMBLY							Service ATA:32
PN:90006965	MOS	29-Sep-21							
SN:OCT20-0680	HRS	0							
	AFL	0	1500		1500		1122		
PROC. REF: AMM 32-49-04, AMM 32-49-04PROC. REF: AMM 32-49-04, AMM 32-49-04									
32-49-04-002		RESTORATION (OVERHAUL) OF RIGHT NOSE WHEEL ASSEMBLY							Service ATA:32
PN:90006965	MOS	29-Sep-21							
SN:OCT20-0679	HRS	0							
	AFL	0	1500		1500		1122		
PROC. REF: AMM 32-49-04, AMM 32-49-04PROC. REF: AMM 32-49-04, AMM 32-49-04									
320100-0101		LEFT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									
320100-0102		RIGHT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									
320101-0101		NOSE LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-21-01, AMM 32-21-01									
320113-0101		RH RACK LANDING GEAR AND HYDRAULIC CONTROL							Component ATA:32
PN:80-230-01-04	MOS/MSC	20-Oct-22	O/C	TSN 51					
SN:307392-357	HRS	178.1							
	AFL								
PROC. REF: AMM 32-01-01, AMM 32-01-01PROC. REF: AMM 32-01-01, AMM 32-01-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
320113-0102	LH RACK LANDING GEAR AND HYDRAULIC CONTROL								Component ATA:32
PN:80-230-01-04	MOS/MSC	20-Oct-22	O/C	TSN 96					
SN:259021-71	HRS	178.1		TSN 1642					
	AFL			TSN 1137					
PROC. REF: AMM 32-01-01, AMM 32-01-01PROC. REF: AMM 32-01-01, AMM 32-01-01									
3211001-301	LEFT TRAILING ARM ASSY								Component ATA:32
PN:200-3653-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:H0483	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03									
3211001-302	RIGHT TRAILING ARM ASSY								Component ATA:32
PN:200-3653-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:H0464	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03									
321102-0101	LEFT MLG DRESSED SHOCK STRUT ASSY								Component ATA:32
PN:200-7125-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HER02C-0088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
321102-0102	RIGHT MLG DRESSED SHOCK STRUT ASSY								Component ATA:32
PN:200-7125-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HER02C-0079	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
321103-0101	LEFT MLG MAIN FITTING								Component ATA:32
PN:200-3651-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:APP10U-0446	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
321103-0102		RIGHT MLG MAIN FITTING							Component ATA:32
PN:200-3651-004	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:APP10U-0425	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									
321103-0301		LEFT MLG FWD TRUNNION PIN							Component ATA:32
PN:200-3690-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0233	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
321103-0302		RIGHT MLG AFT TRUNNION PIN							Component ATA:32
PN:200-3686-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0274	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
321103-0303		LEFT MLG AFT TRUNNION PIN							Component ATA:32
PN:200-3686-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0280	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321103-0304		RIGHT MLG FWD TRUNNION PIN							Component ATA:32
PN:200-3690-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0222	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321104-0101		LEFT MLG SHOCK ABSORBER (OLEO) ASSY							Component ATA:32
PN:200-7150-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAI-0095	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
321104-0102	RIGHT MLG SHOCK ABSORBER (OLEO) ASSY							Component	ATA:32
PN:200-7150-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAI-0085	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04									
321105-0101	LEFT MLG OLEO ASSY METERING PIN/END CAP							Component	ATA:32
PN:200-3628-105	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0487	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321105-0102	RIGHT MLG OLEO ASSY METERING PIN/END CAP							Component	ATA:32
PN:200-3628-105	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0461	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321106-0101	LEFT MLG TRAILING ARM							Component	ATA:32
PN:200-3653-107	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0483	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03									
321106-0102	RIGHT MLG TRAILING ARM							Component	ATA:32
PN:200-3653-107	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0464	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03									
321107-0101	LEFT MLG TRAILING ARM ASSY PIN							Component	ATA:32
PN:200-3685-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:ELI01C-0021	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
321107-0102		RIGHT MLG TRAILING ARM ASSY PIN							Component ATA:32
PN:200-3685-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0193	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03									
321108-0101		LEFT MLG OLEO ASSY CYLINDER							Component ATA:32
PN:200-3626-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0485	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321108-0102		RIGHT MLG OLEO ASSY CYLINDER							Component ATA:32
PN:200-3626-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0457	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321108-0103		LEFT PISTON OLEO							Component ATA:32
PN:200-3627-107	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:H0209	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 6PROC. REF: AMM GENERIC 6									
321108-0104		RIGHT PISTON OLEO							Component ATA:32
PN:200-3627-107	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:H0185	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 6PROC. REF: AMM GENERIC 6									
321109-0101		LEFT MLG LOWER OLEO ASSY PIN							Component ATA:32
PN:200-3687-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:ELI01C-0004	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
321109-0102		RIGHT MLG LOWER OLEO ASSY PIN							Component ATA:32
PN:200-3687-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0536	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321109-0103		LEFT MLG UPPER OLEO ASSY PIN							Component ATA:32
PN:200-3688-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0150	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321109-0104		RIGHT MLG UPPER OLEO ASSY PIN							Component ATA:32
PN:200-3688-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0201	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
321207-0101		LH MLG MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:625800-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0442	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-12-07, AMM 32-12-07PROC. REF: AMM 32-12-07, AMM 32-12-07									
321207-0102		RH MLG MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:625800-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0438	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-12-07, AMM 32-12-07PROC. REF: AMM 32-12-07, AMM 32-12-07									
322102-0101		NLG DRESSED SHOCK STRUT ASSEMBLY							Component ATA:32
PN:200-4025-027	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:H0223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
322102-0102		NLG SHOCK STRUT ASSY CYLINDER							Component ATA:32
PN:200-4053-009	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:APP10U-0113	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
322102-0103		NLG SHOCK STRUT ASSY PISTON							Component ATA:32
PN:200-4051-005	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:H0C01C-0283	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
322102-0201		NLG SHOCK STRUT ASSY TRUNNION LH PIN							Component ATA:32
PN:200-4005-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:ELI01C-0037	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
322102-0202		NLG SHOCK STRUT ASSY TRUNNION RH PIN							Component ATA:32
PN:200-4005-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TECO4C-0059	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
322105-0101		NLG SHOCK STRUT ASSY TORQUE ARM							Component ATA:32
PN:200-4075-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0164	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-21-05, AMM 32-21-05PROC. REF: AMM 32-21-05, AMM 32-21-05									
322105-0102		NLG SHOCK STRUT ASSY TORQUE ARM PIN							Component ATA:32
PN:200-4040-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:ELI01C-0030	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
322105-0103	NLG SHOCK STRUT ASSY TORQUE ARM APEX PIN								Component ATA:32
PN:200-4091-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0269	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
322105-0104	NLG SHOCK STRUT ASSY TORQUE LINK PIN								Component ATA:32
PN:200-4040-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:ELI01C-0031	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-21-05, AMM 32-21-05PROC. REF: AMM 32-21-05, AMM 32-21-05									
322105-0105	NLG SHOCK STRUT ASSY TORQUE ARM								Component ATA:32
PN:200-4075-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0165	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-21-05, AMM 32-21-05PROC. REF: AMM 32-21-05, AMM 32-21-05									
322205-0101	NLG NOSE LANDING GEAR DOOR ACTUATOR								Component ATA:32
PN:625700-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-22-05, AMM 32-22-05PROC. REF: AMM 32-22-05, AMM 32-22-05									
322205-0102	NLG NOSE LANDING GEAR DOOR ACTUATOR								Component ATA:32
PN:625700-1001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0434	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-22-05, AMM 32-22-05PROC. REF: AMM 32-22-05, AMM 32-22-05									
323101-0101	LEFT MLG RETRACT ACTUATOR								Component ATA:32
PN:200-3800-009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAI-0433	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-01, AMM 32-31-01PROC. REF: AMM 32-31-01, AMM 32-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323101-0102	RIGHT MLG RETRACT ACTUATOR							Component	ATA:32
PN:200-3800-009	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAI-0440	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-01, AMM 32-31-01	PROC. REF: AMM 32-31-01, AMM 32-31-01								
323103-0101	LEFT MLG UNLOCK ACTUATOR ASSY							Component	ATA:32
PN:200-3850-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TAC01U-0439	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-03, AMM 32-31-03	PROC. REF: AMM 32-31-03, AMM 32-31-03								
323103-0102	RIGHT MLG UNLOCK ACTUATOR ASSY							Component	ATA:32
PN:200-3850-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TAC01U-0440	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-03, AMM 32-31-03	PROC. REF: AMM 32-31-03, AMM 32-31-03								
323104-0101	LEFT MLG UPLOCK ASSY							Component	ATA:32
PN:11144-9	MOS/MSC	20-Jun-23	O/C	TSR 28					
SN:TAC01U-0094	HRS	272.6		TSN 904, TSR 0					
	AFL	190		TSN 617, TSR 0					
PROC. REF: AMM 32-31-04, AMM 32-31-04	PROC. REF: AMM 32-31-04, AMM 32-31-04								
323104-0102	RIGHT MLG UPLOCK ASSY							Component	ATA:32
PN:200-4410-010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TAC01U-0474	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-04, AMM 32-31-04	PROC. REF: AMM 32-31-04, AMM 32-31-04								
323104-0103	NLG UPLOCK ASSY							Component	ATA:32
PN:200-4410-010	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TAC01U-0430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-04, AMM 32-32-04	PROC. REF: AMM 32-32-04, AMM 32-32-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323105-0101	LEFT MLG SIDE STAY ASSY							Component	ATA:32
PN:200-3700-005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:VLA01U-0215	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0102	RIGHT MLG SIDE STAY ASSY							Component	ATA:32
PN:200-3700-005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:VLA01U-0222	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0103	LEFT MLG UPPER SIDE STAY ASSY							Component	ATA:32
PN:200-3701-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0226	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0104	RIGHT MLG UPPER SIDE STAY ASSY							Component	ATA:32
PN:200-3701-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0233	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0105	LEFT MLG LOWER SIDE STAY ASSY							Component	ATA:32
PN:200-3702-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0241	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0106	RIGHT MLG LOWER SIDE STAY ASSY							Component	ATA:32
PN:200-3702-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0248	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323105-0107		LEFT MLG SIDE STAY ASSY APEX PIN							Component ATA:32
PN:200-3705-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0196	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323105-0108		RIGHT MLG SIDE STAY ASSY APEX PIN							Component ATA:32
PN:200-3705-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0194	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323105-0201		LEFT MLG LOWER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3689-105	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0267	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0202		RIGHT MLG LOWER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3689-105	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0256	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0203		LEFT MLG UPPER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3712-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0214	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0204		RIGHT MLG UPPER SIDE STAY ASSY PIN							Component ATA:32
PN:200-3712-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0213	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323110-0101		LEFT MLG LOCK LINKS ASSY-LOWER LOCK LINK						Component	ATA:32
PN:200-3751-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0213	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0102		RIGHT MLG LOCK LINKS ASSY-LOWER LOCK LINK						Component	ATA:32
PN:200-3751-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0216	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0103		LEFT MLG LOCK LINKS ASSY-UPPER LOCK LINK						Component	ATA:32
PN:200-3752-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0219	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0104		RIGHT MLG LOCK LINKS ASSY-UPPER LOCK LINK						Component	ATA:32
PN:200-3752-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0217	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0201		LEFT MLG UPPER LOCK LINK ASSY PIN						Component	ATA:32
PN:200-3753-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TECO04C-0213	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0202		RIGHT MLG UPPER LOCK LINK ASSY PIN						Component	ATA:32
PN:200-3753-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TECO04C-0201	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323110-0203		LEFT MLG LOWER LOCK LINK ASSY PIN							Component ATA:32
PN:200-3756-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0217	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0204		RIGHT MLG LOWER LOCK LINK ASSY PIN							Component ATA:32
PN:200-3756-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0202	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0205		LEFT MLG LOCK LINKS ASSY APEX PIN							Component ATA:32
PN:200-3754-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0220	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323110-0206		RIGHT MLG LOCK LINKS ASSY APEX PIN							Component ATA:32
PN:200-3754-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0206	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323201-0101		NLG RETRACT ACTUATOR ASSY							Component ATA:32
PN:200-4200-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAI-0223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-01, AMM 32-32-01PROC. REF: AMM 32-32-01, AMM 32-32-01									
323203-0101		NLG UNLOCK ACTUATOR ASSY							Component ATA:32
PN:200-4300-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TAC01U-0231	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-03, AMM 32-32-03PROC. REF: AMM 32-32-03, AMM 32-32-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323205-0101	NLG DRAG BRACE ASSY								Component ATA:32
PN:200-4100-007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:VLA01U-0111	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0103	NLG SHOCK STRUT ASSY LOWER DRAG BRACE PIN								Component ATA:32
PN:200-4037-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:ELI01C-0001	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0201	NLG DRAG BRACE ASSY-UPPER DRAG BRACE								Component ATA:32
PN:200-4110-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0115	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0202	NLG DRAG BRACE ASSY-LOWER DRAG BRACE								Component ATA:32
PN:200-4120-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0124	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0301	NLG DRAG BRACE ASSY-APEX PIN								Component ATA:32
PN:200-4136-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0123	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0302	NLG DRAG BRACE ASSY PIN								Component ATA:32
PN:200-4137-103	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0102	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-05, AMM 32-32-05PROC. REF: AMM 32-32-05, AMM 32-32-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323205-0303		NLG DRAG BRACE ASSY TRUNNION PIN							Component ATA:32
PN:200-4139-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0235	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323205-0304		NLG DRAG BRACE ASSY TRUNNION PIN							Component ATA:32
PN:200-4139-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:VLA01U-0243	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									
323210-0101		NLG LOCK LINK ASSY							Component ATA:32
PN:200-4150-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CFN02C-0221	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-10, AMM 32-32-10, AMM 32-32-10, AMM 32-32-10PROC. REF: AMM 32-32-10, AMM 32-32-10, AMM 32-32-10, AMM 32-32-10									
323210-0102		NLG LOCK LINKS ASSY APEX PIN							Component ATA:32
PN:200-4182-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:CFN-0262	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323210-0103		NLG LOCK LINKS ASSY-LOWER LOCK LINK							Component ATA:32
PN:200-4160-001	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:CFN02C-0255	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-10, AMM 32-32-10PROC. REF: AMM 32-32-10, AMM 32-32-10									
323210-0104		NLG LOCK LINKS ASSY-UPPER LOCK LINK							Component ATA:32
PN:200-4170-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:CFN02C-0238	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM 32-32-10, AMM 32-32-10PROC. REF: AMM 32-32-10, AMM 32-32-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323210-0105	NLG SHOCK STRUT ASSY UPPER LOCK LINKS PIN								Component ATA:32
PN:200-4188-101	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:TEC04C-0224	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323301-0101	LANDING GEAR CONTROL LEVER								Component ATA:32
PN:72500	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00231	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-33-01, AMM 32-33-01PROC. REF: AMM 32-33-01, AMM 32-33-01									
323302-0101	LANDING GEAR CONTROL MANIFOLD								Component ATA:32
PN:72512-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-33-02, AMM 32-33-02PROC. REF: AMM 32-33-02, AMM 32-33-02									
323401-0101	FREE-FALL SELECTOR VALVE								Component ATA:32
PN:72501-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-34-01, AMM 32-34-01PROC. REF: AMM 32-34-01, AMM 32-34-01									
324103-0101	LH STUB SHUT OFF VALVE								Component ATA:32
PN:90007136	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:APR20-0431	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-03, AMM 32-41-03PROC. REF: AMM 32-41-03, AMM 32-41-03									
324103-0202	RH STUB SHUT OFF VALVE								Component ATA:32
PN:90007136	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:APR20-0437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-03, AMM 32-41-03PROC. REF: AMM 32-41-03, AMM 32-41-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324104-0101	LH STUB DUAL BRAKE CONTROL VALVE							Component	ATA:32
PN:90007135-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUL20-0498	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-04, AMM 32-41-04	PROC. REF: AMM 32-41-04, AMM 32-41-04								
324104-0102	RH STUB DUAL BRAKE CONTROL VALVE							Component	ATA:32
PN:90007135-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SEP20-0501	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-04, AMM 32-41-04	PROC. REF: AMM 32-41-04, AMM 32-41-04								
324105-0101	LH WING PRESSURE TRANSDUCER							Component	ATA:32
PN:90007137-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0877	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05	PROC. REF: AMM 32-41-05, AMM 32-41-05								
324105-0102	RH WING PRESSURE TRANSDUCER							Component	ATA:32
PN:90007137-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05	PROC. REF: AMM 32-41-05, AMM 32-41-05								
324105-0103	LH WING PRESSURE TRANSDUCER							Component	ATA:32
PN:90007137-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0878	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05	PROC. REF: AMM 32-41-05, AMM 32-41-05								
324105-0104	RH WING PRESSURE TRANSDUCER							Component	ATA:32
PN:90007137-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0880	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05	PROC. REF: AMM 32-41-05, AMM 32-41-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324106-0101	LH OUTBOARD WHEEL SPEED TRANSDUCER							Component	ATA:32
PN:90007139-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0930	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06	PROC. REF: AMM 32-41-06, AMM 32-41-06								
324106-0102	LH INBOARD WHEEL SPEED TRANSDUCER							Component	ATA:32
PN:90007139-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0929	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06	PROC. REF: AMM 32-41-06, AMM 32-41-06								
324106-0103	RH INBOARD WHEEL SPEED TRANSDUCER							Component	ATA:32
PN:90007139-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0927	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06	PROC. REF: AMM 32-41-06, AMM 32-41-06								
324106-0104	RH OUTBOARD WHEEL SPEED TRANSDUCER							Component	ATA:32
PN:90007139-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:JUN20-0932	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06	PROC. REF: AMM 32-41-06, AMM 32-41-06								
324107-0101	LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Component	ATA:32
PN:90007143	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:AUG20-0857	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07	PROC. REF: AMM 32-41-07, AMM 32-41-07								
324107-0102	RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Component	ATA:32
PN:90007143	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:AUG20-0859	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07	PROC. REF: AMM 32-41-07, AMM 32-41-07								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324107-0103	LEFT HAND AFT WING HYDRAULIC BRAKE FUSE							Component	ATA:32
PN:90007143	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:AUG20-0864	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07	PROC. REF: AMM 32-41-07, AMM 32-41-07								
324107-0104	RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Component	ATA:32
PN:90007143	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:AUG20-0868	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07	PROC. REF: AMM 32-41-07, AMM 32-41-07								
324108-0101	LH STUB SHUTTLE VALVE							Component	ATA:32
PN:90007433	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:005UF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08	PROC. REF: AMM 32-41-08, AMM 32-41-08								
324108-0102	RH STUB SHUTTLE VALVE							Component	ATA:32
PN:90007433	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:148UG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08	PROC. REF: AMM 32-41-08, AMM 32-41-08								
324108-0103	LH STUB SHUTTLE VALVE							Component	ATA:32
PN:90007433	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:011UF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08	PROC. REF: AMM 32-41-08, AMM 32-41-08								
324108-0104	RH STUB SHUTTLE VALVE							Component	ATA:32
PN:90007433	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:150UG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08	PROC. REF: AMM 32-41-08, AMM 32-41-08								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324109-0101	AUTOBRAKE SWITCH							Component	ATA:32
PN:24448	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0420-0222	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-09, AMM 32-41-09	PROC. REF: AMM 32-41-09, AMM 32-41-09								
324112-0101	BRAKE CONTROL UNIT							Component	ATA:32
PN:90007262-5	MOS/MSC	22-Feb-23	O/C						
SN:JUL15-0086	HRS	207.9							
	AFL	151							
PROC. REF: AMM 32-41-01, AMM 32-41-01	PROC. REF: AMM 32-41-01, AMM 32-41-01								
324113-0101	LH OUTBOARD HUB CAP							Component	ATA:32
PN:90007140-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:026UJ	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2	PROC. REF: AMM GENERIC 2								
324113-0102	LH INBOARD HUB CAP							Component	ATA:32
PN:90007140-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:024UF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2	PROC. REF: AMM GENERIC 2								
324113-0103	RH INBOARD HUB CAP							Component	ATA:32
PN:90007140-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:025UJ	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2	PROC. REF: AMM GENERIC 2								
324113-0104	RH OUTBOARD HUB CAP							Component	ATA:32
PN:90007140-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:026UF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2	PROC. REF: AMM GENERIC 2								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324402-0101	CENT FUS EMERGENCY/PARKING BRAKE VALVE							Component	ATA:32
PN:90007141-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:012UE	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-02, AMM 32-44-02PROC. REF: AMM 32-44-02, AMM 32-44-02									
324404-0101	LH FUS EMERGENCY/PARKING BRAKE ACCUMULATOR							Component	ATA:32
PN:90007145-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:FEB20-0457	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-04, AMM 32-44-04PROC. REF: AMM 32-44-04, AMM 32-44-04									
324404-0102	RH FUS EMERGENCY/PARKING BRAKE ACCUMULATOR							Component	ATA:32
PN:90007145-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:FEB20-0459	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-04, AMM 32-44-04PROC. REF: AMM 32-44-04, AMM 32-44-04									
324405-0101	LH STUB PRESSURE SWITCH							Component	ATA:32
PN:90007147-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:APR20-0482	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
324405-0102	RH STUB PRESSURE SWITCH							Component	ATA:32
PN:90007147-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:APR20-0484	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
324408-0101	L/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE							Component	ATA:32
PN:90009634	MOS/MSC	12-Feb-21	H/T	TSN 0					
SN:JAN20-0580	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-08, AMM 32-44-08PROC. REF: AMM 32-44-08, AMM 32-44-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324408-0102	R/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE							Component	ATA:32
PN:90009634	MOS/MSC	12-Feb-21	H/T	TSN 0					
SN:JAN20-0590	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-08, AMM 32-44-08	PROC. REF: AMM 32-44-08, AMM 32-44-08								
324409-0101	LH FUS CHECK VALVE							Component	ATA:32
PN:90007142	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:OCT18-1647	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09	PROC. REF: AMM 32-44-09, AMM 32-44-09								
324409-0102	RH FUS CHECK VALVE							Component	ATA:32
PN:90007142	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:OCT18-1632	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09	PROC. REF: AMM 32-44-09, AMM 32-44-09								
324409-0103	LH STUB CHECK VALVE							Component	ATA:32
PN:90007142	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:OCT18-1643	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09	PROC. REF: AMM 32-44-09, AMM 32-44-09								
324409-0104	RH STUB CHECK VALVE							Component	ATA:32
PN:90007142	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:OCT18-1652	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09	PROC. REF: AMM 32-44-09, AMM 32-44-09								
324902-0101	LH OUTBOARD MAIN WHEEL							Component	ATA:32
PN:90011353	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:JUN20-0219	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-01, AMM 32-49-01	PROC. REF: AMM 32-49-01, AMM 32-49-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324902-0102	LH INBOARD MAIN WHEEL							Component	ATA:32
PN:90011353	MOS/MSC	14-Apr-25	O/C	TSO 38					
SN:FEB19-0034	HRS	492.5		TSO 307.8					
	AFL								
PROC. REF: AMM 32-49-01, AMM 32-49-01	PROC. REF: AMM 32-49-01, AMM 32-49-01								
324902-0103	RH INBOARD MAIN WHEEL							Component	ATA:32
PN:90011353	MOS/MSC	28-Sep-23	O/C	TSR 11					
SN:MAY21-0393	HRS	295.3		TSR 0					
	AFL	207		TSN 197, TSR 0					
PROC. REF: AMM 32-49-01, AMM 32-49-01	PROC. REF: AMM 32-49-01, AMM 32-49-01								
324902-0104	RH OUTBOARD MAIN WHEEL							Component	ATA:32
PN:90011353	MOS/MSC	07-Mar-25	O/C	TSN 49					
SN:OCT20-0287	HRS	481.8		TSN 481.8					
	AFL	332		TSN 332					
PROC. REF: AMM 32-49-01, AMM 32-49-01	PROC. REF: AMM 32-49-01, AMM 32-49-01								
324903-0102	LH INBOARD WHEEL/TIRE ASSY							Component	ATA:32
PN:555-14205-601	MOS/MSC	14-Apr-25	O/C	TSO 38					
SN:FEB19-0034	HRS	492.5		TSO 307.8					
	AFL								
PROC. REF: AMM 32-49-02, AMM 32-49-02	PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0103	RH INBOARD WHEEL/TIRE ASSY							Component	ATA:32
PN:555-14205-603	MOS/MSC	28-Sep-23	O/C	TSR 11					
SN:MAY21-0393	HRS	295.3		TSR 0					
	AFL	207		TSN 197, TSR 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02	PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0105	LH OUTBOARD TIRE							Component	ATA:32
PN:269Q43-2	MOS/MSC	07-Apr-23	O/C	TSN 3					
SN:30051370	HRS	225.4		TSN 0					
	AFL	161		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02	PROC. REF: AMM 32-49-02, AMM 32-49-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324903-0106	LH INBOARD TIRE							Component	ATA:32
PN:269Q43-2	MOS/MSC	14-Apr-25	O/C	TSN 0					
SN:31760497	HRS	492.5		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02	PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0107	RH INBOARD TIRE							Component	ATA:32
PN:269Q43-2	MOS/MSC	28-Sep-23	O/C	TSN 0					
SN:21411172	HRS	295.3		TSN 0					
	AFL	207		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02	PROC. REF: AMM 32-49-02, AMM 32-49-02								
324903-0108	RH OUTBOARD TIRE							Component	ATA:32
PN:269Q43-2	MOS/MSC	07-Mar-25	O/C	TSN 10					
SN:40191432	HRS	481.8		TSN 0					
	AFL	332		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02	PROC. REF: AMM 32-49-02, AMM 32-49-02								
324905-0101	LEFT NOSE WHEEL							Component	ATA:32
PN:90006965	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:OCT20-0680	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-04, AMM 32-49-04	PROC. REF: AMM 32-49-04, AMM 32-49-04								
324905-0102	RIGHT NOSE WHEEL							Component	ATA:32
PN:90006965	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:OCT20-0679	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-04, AMM 32-49-04	PROC. REF: AMM 32-49-04, AMM 32-49-04								
324905-0103	LEFT NOSE TIRE							Component	ATA:32
PN:178K03-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00132587	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-05, AMM 32-49-05	PROC. REF: AMM 32-49-05, AMM 32-49-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324905-0104	RIGHT NOSE TIRE							Component	ATA:32
PN:178K03-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:00142587	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-05, AMM 32-49-05PROC. REF: AMM 32-49-05, AMM 32-49-05									
324906-0101	LH OUTBOARD CARBON BRAKE AND BTMS ASSY							Component	ATA:32
PN:90011354-1PR	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SEP20-0228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
324906-0102	LH INBOARD CARBON BRAKE AND BTMS ASSY							Component	ATA:32
PN:90011354-1PR	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SEP20-0225	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
324906-0103	RH INBOARD CARBON BRAKE AND BTMS ASSY							Component	ATA:32
PN:90011354-1PR	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SEP20-0223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
324906-0104	RH OUTBOARD CARBON BRAKE AND BTMS ASSY							Component	ATA:32
PN:90011354-1PR	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SEP20-0227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
324907-0101	L/H INBOARD MAIN TIRE PRESSURE GAUGE							Component	ATA:32
PN:1000-130-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:02363	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07PROC. REF: AMM 32-49-07, AMM 32-49-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324907-0102	R/H INBOARD MAIN TIRE PRESSURE GAUGE							Component	ATA:32
PN:1000-130-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02604	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07PROC. REF: AMM 32-49-07, AMM 32-49-07									
324907-0103	L/H OUTBOARD MAIN TIRE PRESSURE GAUGE							Component	ATA:32
PN:1000-130-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:02362	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07PROC. REF: AMM 32-49-07, AMM 32-49-07									
324907-0104	R/H OUTBOARD MAIN TIRE PRESSURE GAUGE							Component	ATA:32
PN:1000-130-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02599	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07PROC. REF: AMM 32-49-07, AMM 32-49-07									
324908-0101	L/H NLG TIRE PRESSURE GAUGE							Component	ATA:32
PN:1000-130-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02596	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-08, AMM 32-49-08PROC. REF: AMM 32-49-08, AMM 32-49-08									
324908-0102	R/H NLG TIRE PRESSURE GAUGE							Component	ATA:32
PN:1000-130-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02608	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-08, AMM 32-49-08PROC. REF: AMM 32-49-08, AMM 32-49-08									
325001-0101	NLG SHOCK STRUT ASSY STEERING RACK							Component	ATA:32
PN:200-4030-105	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:CFN02C-0300	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
325001-0102		NLG SHOCK STRUT ASSY STEERING COLLAR							Component ATA:32
PN:200-4080-003	MOS	12-Feb-21		TSN 0				LIFE LIMIT	
SN:CFN02C-0291	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16622		
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
325002-0101		LH FWD W297 STEERING DISCONECT PANEL							Component ATA:32
PN:550-85018-401	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:S10909569	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
325201-0101		NOSE WHEEL STEERING CONTROL MANIFOLD							Component ATA:32
PN:72493-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0035	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-52-01, AMM 32-52-01PROC. REF: AMM 32-52-01, AMM 32-52-01									
325307-0101		CREW CAB 2PDT SWITCH							Component ATA:32
PN:72546	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0224	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
326101-0101		NLG WOW NO. 1 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91312	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-01, AMM 32-63-01PROC. REF: AMM 32-63-01, AMM 32-63-01									
326101-0102		NLG WOW NO. 2 PROXIMITY SENSOR							Component ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-01, AMM 32-63-01PROC. REF: AMM 32-63-01, AMM 32-63-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
326101-0103	NLG OVERTRAVEL STEERING PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91388	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03, AMM 32-53-13, AMM 32-53-13PROC. REF: AMM 32-61-03, AMM 32-61-03, AMM 32-53-13, AMM 32-53-13									
326101-0104	NLG DOWNLOCK NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91394	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-01, AMM 32-61-01PROC. REF: AMM 32-61-01, AMM 32-61-01									
326101-0105	NLG DOWNLOCK NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91395	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-01, AMM 32-61-01PROC. REF: AMM 32-61-01, AMM 32-61-01									
326101-0106	NLG DOOR NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91399	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03									
326101-0107	NLG DOOR NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91400	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03									
326101-0108	NLG DOOR NO. 3 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03PROC. REF: AMM 32-61-03, AMM 32-61-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
326101-0109	NLG DOOR NO. 4 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03	PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0110	NLG DOOR NO. 5 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03	PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0111	NLG DOOR NO. 6 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03	PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0112	NLG DOOR NO. 7 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03	PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0113	NLG DOOR NO. 8 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03	PROC. REF: AMM 32-61-03, AMM 32-61-03								
326101-0114	NLG UPLOCK NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-02, AMM 32-61-02	PROC. REF: AMM 32-61-02, AMM 32-61-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
326101-0115	NLG UPLOCK NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-02, AMM 32-61-02	PROC. REF: AMM 32-61-02, AMM 32-61-02								
326101-0201	LH MLG UPLOCK NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:91668	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4	PROC. REF: AMM GENERIC 4								
326101-0202	LH MLG UPLOCK NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	15-Dec-22	O/C	TSN 1					
SN:96145	HRS	189.7		TSN 0					
	AFL	128		TSN 0					
PROC. REF: AMM 32-61-05, AMM 32-61-05	PROC. REF: AMM 32-61-05, AMM 32-61-05								
326101-0203	RH MLG UPLOCK NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91397	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-05, AMM 32-61-05	PROC. REF: AMM 32-61-05, AMM 32-61-05								
326101-0204	RH MLG UPLOCK NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91418	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-05, AMM 32-61-05	PROC. REF: AMM 32-61-05, AMM 32-61-05								
326101-0205	LH MLG DOOR NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91672	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-06, AMM 32-61-06	PROC. REF: AMM 32-61-06, AMM 32-61-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
326101-0206	LH MLG DOOR NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-06, AMM 32-61-06	PROC. REF: AMM 32-61-06, AMM 32-61-06								
326101-0207	LH MLG DOOR NO. 3 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-06, AMM 32-61-06	PROC. REF: AMM 32-61-06, AMM 32-61-06								
326101-0208	RH MLG DOOR NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-06, AMM 32-61-06	PROC. REF: AMM 32-61-06, AMM 32-61-06								
326101-0209	RH MLG DOOR NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-06, AMM 32-61-06	PROC. REF: AMM 32-61-06, AMM 32-61-06								
326101-0210	RH MLG DOOR NO. 3 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-06, AMM 32-61-06	PROC. REF: AMM 32-61-06, AMM 32-61-06								
326101-0211	LH MLG DOWNLOCK NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-04, AMM 32-61-04	PROC. REF: AMM 32-61-04, AMM 32-61-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
326101-0212	LH MLG DOWNLOCK NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-04, AMM 32-61-04	PROC. REF: AMM 32-61-04, AMM 32-61-04								
326101-0213	RH MLG DOWNLOCK NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-04, AMM 32-61-04	PROC. REF: AMM 32-61-04, AMM 32-61-04								
326101-0214	RH MLG DOWNLOCK NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-04, AMM 32-61-04	PROC. REF: AMM 32-61-04, AMM 32-61-04								
326101-0215	LH MLG WOW NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-03, AMM 32-63-03	PROC. REF: AMM 32-63-03, AMM 32-63-03								
326101-0216	LH MLG WOW NO. 2 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-03, AMM 32-63-03	PROC. REF: AMM 32-63-03, AMM 32-63-03								
326101-0217	RH MLG WOW NO. 1 PROXIMITY SENSOR							Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-03, AMM 32-63-03	PROC. REF: AMM 32-63-03, AMM 32-63-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
326101-0218		RH MLG WOW NO. 2 PROXIMITY SENSOR						Component	ATA:32
PN:PN	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-03, AMM 32-63-03PROC. REF: AMM 32-63-03, AMM 32-63-03									
326104-0101		LH MLG LOCK LINK ASSY						Component	ATA:32
PN:200-3750-005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:VLA01U-0212	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
326104-0102		RH MLG LOCK LINK ASSY						Component	ATA:32
PN:200-3750-005	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:VLA01U-0213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-10, AMM 32-31-10PROC. REF: AMM 32-31-10, AMM 32-31-10									
C32-01-00-001		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION						Service	ATA:32
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20
PROC. REF: AMM 29-13-00PROC. REF: AMM 29-13-00									
C32-41-00-001		OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE						Service	ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0864	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
C32-41-00-001		OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE						Service	ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0857	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
C32-41-00-001		OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0868	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00	PROC. REF: AMM 32-41-00								
C32-41-00-001		OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE							Service ATA:32
PN:90007143	MOS/MSC	29-Sep-21	C/C						
SN:AUG20-0859	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00	PROC. REF: AMM 32-41-00								
C32-44-04-001		FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE ACUMULATOR							Service ATA:32
	MOS	29-Sep-21							
	HRS	0	1500		1500		940.8		
	AFL	0							
									PKG:5
PROC. REF: AMM 32-44-04	PROC. REF: AMM 32-44-04								
ATA 33 - LIGHTS									
33-43-00-001		DISCARD LH WING POSITION RED (NAVIGATION) LIGHT ASSY							Service ATA:33
PN:03-9000-4003-N	MOS	29-Sep-21						LIFE LIMIT	
SN:222151-1-3	HRS	0	15000 (+37/-37)		15000	15037	14440.8 (+37)		
	AFL	0							
PROC. REF: AMM 33-43-00	PROC. REF: AMM 33-43-00								
33-43-00-001		DISCARD RH WING POSITION GREEN (NAVIGATION) LIGHT ASSY							Service ATA:33
PN:03-9000-4006-N	MOS	29-Sep-21						LIFE LIMIT	
SN:219135-6-17	HRS	0	15000 (+37/-37)		15000	15037	14440.8 (+37)		
	AFL	0							
PROC. REF: AMM 33-43-00	PROC. REF: AMM 33-43-00								
33-47-00-001		DISCARD LH WING ANTICOLLISION (STROBE) LIGHT ASSY							Service ATA:33
PN:03-9506-0004	MOS	29-Sep-21						LIFE LIMIT	
SN:221523-1-25	HRS	0	15000 (+37/-37)		15000	15037	14440.8 (+37)		
	AFL	0							
PROC. REF: AMM 33-47-00	PROC. REF: AMM 33-47-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
33-47-00-001		DISCARD RH WING ANTICOLLISION (STROBE) LIGHT ASSY							Service ATA:33
PN:03-9506-0004	MOS	29-Sep-21						LIFE LIMIT	
SN:221523-1-2	HRS	0	15000 (+37/-37)		15000	15037	14440.8 (+37)		
	AFL	0							
PROC. REF: AMM 33-47-00PROC. REF: AMM 33-47-00									
33-47-00-001		DISCARD TAIL ANTICOLLISION (STROBE) LIGHT ASSY							Service ATA:33
PN:03-9507-0001	MOS	29-Sep-21						LIFE LIMIT	
SN:224812-2-8	HRS	0	15000 (+37/-37)		15000	15037	14440.8 (+37)		
	AFL	0							
PROC. REF: AMM 33-47-00PROC. REF: AMM 33-47-00									
33-51-01-001		FUNCTIONAL CHECK FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY							Service ATA:33
PN:7450LS-00	MOS	18-Feb-25	12		18-Feb-26		222 d		
SN:002507M	HRS	449.8							
	AFL	324							
PROC. REF: AMM 33-51-01PROC. REF: AMM 33-51-01									
33-51-01-001		FUNCTIONAL CHECK LEFT RACK EMERGENCY LIGHTING BATTERY							Service ATA:33
PN:7450LS-00	MOS	18-Feb-25	12		18-Feb-26		222 d		
SN:007539	HRS	449.8							
	AFL	324							
PROC. REF: AMM 33-51-01PROC. REF: AMM 33-51-01									
33-52-01-001 S		OPERATIONAL CHECK OF FLASHLIGHT							Service ATA:33
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01									
33-52-01-002		DISCARD NO. 1 FLASHLIGHT BATTERY							Service ATA:33
PN:P2-07-0025-001	MOS	18-Feb-25	60		01-Aug-28 (M)		1117 d	LIFE LIMIT	
SN:B/N 8013197755	HRS	449.8							
	AFL	324							
			Manufacture Date:: 01-Aug-24						
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
33-52-01-002		DISCARD NO. 2 FLASHLIGHT BATTERY							Service ATA:33
PN:P2-07-0025-001	MOS	18-Feb-25	60		01-Aug-28 (M)		1117 d	LIFE LIMIT	
SN:B/N 8013197755	HRS	449.8							
	AFL	324							
			Manufacture Date:: 01-Aug-24						
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01									
331013-0101		OVERHEAD COCKPIT LIGHTS CONTROL PANEL ASSY							Component ATA:33
PN:430900-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:430900AA0217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-10-01, AMM 33-10-01PROC. REF: AMM 33-10-01, AMM 33-10-01									
331213-0101		C FLOOR LIGHTING DIMMER ASSY							Component ATA:33
PN:434300-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:434300AA0229	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-01, AMM 33-12-01PROC. REF: AMM 33-12-01, AMM 33-12-01									
332001-0201		COCKPIT CONTROL PANEL - PAX CABIN SYS							Component ATA:33
PN:434800-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:434800AA0023	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01, AMM 33-20-01PROC. REF: AMM 33-20-01, AMM 33-20-01									
332113-0101		RH RACK LED LIGHT DIMMER							Component ATA:33
PN:AL-2038-910-000	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:3201	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
333201-0101		SERVICE COMPARTMENT LIGHT							Component ATA:33
PN:03-4000-0000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-4-60	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
333201-0102	SERVICE COMPARTMENT LIGHT							Component	ATA:33
PN:03-4000-0000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-4-18	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
333201-0103	REAR FUS SERVICE COMPARTMENT LIGHT							Component	ATA:33
PN:03-4000-0000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-4-9	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-32-01, AMM 33-32-01PROC. REF: AMM 33-32-01, AMM 33-32-01									
333201-0104	NOSE SERVICE COMPARTMENT LIGHT							Component	ATA:33
PN:03-4000-0000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-4-15	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-32-01, AMM 33-32-01PROC. REF: AMM 33-32-01, AMM 33-32-01									
333201-0105	APU SERVICE COMPARTMENT LIGHT							Component	ATA:33
PN:03-4000-0000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-4-40	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-32-01, AMM 33-32-01PROC. REF: AMM 33-32-01, AMM 33-32-01									
334001-0101	OVERHEAD EXTERNAL LIGHTS CONTROL PANEL ASSY							Component	ATA:33
PN:431600-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:431600AA0145	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-01PROC. REF: AMM 33-40-01, AMM 33-40-01									
334101-0101	LEFT LANDING/TAXI LIGHT ASSY							Component	ATA:33
PN:03-4301-0007	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:226340-1-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
334101-0102		RIGHT LANDING/TAXI LIGHT ASSY						Component	ATA:33
PN:03-4301-0008	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:179086-3-4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01, AMM 33-41-01PROC. REF: AMM 33-41-01, AMM 33-41-01									
334300-0101		LH WING POSITION RED (NAVIGATION) LIGHT ASSY						Component	ATA:33
PN:03-9000-4003-N	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:222151-1-3	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00									
334300-0102		RH WING POSITION GREEN (NAVIGATION) LIGHT ASSY						Component	ATA:33
PN:03-9000-4006-N	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:219135-6-17	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00									
334303-0101		TAIL CONE REAR POSITION LIGHT ASSY						Component	ATA:33
PN:03-9200-2400-N	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:217951-1-1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
334303-0102		REAR POSITION LIGHT ASSY						Component	ATA:33
PN:03-9200-3000-N	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:221523-2-4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
334401-0101		FORWARD FAIRING INSPECTION LIGHT						Component	ATA:33
PN:03-4200-0011	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-13-19	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
334501-0101	RED BEACON TAIL LIGHT ASSY							Component	ATA:33
PN:03-3100-0001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:220486-1-27	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-45-01, AMM 33-45-01	PROC. REF: AMM 33-45-01, AMM 33-45-01								
334701-0101	LH WING ANTICOLLISION (STROBE) LIGHT ASSY							Component	ATA:33
PN:03-9506-0004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:221523-1-25	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-47-01, AMM 33-47-01	PROC. REF: AMM 33-47-01, AMM 33-47-01								
334701-0102	RH WING ANTICOLLISION (STROBE) LIGHT ASSY							Component	ATA:33
PN:03-9506-0004	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:221523-1-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-47-01, AMM 33-47-01	PROC. REF: AMM 33-47-01, AMM 33-47-01								
334703-0101	TAIL ANTICOLLISION (STROBE) LIGHT ASSY							Component	ATA:33
PN:03-9507-0001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:224812-2-8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-47-03, AMM 33-47-03	PROC. REF: AMM 33-47-03, AMM 33-47-03								
335101-0101	FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY							Component	ATA:33
PN:7450LS-00	MOS/MSC	11-Sep-24	O/C						
SN:002507M	HRS	423.6							
	AFL	291							
PROC. REF: AMM 33-51-01, AMM 33-51-01	PROC. REF: AMM 33-51-01, AMM 33-51-01								
335101-0102	LEFT RACK EMERGENCY LIGHTING BATTERY							Component	ATA:33
PN:7450LS-00	MOS/MSC	11-Sep-24	O/C						
SN:007539	HRS	423.6							
	AFL	291							
PROC. REF: AMM 33-51-01, AMM 33-51-01	PROC. REF: AMM 33-51-01, AMM 33-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
335201-0101	NO. 1 FLASHLIGHT								Component ATA:33
PN:P2-07-0025-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WO30889	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-52-01, AMM 33-52-01	PROC. REF: AMM 33-52-01, AMM 33-52-01								
335201-0102	NO. 2 FLASHLIGHT								Component ATA:33
PN:P2-07-0025-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:WO30901	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-52-01, AMM 33-52-01	PROC. REF: AMM 33-52-01, AMM 33-52-01								
335202-0101	NO. 1 FLASHLIGHT BATTERY								Component ATA:33
PN:P2-07-0025-001	MOS/MSC	18-Feb-25	O/C	TSN 6					
SN:B/N 8013197755	HRS	449.8		TSN 0					
	AFL	324		TSN 0					
PROC. REF: AMM 33-52-01, AMM 33-52-01	PROC. REF: AMM 33-52-01, AMM 33-52-01								
335202-0102	NO. 2 FLASHLIGHT BATTERY								Component ATA:33
PN:P2-07-0025-001	MOS/MSC	18-Feb-25	O/C	TSN 6					
SN:B/N 8013197755	HRS	449.8		TSN 0					
	AFL	324		TSN 0					
PROC. REF: AMM 33-52-01, AMM 33-52-01	PROC. REF: AMM 33-52-01, AMM 33-52-01								
ATA 34 - NAVIGATION									
34-15-01-001	FUNCTIONAL CHECK OF AIR DATA SYSTEM (ADS)								Service ATA:34
	MOS	18-Feb-25	24		18-Feb-27		587 d	SYSTEM	
	HRS	449.8							
	AFL	324							
			Calibration Date: : 18-Feb-25						
PROC. REF: AMM 34-15-00	PROC. REF: AMM 34-15-00								
34-15-01-002	SPECIAL DETAILED INSPECTION (DIMENSIONAL MEASUREMENT) OF SMART PROBE AND RVSM CRITICAL REGION								Service ATA:34
	MOS	18-Feb-25	48 (+15d/-15d)		18-Feb-29	05-Mar-29	1318 d (+15)		
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 34-15-00	PROC. REF: AMM 34-15-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
34-23-01-001 S		FUNCTIONAL CHECK STANDBY MAGNETIC COMPASS							Service ATA:34
PN:KCA0120W	MOS	18-Feb-25	24 (+15d/-15d)						
SN:BW7730420	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00									
34-41-01-001 S		OPERATIONAL CHECK OF TERRAIN AWARENESS WARNING SYSTEM (TAWS) - AUTO TEST							Service ATA:34
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00									
34-52-01-001		FUNCTIONAL CHECK OF TRANSPONDER SYSTEM							Service ATA:34
	MOS	18-Feb-25	24		18-Feb-27		587 d	SYSTEM	
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00									
341101-0101		STANDBY FLIGHT INSTRUMENT SYSTEM							Component ATA:34
PN:866-0205-200	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:78CJX	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-01, AMM 34-11-01PROC. REF: AMM 34-11-01, AMM 34-11-01									
341102-0101		LH WING MGR-3000 MAGNETIC SENSOR UNIT							Component ATA:34
PN:866-0206-020	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:42758X	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341103-0101		CSL CENT OCM OPTIONS CONFIGURATION MODULE							Component ATA:34
PN:866-0210-020	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:491XC8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-03, AMM 34-11-03PROC. REF: AMM 34-11-03, AMM 34-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
341501-0101	LEFT UP ADSP AIR DATA SMART PROBE							Component	ATA:34
PN:2015TB-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1037	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341501-0102	RIGHT LW ADSP AIR DATA SMART PROBE							Component	ATA:34
PN:2015TB-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1041	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341501-0103	LEFT LW ADSP AIR DATA SMART PROBE							Component	ATA:34
PN:2015TC-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1034	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341501-0104	RIGHT UP ADSP AIR DATA SMART PROBE							Component	ATA:34
PN:2015TC-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1036	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341502-0101	LH FWD TOTAL TEMPERATURE SENSOR							Component	ATA:34
PN:102EW1DF	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:B74874	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-02, AMM 34-15-02PROC. REF: AMM 34-15-02, AMM 34-15-02									
341502-0102	RH FWD TOTAL TEMPERATURE SENSOR							Component	ATA:34
PN:102EW1DF	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:B74887	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-02, AMM 34-15-02PROC. REF: AMM 34-15-02, AMM 34-15-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342101-0101	C FLOOR AHC3 ATTITUDE AND HEADING COMPUTER							Component	ATA:34
PN:822-1110-002	MOS/MSC	02-Oct-24	O/C	TSO 3					
SN:3PFDH	HRS	424.5		TSO 0					
	AFL	293		TSO 0					
PROC. REF: AMM 34-21-01, AMM 34-21-01	PROC. REF: AMM 34-21-01, AMM 34-21-01								
342103-0101	LEFT AHC4000 INSTALLATION DATA MODULE							Component	ATA:34
PN:866-0123-041	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3272	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-03, AMM 34-21-03	PROC. REF: AMM 34-21-03, AMM 34-21-03								
342103-0102	RIGHT AHC4000 INSTALLATION DATA MODULE							Component	ATA:34
PN:866-0123-041	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3346	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-03, AMM 34-21-03	PROC. REF: AMM 34-21-03, AMM 34-21-03								
342104-0101	AHC4 ATTITUDE AND HEADING COMPUTER							Component	ATA:34
PN:866-0123-110	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-04, AMM 34-21-04	PROC. REF: AMM 34-21-04, AMM 34-21-04								
342104-0102	RIGHT AHC4 ATTITUDE AND HEADING COMPUTER							Component	ATA:34
PN:866-0123-110	MOS/MSC	07-Aug-24	O/C	TSR 5					
SN:7177	HRS	387.7		TSR 0					
	AFL	278		TSR 0					
PROC. REF: AMM 34-21-04, AMM 34-21-04	PROC. REF: AMM 34-21-04, AMM 34-21-04								
342133-0101	LH RACK DIGITAL SWITCHING MODULE							Component	ATA:34
PN:822-2133-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCXK8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-03, AMM 42-21-03	PROC. REF: AMM 42-21-03, AMM 42-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342133-0101	RH RACK DIGITAL SWITCHING MODULE							Component	ATA:34
PN:822-2133-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4LF1H7	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-03, AMM 42-21-03	PROC. REF: AMM 42-21-03, AMM 42-21-03								
342273-0101	DCU-3110 DATA CONCENTRATOR UNIT							Component	ATA:34
PN:822-2575-201	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4H9H5K	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-07, AMM 42-22-07	PROC. REF: AMM 42-22-07, AMM 42-22-07								
342301-0101	STANDBY MAGNETIC COMPASS							Component	ATA:34
PN:KCA0120W	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:BW7730420	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01, AMM 34-23-01	PROC. REF: AMM 34-23-01, AMM 34-23-01								
343101-0101	C FLOOR RADIO ALTIMETER							Component	ATA:34
PN:822-0615-206	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4M3G3N	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01, AMM 34-31-01	PROC. REF: AMM 34-31-01, AMM 34-31-01								
343102-0101	RAR 1 RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:S67-2002-45	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:553-12904	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02	PROC. REF: AMM 34-31-02, AMM 34-31-02								
343102-0102	RAT 1 RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:S67-2002-45	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:553-12909	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02	PROC. REF: AMM 34-31-02, AMM 34-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
343201-0101	LH RACK VOR/ILS/MB/ADF RECEIVER							Component	ATA:34
PN:822-1465-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4L0G42	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
343201-0202	RH RACK VOR/ILS/MB RECEIVER							Component	ATA:34
PN:822-1579-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4L0F1G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
343202-0101	LEFT VOR/LOC ANTENNA ASSY							Component	ATA:34
PN:S65-247170	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:173-6852	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-02, AMM 34-32-02PROC. REF: AMM 34-32-02, AMM 34-32-02									
343202-0102	RIGHT VOR/LOC ANTENNA ASSY							Component	ATA:34
PN:S65-247170	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:173-6871	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-02, AMM 34-32-02PROC. REF: AMM 34-32-02, AMM 34-32-02									
343205-0101	NOSE DUAL GS ANTENNA							Component	ATA:34
PN:S41422	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:108-29173	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-05, AMM 34-32-05PROC. REF: AMM 34-32-05, AMM 34-32-05									
343206-0101	MARKER BEACON ANTENNA							Component	ATA:34
PN:S35-1000-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:102-14301	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-06, AMM 34-32-06PROC. REF: AMM 34-32-06, AMM 34-32-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
343233-0101	TAIL PHASING COUPLER							Component	ATA:34
PN:SSPD-113-10	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10246	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2	PROC. REF: AMM GENERIC 2								
343301-0101	NOSE ENHANCED VISION SYSTEM (EVS)							Component	ATA:34
PN:1500-3630-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:72935	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-33-01, AMM 34-33-01	PROC. REF: AMM 34-33-01, AMM 34-33-01								
344113-0101	CSL CENT GROUND PROXIMITY SYSTEM CONTROL PANEL							Component	ATA:34
PN:432200-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:432200AA0225	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-01, AMM 34-41-01	PROC. REF: AMM 34-41-01, AMM 34-41-01								
344123-0101	RH RACK TERRAIN PROCESSING MODULE							Component	ATA:34
PN:822-2586-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4MTL54	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-02, AMM 34-41-02	PROC. REF: AMM 34-41-02, AMM 34-41-02								
344133-0101	RH RACK TAWS PROCESSOR COMPUTING MODULE							Component	ATA:34
PN:822-2192-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KVL14	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-03, AMM 34-41-03	PROC. REF: AMM 34-41-03, AMM 34-41-03								
344201-0101	NOSE 18" MULTISCAN WEATHER RADAR							Component	ATA:34
PN:822-2259-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N8FLL	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-42-01, AMM 34-42-01	PROC. REF: AMM 34-42-01, AMM 34-42-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
344302-0101	DIRECTIONAL ANTENNA							Component	ATA:34
PN:866-0016-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4LTH3L	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-02, AMM 34-43-02PROC. REF: AMM 34-43-02, AMM 34-43-02									
344304-0101	C FLOOR ECU3000 TSS41 EXT COMPENSATION UNIT							Component	ATA:34
PN:822-1200-803	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4K1G0T	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
344401-0101	REAR FUSELAGE LIGHTNING DETECTION SYSTEM (LDS)							Component	ATA:34
PN:270-2687-010	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:82814	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01, AMM 34-44-01PROC. REF: AMM 34-44-01, AMM 34-44-01									
344402-0101	CENTER FUSELAGE LIGHTNING DETECTION SYSTEM (LDS WX-1000) ANTENNA							Component	ATA:34
PN:270-2687-030	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:84883	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-44-02, AMM 34-44-02PROC. REF: AMM 34-44-02, AMM 34-44-02									
345113-0101	C FLOOR DME TRANSCEIVER							Component	ATA:34
PN:822-1466-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4C0NH4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345201-0101	MODE S ADSB TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4L0R4X	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01, AMM 34-52-01PROC. REF: AMM 34-52-01, AMM 34-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
345201-0102	TCAS/TRANSPONDER INTEGRATED COMPUTER UNIT							Component	ATA:34
PN:822-2132-002	MOS/MSC	01-May-25	O/C	TSO 0					
SN:784X8	HRS	529.2		TSO 0					
	AFL	355		TSO 0					
PROC. REF: AMM 34-43-01, AMM 34-43-01PROC. REF: AMM 34-43-01, AMM 34-43-01									
345202-0101	DME1 L BAND ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:261-135745	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345202-0102	L BAND ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:261-135749	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345202-0103	L BAND (B XPDR2) ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:261-130920	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345202-0104	L BAND (B XPDR1) ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:261-130798	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345301-0101	RIGHT FLAP ANT-462A ADF ANTENNA							Component	ATA:34
PN:622-7383-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4L0PFC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
345302-0101	C FLOOR ECU EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-205	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MT8KP	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345302-0102	C FLOOR ECU EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-996	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MT8GH	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
345601-0101	LH RACK GLOBAL POSITIONING SISTEM RECEIVER							Component	ATA:34
PN:822-2189-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M3LF7	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-01, AMM 34-56-01PROC. REF: AMM 34-56-01, AMM 34-56-01									
345601-0102	RH RACK GLOBAL POSITIONING SISTEM RECEIVER							Component	ATA:34
PN:822-2189-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M3N84	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-01, AMM 34-56-01PROC. REF: AMM 34-56-01, AMM 34-56-01									
345602-0101	LEFT GPS/WAAS ANTENNA							Component	ATA:34
PN:S67-1575-145	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:824-8722	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-56-02, AMM 34-56-02									
345602-0102	RIGHT GPS/WAAS ANTENNA							Component	ATA:34
PN:S67-1575-145	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:824-8724	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-56-02, AMM 34-56-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
346101-0101		SURFACE MANAGEMENT SYSTEM (SMS) INHIB CONTROL PANEL							Component ATA:34
PN:433800-002	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:433800AA0135	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01, AMM 34-61-01PROC. REF: AMM 34-61-01, AMM 34-61-01									
346101-0102		CENTER FUSELAGE IM950 AIRCRAFT PERSONALITY MODULE							Component ATA:34
PN:7519272-901	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:40844486	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-26-02, AMM 34-26-02PROC. REF: AMM 34-26-02, AMM 34-26-02									
346101-0103		RIGHT FORWARD INERTIAL REFERENCE UNIT							Component ATA:34
PN:HG2100BB55	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:56203067	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-26-02, AMM 34-26-02PROC. REF: AMM 34-26-02, AMM 34-26-02									
ATA 35 - OXYGEN									
35-01-00-001 S		FUNCTIONAL CHECK OF OXYGEN PRESSURE INDICATION							Service ATA:35
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02									
35-02-01-001		DISCARD OF OXYGEN CYLINDER							Service ATA:35
PN:806643-11	MOS	01-Jun-21	180		01-Jun-36		3978 d	LIFE LIMIT	
SN:C21060563	HRS								
	AFL								
			Manufacture Date:: 01-Jun-21						
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01									
35-02-01-003		RESTORATION (OVERHAUL) OF THE OXYGEN CYLINDER REGULATOR VALVE							Service ATA:35
	MOS		60		01-Jun-26 (M)		325 d	OVERHAUL	
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01									
35-02-01-901		RESTORATION (HYDROSTATIC TEST) OF THE CREW AND PASSENGER OXYGEN CYLINDER.							Service ATA:35
PN:806643-11	MOS	01-Jun-21	60		01-Jun-26		325 d	HYDRO CHECK	
SN:C21060563	HRS								
	AFL								
			HydroCheck Date: : 01-Jun-21						
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01									
35-02-03-001 S		FUNCTIONAL CHECK OF HIGH PRESSURE (HP) OXYGEN DISTRIBUTION LINES							Service ATA:35
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 35-02-03PROC. REF: AMM 35-02-03									
35-10-00-901 S		OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	18-Feb-25	13					CMR	
	HRS	449.8	825						
	AFL	324							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-10-02-001 S		DETAILED INSPECTION OF CREW OXYGEN MASKS							Service ATA:35
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
35-10-02-002 S		OPERATIONAL CHECK OF CREW OXYGEN MASKS AND STOWAGE BOX							Service ATA:35
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-10-02-003 S		RESTORATION COPILOT OXYGEN MASK (OVERHAUL)							Service ATA:35
PN:MC40-011	MOS	01-Jan-21	72					OVERHAUL	
SN:B166505	HRS								
	AFL								
			OverHaul Date:: 01-Jan-21						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
35-10-02-003 S		RESTORATION PILOT OXYGEN MASK (OVERHAUL)							Service ATA:35
PN:MC40-011	MOS	01-Jan-21	72					OVERHAUL	
SN:B166503	HRS								
	AFL								
			OverHaul Date:: 01-Jan-21						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
35-10-02-901 S		DETAILED INSPECTION OF CREW OXYGEN MASK							Service ATA:35
	MOS	18-Feb-25	13					CMR	
	HRS	449.8	825						
	AFL	324							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
35-10-02-902 S		RESTORE COPILOT OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	01-Jan-21	72					CMR	
SN:B166505	HRS	0	4125						
	AFL								
			OverHaul Date:: 01-Jan-21						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
35-10-02-902 S		RESTORE PILOT OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	01-Jan-21	72					CMR	
SN:B166503	HRS	0	4125						
	AFL								
			OverHaul Date:: 01-Jan-21						
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-10-03-001 S		DETAILED INSPECTION OF SMOKE GOGGLES							Service ATA:35
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03									
35-10-04-001 S		FUNCTIONAL CHECK OF CREW OXYGEN SYSTEM LINES FOR LEAKAGE							Service ATA:35
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 35-10-04PROC. REF: AMM 35-10-04									
35-20-01-001 S		DETAILED INSPECTION OF NO. 1 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Service ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110471	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO. 2 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Service ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110473	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO. 3 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Service ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110475	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-20-01-001 S		DETAILED INSPECTION OF NO. 4 ONE-PASSENGER MASK DEPLOYMENT SYSTEM						Service	ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110476	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO. 5 ONE-PASSENGER MASK DEPLOYMENT SYSTEM						Service	ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110477	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO. 6 ONE-PASSENGER MASK DEPLOYMENT SYSTEM						Service	ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110478	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO. 7 ONE-PASSENGER MASK DEPLOYMENT SYSTEM						Service	ATA:35
PN:EB1-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20110479	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO.1 TWO-PASSENGER MASK DEPLOYMENT SYSTEM						Service	ATA:35
PN:EB2-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20120682	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-20-01-001 S		DETAILED INSPECTION OF NO.2 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Service ATA:35
PN:EB2-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20120683	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO.3 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Service ATA:35
PN:EB2-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20120684	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF NO.4 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Service ATA:35
PN:EB2-421048	MOS	24-Jan-24	36 (+15d/-15d)						
SN:D20120686	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-01-001 S		DETAILED INSPECTION OF PASSENGER OXYGEN MASKS							Service ATA:35
	MOS	24-Jan-24	36 (+15d/-15d)						
	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
35-20-02-001 S		FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM LINES FOR LEAKAGE							Service ATA:35
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-20-03-001 S		OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM (MANUAL MODE)							Service ATA:35
	MOS	24-Jan-24	36 (+15d/-15d)						
	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00									
35-20-03-002 S		FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM (AUTO MODE)							Service ATA:35
	MOS	24-Jan-24	36 (+15d/-15d)						
	HRS	305.8							
	AFL	219							
									PKG:35
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00									
35-21-01-003		FUNCTIONAL CHECK OF THE THERAPEUTIC OXYGEN CYLINDER REGULATOR VALVE - VANITY							Service ATA:35
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 35-21-01PROC. REF: AMM 35-21-01									
35-30-01-001		COCKPIT EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:MR-10022NEMB	MOS/MSC		DUE	TSN 0	01-Jun-31 (M)		2151 d	LIFE LIMIT	
SN:E2003471	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 35-30-01PROC. REF: AMM 35-30-01									
35-30-01-001		VANITY EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:MR-10051N	MOS/MSC		DUE		01-Aug-30 (M)		1847 d	LIFE LIMIT	
SN:E2000210	HRS								
	AFL								
PROC. REF: AMM 35-30-01PROC. REF: AMM 35-30-01									
35-30-01-001		WARDROBE EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:MR-10051N	MOS/MSC		DUE		01-Aug-30 (M)		1847 d	LIFE LIMIT	
SN:E2000247	HRS								
	AFL								
PROC. REF: AMM 35-30-01PROC. REF: AMM 35-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-30-02-002		RESTORATION (OVERHAUL) OF THE PORTABLE OXYGEN CYLINDER REGULATOR - VANITY						Service	ATA:35
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 35-30-02PROC. REF: AMM 35-30-02									
35-30-02-003 S		DISCARD OF THE PORTABLE OXYGEN CYLINDER						Service	ATA:35
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 35-30-02PROC. REF: AMM 35-30-02									
35-30-02-003		DISCARD OF THE WARDROBE PORTABLE OXYGEN CYLINDER						Service	ATA:35
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: RCF E670, RCF EC07, RCF E617, RCF E680, RCF 00, RCF E08X, RCF E681, RCF EC08, RCF EC14, RCF ECD3, RCF CJLG, RCF 00, AMM 35-30-02PROC. REF: RCF E670, RCF EC07, RCF E617, RCF E680, RCF 00, RCF E08X, RCF E681, RCF EC08, RCF EC14, RCF ECD3, RCF CJLG, RCF 00, AMM 35-30-02									
350105-0101		CREW CAB OXYGEN SYSTEM LOW PRESSURE SWITCH						Component	ATA:35
PN:CMK80-03	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0799	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-05, AMM 35-01-05PROC. REF: AMM 35-01-05, AMM 35-01-05									
350201-0101		OXYGEN CYLINDER						Component	ATA:35
PN:806643-11	MOS/MSC	12-Feb-21	H/T	TSN 0					
SN:C21060563	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-02-01, AMM 35-02-01PROC. REF: AMM 35-02-01, AMM 35-02-01									
351001-0101		PILOT OXYGEN SYSTEM CREW MASK STOWAGE BOX						Component	ATA:35
PN:MXP603	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SE123766	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-01, AMM 35-10-01PROC. REF: AMM 35-10-01, AMM 35-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
351001-0102		COPILOT OXYGEN SYSTEM CREW MASK STOWAGE BOX						Component	ATA:35
PN:MXP603	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:SE123767	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-01, AMM 35-10-01PROC. REF: AMM 35-10-01, AMM 35-10-01									
351002-0101		PILOT OXYGEN MASK						Component	ATA:35
PN:MC40-011	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:B166503	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02, AMM 35-10-02PROC. REF: AMM 35-10-02, AMM 35-10-02									
351002-0102		COPILOT OXYGEN MASK						Component	ATA:35
PN:MC40-011	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:B166505	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02, AMM 35-10-02PROC. REF: AMM 35-10-02, AMM 35-10-02									
351003-0101		CREW OXYGEN SYSTEM SMOKE GOGGLES						Component	ATA:35
PN:MXG14001	MOS/MSC	18-Feb-25	O/C	TSN 9					
SN:8012768688	HRS	449.8		TSN 0					
	AFL	324		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
351201-0101		RH REAR TRANSDUCER						Component	ATA:35
PN:10016796	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20201963	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
352001-0201		NO. 1 ONE-PASSENGER MASK DEPLOYMENT SYSTEM						Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110471	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
352001-0201	NO. 2 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110473	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 3 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110475	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 4 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110476	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 5 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110477	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 6 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110478	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 7 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20110479	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
352001-0202	NO.1 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20120682	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.2 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20120683	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.3 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20120684	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.4 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:D20120686	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352003-0101	MID ELECTRONIC FLOW CONTROL UNIT							Component	ATA:35
PN:452150	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1017	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03, AMM 35-20-03PROC. REF: AMM 35-20-03, AMM 35-20-03									
C35-10-02-001	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service	ATA:35
	MOS	18-Feb-25	13		18-Mar-26		250 d		
	HRS	449.8	825		1274.8		715.6		
	AFL	324							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
C35-10-02-002		DETAILED INSPECTION OF CREW OXYGEN MASKS							Service ATA:35
	MOS	18-Feb-25	13		18-Mar-26		250 d		
	HRS	449.8	825		1274.8		715.6		
	AFL	324							
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
C35-10-02-003		RESTORATION COPILOT OXYGEN MASK (OVERHAUL)							Service ATA:35
PN:MC40-011	MOS	01-Jan-21	72		01-Jan-27		539 d	OVERHAUL	
SN:B166505	HRS	0	4125		4125		3565.8		
	AFL								
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
C35-10-02-003		RESTORATION PILOT OXYGEN MASK (OVERHAUL)							Service ATA:35
PN:MC40-011	MOS	01-Jan-21	72		01-Jan-27		539 d	OVERHAUL	
SN:B166503	HRS	0	4125		4125		3565.8		
	AFL								
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
ATA 36 - PNEUMATIC									
36-00-00-710-801-A		PNEUMATIC SYSTEM - OPERATIONAL TEST							Service ATA:36
	MOS/MSC	10-Mar-22	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	66.5							
	AFL	54							
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00									
36-00-00-901 S		OPERATIONAL CHECK OF BLEED AUX RELAYS AND BLEED PUSHBUTTONS							Service ATA:36
	MOS	29-Sep-21						CMR	
	HRS	0	5250						
	AFL	0							
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00									
36-00-00-902		OPERATIONAL CHECK OF PNEUMATIC SYSTEM CONTROLLER (PSC) CIRCUIT BREAKERS							Service ATA:36
	MOS	29-Sep-21						CMR	
	HRS	0	9000		9000		8440.8		
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00									
36-10-00-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) BLEED CHECK VALVE							Service ATA:36
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 36-11-02PROC. REF: AMM 36-11-02									
36-11-00-001 S		OPERATIONAL CHECK OF BLEED CHECK VALVES							Service ATA:36
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 36-11-12PROC. REF: AMM 36-11-12									
36-11-00-002 S		OPERATIONAL CHECK OF BLEED OVERPRESSURE PROTECTION							Service ATA:36
	MOS	29-Sep-21							
	HRS	0	4500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00									
36-11-01-790-801-A		HIGH-STAGE SHUTOFF VALVE - LEAK TEST							Service ATA:36
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01									
36-11-02-710-801-A		LOW-STAGE CHECK VALVES - OPERATIONAL TEST							Service ATA:36
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-02PROC. REF: AMM 36-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
36-11-03-790-801-A		BLEED PRSOV - LEAK TEST							Service ATA:36
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-03	PROC. REF: AMM 36-11-03								
36-11-07-210-801-A		SINGLE-BLEED SHUTOFF VALVE - GENERAL VISUAL INSPECTION							Service ATA:36
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-07	PROC. REF: AMM 36-11-07								
36-14-00-001 S		FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH							Service ATA:36
	MOS	29-Sep-21							
	HRS	0	4500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-14-07	PROC. REF: AMM 36-14-07								
36-14-07-901 S		FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH							Service ATA:36
	MOS	29-Sep-21						CMR	
	HRS	0	5250						
	AFL	0							
PROC. REF: AMM 36-14-07	PROC. REF: AMM 36-14-07								
36-17-04-901		OPERATIONAL CHECK OF THE AUXILIARY FUEL TANKS PRESSURIZATION LINE CHECK VALVES							Service ATA:36
	MOS	29-Sep-21						CMR	
	HRS	0	6750		6750		6190.8		
	AFL	0							
PROC. REF: AMM 36-17-04	PROC. REF: AMM 36-17-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
36-17-05-001 S		DRAINING OF THE AUXILIARY FUEL TANKS PRESSURIZATION WATER DRAINS							Service ATA:36
	MOS	18-Feb-25	12 (+15d/-15d)	Adj -25d					
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 36-17-05PROC. REF: AMM 36-17-05									
36-20-01-001 S		FUNCTIONAL CHECK OF BLEED LEAK DETECTORS							Service ATA:36
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-20-00PROC. REF: AMM 36-20-00									
36-20-01-901 S		FUNCTIONAL CHECK OF BLEED LEAK DETECTORS							Service ATA:36
	MOS	29-Sep-21						CMR	
	HRS	0	10000						
	AFL	0							
PROC. REF: AMM 36-20-00PROC. REF: AMM 36-20-00									
361001-0101		REAR FUS SHUTOFF VALVE							Component ATA:36
PN:4713-36	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0092	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
361104-0101		LH PYLON FAN AIR REGULATOR SHUT OFF VALVE							Component ATA:36
PN:424315-4	MOS/MSC	07-Apr-23	O/C	TSN 26					
SN:1130	HRS	225.4		TSN 225.4					
	AFL	161		TSN 161					
PROC. REF: AMM 36-11-04, AMM 36-11-04PROC. REF: AMM 36-11-04, AMM 36-11-04									
361104-0102		RH PYLON FAN AIR REGULATOR SHUT OFF VALVE							Component ATA:36
PN:424315-4	MOS/MSC	07-Apr-23	O/C	TSN 26					
SN:1129	HRS	225.4		TSN 225.4					
	AFL	161		TSN 161					
PROC. REF: AMM 36-11-04, AMM 36-11-04PROC. REF: AMM 36-11-04, AMM 36-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361105-0101		LEFT PNEUMATIC SYSTEM PRECOOLER						Component	ATA:36
PN:381259000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:T0216	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-05, AMM 36-11-05PROC. REF: AMM 36-11-05, AMM 36-11-05									
361105-0102		RIGHT PNEUMATIC SYSTEM PRECOOLER						Component	ATA:36
PN:381258000	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:T0215	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-05, AMM 36-11-05PROC. REF: AMM 36-11-05, AMM 36-11-05									
361111-0101		LEFT CHECK VALVE						Component	ATA:36
PN:4005-28	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0600	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-12, AMM 36-11-12PROC. REF: AMM 36-11-12, AMM 36-11-12									
361111-0102		REAR CHECK VALVE						Component	ATA:36
PN:4005-28	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0599	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-12, AMM 36-11-12PROC. REF: AMM 36-11-12, AMM 36-11-12									
361112-0101		RH PYLON CHECK VALVE						Component	ATA:36
PN:4005-28	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0605	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
361133-0101		LH ENG PRESSURE REGULATOR SHUTOFF VALVE						Component	ATA:36
PN:424305-4	MOS/MSC	04-Mar-22	O/C	TSR 0					
SN:0392	HRS	66.5		TSN 3931, TSR 0					
	AFL	54		TSR 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361133-0102	RH ENG PRESSURE REGULATOR SHUTOFF VALVE							Component	ATA:36
PN:424305-4	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1136	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2	PROC. REF: AMM GENERIC 2								
361163-0101	REAR PNEUMATIC CROSS BLEED SHUTOFF VALVE							Component	ATA:36
PN:424365-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0522	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-06, AMM 36-11-06	PROC. REF: AMM 36-11-06, AMM 36-11-06								
361173-0101	REAR PNEUMATIC CROSS BLEED SHUTOFF VALVE							Component	ATA:36
PN:424355-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0534	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-06, AMM 36-11-06	PROC. REF: AMM 36-11-06, AMM 36-11-06								
361313-0101	REAR GROUND CONNECTION VALVE							Component	ATA:36
PN:20032489	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0271	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-13-01, AMM 36-13-01	PROC. REF: AMM 36-13-01, AMM 36-13-01								
361402-0101	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02069	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0102	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02209	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361402-0103	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02267	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0104	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02271	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0105	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02278	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0106	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02387	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0107	REAR FUS TEMPERATURE SENSOR							Component	ATA:36
PN:103-00264	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02395	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02	PROC. REF: AMM 36-14-02, AMM 36-14-02								
361402-0108	RH ENG BLEED UPSTREAM PRECOOLER TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAY1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:DT6532R	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-06, AMM 36-14-06	PROC. REF: AMM 36-14-06, AMM 36-14-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361402-0109	LH ENG BLEED UPSTREAM PRECOOLER TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAY1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:DT6273R	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-06, AMM 36-14-06	PROC. REF: AMM 36-14-06, AMM 36-14-06								
361407-0101	REAR FUS PNEUMATIC SYSTEM PRESSURE SWITCH							Component	ATA:36
PN:1103P1353	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0455	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-07, AMM 36-14-07	PROC. REF: AMM 36-14-07, AMM 36-14-07								
361407-0102	REAR FUS PNEUMATIC SYSTEM PRESSURE SWITCH							Component	ATA:36
PN:1103P1353	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0472	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-07, AMM 36-14-07	PROC. REF: AMM 36-14-07, AMM 36-14-07								
361443-0101	RH RACK 5MCU PNEUMATIC SYSTEM CONTROLLER							Component	ATA:36
PN:MM-00150-14-40	MOS/MSC	20-Jun-23	O/C						
SN:00166M	HRS	272.6		TSN 692					
	AFL	190		TSN 581					
PROC. REF: AMM 36-14-04, AMM 36-14-04	PROC. REF: AMM 36-14-04, AMM 36-14-04								
361602-0101	CARG CPT SOLENOID VALVE							Component	ATA:36
PN:5303-27	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0232	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-16-02, AMM 36-16-02	PROC. REF: AMM 36-16-02, AMM 36-16-02								
361603-0101	CARG CPT RELIEF VALVE							Component	ATA:36
PN:5811-2	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0336	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-16-03, AMM 36-16-03	PROC. REF: AMM 36-16-03, AMM 36-16-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361604-0101	REAR PRESSURE TRANSDUCER SENSOR							Component	ATA:36
PN:A3100-A-114M8115MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11687501	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
361604-0102	PAX DOOR PRESSURE TRANSDUCER SENSOR							Component	ATA:36
PN:A3000-A-114M8114MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11756571	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
361604-0103	REAR FUS PRESSURE TRANSDUCER SENSOR							Component	ATA:36
PN:A3000-A-114M8114MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11756567	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
361604-0104	REAR FUS PRESSURE TRANSDUCER SENSOR							Component	ATA:36
PN:A3000-A-114M8114MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11756570	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
361604-0105	REAR FUS PRESSURE TRANSDUCER SENSOR							Component	ATA:36
PN:A3000-A-114M8114MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11756572	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361605-0101		RIGHT FORWARD AUX TANK OUTFLOW RELIEF VALVE						Component	ATA:36
PN:10C00034-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20-041460	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
361605-0102		VENTRAL TANK 3/8 INCH CHECK VALVE						Component	ATA:36
PN:2170064-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20-031192	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
361605-0103		VENTRAL TANK 3/8 INCH CHECK VALVE						Component	ATA:36
PN:2170064-102	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20-0505116	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
361605-0104		RIGHT REAR PRSOV SHUTOFF VALVE						Component	ATA:36
PN:71286B010001	MOS/MSC	24-Jan-24	O/C						
SN:71286-00125	HRS	305.8							
	AFL	219							
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
361605-0105		CENTER FUSELAGE PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:A3000-A-119M8790MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11684196	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
361605-0106		CENTER FUSELAGE PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:A3000-A-119M8790MB	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:11684199	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361633-0101		REGULATOR VALVE						Component	ATA:36
PN:20033152	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0691	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
363001-0101		LH ENGINE HIGH PRESSURE SHUT OFF VALVE						Component	ATA:36
PN:70040385-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:542	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01									
363001-0102		RH ENGINE HIGH PRESSURE SHUTOFF VALVE						Component	ATA:36
PN:70040385-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:533	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01									
C36-11-00-001		OPERATIONAL CHECK OF BLEED OVERPRESSURE PROTECTION, AUXILIARY RELAYS AND PUSHBUTTONS						Service	ATA:36
	MOS	29-Sep-21							
	HRS	0	4500		4500		3940.8		
	AFL	0							
									PKG:16
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00									
C36-14-00-001		FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH						Service	ATA:36
	MOS	29-Sep-21							
	HRS	0	4500		4500		3940.8		
	AFL	0							
									PKG:16
PROC. REF: AMM 36-14-07PROC. REF: AMM 36-14-07									
C36-20-01-001		FUNCTIONAL CHECK OF BLEED LEAK DETECTORS						Service	ATA:36
	MOS	29-Sep-21							
	HRS	0	7500		7500		6940.8		
	AFL	0							
									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
PROC. REF: AMM 36-20-00PROC. REF: AMM 36-20-00									
ATA 38 - WATER/WASTE									
38-11-00-001 S		DISCARD OF GALLEY WATER FILTER						Service	ATA:38
	MOS	18-Feb-25	24 (+15d/-15d)					LIFE LIMIT	
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 38-11-03PROC. REF: AMM 38-11-03									
38-11-00-002 S		RESTORATION (CLEANING) OF GALLEY POTABLE WATER SYSTEM COMPONENTS						Service	ATA:38
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-15-01PROC. REF: AMM 12-15-01									
38-12-00-001 S		DISCARD OF LAVATORY WATER FILTER						Service	ATA:38
	MOS	18-Feb-25	24 (+15d/-15d)					LIFE LIMIT	
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 38-12-03PROC. REF: AMM 38-12-03									
38-12-00-002 S		RESTORATION (CLEANING) OF LAVATORY POTABLE WATER SYSTEM COMPONENTS						Service	ATA:38
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 12-15-01PROC. REF: AMM 12-15-01									
38-32-33-001 S		DISCARD OF WASTE TANK WATER SEPARATOR FILTER						Service	ATA:38
	MOS	29-Sep-21	60 (+15d/-15d)					LIFE LIMIT	
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 38-32-33PROC. REF: AMM 38-32-33									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 38 - WATER/WASTE									
381001-0101	FORWARD WATER DRAIN SYSTEM CONTROL PANEL ASSY							Component	ATA:38
PN:431500-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:431500AA0218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-10-01, AMM 38-10-01PROC. REF: AMM 38-10-01, AMM 38-10-01									
381101-0101	TOILET VALVE, RINSE, VACUUM WASTE SYSTEM							Component	ATA:38
PN:4100678-005	MOS/MSC	04-Mar-22	O/C	TSN 0					
SN:11090522-007	HRS	66.5		TSN 0					
	AFL	54		TSN 0					
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									
381104-0101	GALLEY FAUCET							Component	ATA:38
PN:AR9247-3D891	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1336992	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-11-04, AMM 38-11-04PROC. REF: AMM 38-11-04, AMM 38-11-04									
381204-0101	VANITY FAUCET							Component	ATA:38
PN:AR9248-1D891	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:1325439	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-12-04, AMM 38-12-04PROC. REF: AMM 38-12-04, AMM 38-12-04									
383201-0101	TOILET VACUUM WASTE SYSTEM MODULE							Component	ATA:38
PN:4100174-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10JAN2020-004	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-32-01, AMM 38-32-01PROC. REF: AMM 38-32-01, AMM 38-32-01									
383244-0101	C FLOOR WASTE TUBE HEATER ASSY							Component	ATA:38
PN:4100340-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10893141-002	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 38 - WATER/WASTE									
383251-0101	RH STUB WASTE DRAIN VALVE ASSY							Component	ATA:38
PN:4100263-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10888002-005	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-32-51, AMM 38-32-51	PROC. REF: AMM 38-32-51, AMM 38-32-51								
383252-0101	C FLOOR RINSE NIPPLE VALVE ASSY							Component	ATA:38
PN:4100003-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10778787-004	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-32-52, AMM 38-32-52	PROC. REF: AMM 38-32-52, AMM 38-32-52								
383253-0101	C FLOOR SERVICE PANEL DOOR SWITCH ASSY							Component	ATA:38
PN:4100169-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:04FEB2020-028	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-32-53, AMM 38-32-53	PROC. REF: AMM 38-32-53, AMM 38-32-53								
383403-0101	REAR DRAIN VALVE							Component	ATA:38
PN:75239-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1311391	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-34-03, AMM 38-34-03	PROC. REF: AMM 38-34-03, AMM 38-34-03								
383407-0101	FORWARD HEATED DRAIN PORT							Component	ATA:38
PN:201046	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:04544	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-34-07, AMM 38-34-07	PROC. REF: AMM 38-34-07, AMM 38-34-07								
383407-0102	REAR HEATED DRAIN PORT							Component	ATA:38
PN:201046	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:04548	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-34-07, AMM 38-34-07	PROC. REF: AMM 38-34-07, AMM 38-34-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 42 - INTEGRATED MODULAR AVIONICS									
422102-0101	LH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N989R	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0102	LH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N98DC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0103	LH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N98L6	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0108	RH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	14-Apr-25	O/C	TSN 0					
SN:4HP5T	HRS	492.5		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0109	RH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N98D3	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0110	RH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:4N8NR1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02PROC. REF: AMM 42-21-02, AMM 42-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 42 - INTEGRATED MODULAR AVIONICS									
422113-0101	LH RACK IPC INTEGRATED PROCESSING CABINET							Component	ATA:42
PN:822-2404-201	MOS/MSC	14-Apr-25	O/C	TSN 0					
SN:4PPD51	HRS	492.5		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 42-21-01, AMM 42-21-01	PROC. REF: AMM 42-21-01, AMM 42-21-01								
422113-0101	RH RACK IPC INTEGRATED PROCESSING CABINET							Component	ATA:42
PN:822-2813-251	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4C521X	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-01, AMM 42-21-01	PROC. REF: AMM 42-21-01, AMM 42-21-01								
422143-0101	LH RACK DC POWER, POWER ENVIRONMENT MODULE							Component	ATA:42
PN:822-2352-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KGY5L	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-04, AMM 42-21-04	PROC. REF: AMM 42-21-04, AMM 42-21-04								
422143-0101	RH RACK DC POWER ENVIRONMENT MODULE							Component	ATA:42
PN:822-2352-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KVKL8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-04, AMM 42-21-04	PROC. REF: AMM 42-21-04, AMM 42-21-04								
422153-0101	LH RACK IPC COVER AND ENVIRONMENTAL MODULE							Component	ATA:42
PN:822-2405-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M87VN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-05, AMM 42-21-05	PROC. REF: AMM 42-21-05, AMM 42-21-05								
422153-0102	RH RACK IPC COVER AND ENVIRONMENTAL MODULE							Component	ATA:42
PN:822-2814-101	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M88VX	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-05, AMM 42-21-05	PROC. REF: AMM 42-21-05, AMM 42-21-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 42 - INTEGRATED MODULAR AVIONICS									
422201-0101	LH RACK DMC-6000 DCU CABINET MODULE							Component	ATA:42
PN:822-2403-262	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N97MR	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-01, AMM 42-22-01	PROC. REF: AMM 42-22-01, AMM 42-22-01								
422202-0101	LH RACK DCM-6000 DATA CONCENTRATOR MODULE							Component	ATA:42
PN:822-2394-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:491DKL	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-02, AMM 42-22-02	PROC. REF: AMM 42-22-02, AMM 42-22-02								
422202-0102	LH RACK DCM-6000 DATA CONCENTRATOR MODULE							Component	ATA:42
PN:822-2394-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N97TP	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-02, AMM 42-22-02	PROC. REF: AMM 42-22-02, AMM 42-22-02								
422203-0101	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component	ATA:42
PN:822-2396-062	MOS/MSC	15-Aug-24	O/C						
SN:4KVLGR	HRS	390							
	AFL	281							
PROC. REF: AMM 42-22-03, AMM 42-22-03	PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0102	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component	ATA:42
PN:822-2396-062	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KVL0D	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-03, AMM 42-22-03	PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0103	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component	ATA:42
PN:822-2396-062	MOS/MSC	15-Aug-24	O/C						
SN:4KVLOD	HRS	390							
	AFL	281							
PROC. REF: AMM 42-22-03, AMM 42-22-03	PROC. REF: AMM 42-22-03, AMM 42-22-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 42 - INTEGRATED MODULAR AVIONICS									
422203-0104	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component	ATA:42
PN:822-2396-062	MOS/MSC	15-Aug-24	O/C	TSN 42					
SN:4KVLLX	HRS	390		TSN 390					
	AFL	281		TSN 281					
PROC. REF: AMM 42-22-03, AMM 42-22-03	PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0105	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component	ATA:42
PN:822-2397-061	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KVL7K	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-03, AMM 42-22-03	PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0106	LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE							Component	ATA:42
PN:822-2396-062	MOS/MSC	15-Aug-24	O/C						
SN:4KVKRR	HRS	390							
	AFL	281							
PROC. REF: AMM 42-22-03, AMM 42-22-03	PROC. REF: AMM 42-22-03, AMM 42-22-03								
422204-0101	LH RACK DATA CONCENTRATOR POWER PRODUCING MODULE							Component	ATA:42
PN:822-2395-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N97N8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-04, AMM 42-22-04	PROC. REF: AMM 42-22-04, AMM 42-22-04								
422204-0102	LH RACK DATA CONCENTRATOR POWER PRODUCING MODULE							Component	ATA:42
PN:822-2395-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4N98PR	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-04, AMM 42-22-04	PROC. REF: AMM 42-22-04, AMM 42-22-04								
422205-0101	LH RACK DMC COVER AND ENVIRONMENTAL MODULE							Component	ATA:42
PN:822-2401-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4KVM9R	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-05, AMM 42-22-05	PROC. REF: AMM 42-22-05, AMM 42-22-05								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 42 - INTEGRATED MODULAR AVIONICS									
423101-0101		COCKPIT IMS-6000 INFORM MANAGEMENT SYSTEM						Component	ATA:42
PN:822-3132-301	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4MCYDH	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-31-01, AMM 42-31-01	PROC. REF: AMM 42-31-01, AMM 42-31-01								
423102-0101		WIRELESS LAN ANTENNA						Component	ATA:42
PN:822-3156-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:4M5PNG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-31-02, AMM 42-31-02	PROC. REF: AMM 42-31-02, AMM 42-31-02								
ATA 44 - CABIN SYSTEMS									
441101-0101		RH RACK CIU CABIN INTERFACE UNIT						Component	ATA:44
PN:990-E7200-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20077004196	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-11-01, AMM 44-11-01	PROC. REF: AMM 44-11-01, AMM 44-11-01								
441213-0101		CENT FUS UTILITY I/O - CABIN CONTROLLER						Component	ATA:44
PN:990-E2002-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20077004154	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-12-01, AMM 44-12-01	PROC. REF: AMM 44-12-01, AMM 44-12-01								
441301-0101		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0820-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0101		SELECT 100, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0810-103	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:21017004742	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 44 - CABIN SYSTEMS									
441301-0102	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0820-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004438	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0103	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0820-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004525	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0104	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0820-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004530	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0105	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0821-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004534	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0106	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0821-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004535	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441301-0107	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0821-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004540	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 44 - CABIN SYSTEMS									
441301-0108	PAX CAB SELECT200, PASSENGER CONTROL UNIT							Component	ATA:44
PN:990-E0821-102	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004542	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01	PROC. REF: AMM 44-13-01, AMM 44-13-01								
441303-0101	GALLEY 8.9" TOUCHSCREEN PANEL							Component	ATA:44
PN:990-E0900-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:21017004732	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-03, AMM 44-13-03	PROC. REF: AMM 44-13-03, AMM 44-13-03								
442301-0107	FWD WIDESCREEN MONITOR, PAX CABIN							Component	ATA:44
PN:990-E1900-001	MOS/MSC	11-Sep-24	O/C	TSN 0					
SN:24040426	HRS	423.6		TSN 0					
	AFL	291		TSN 0					
PROC. REF: AMM GENERIC 6	PROC. REF: AMM GENERIC 6								
442401-0101	NO. 1 AUXILIARY PANEL							Component	ATA:44
PN:990-E0251-001	MOS/MSC	24-Jan-24	O/C	TSN 4					
SN:23057007283	HRS	305.8		TSN 0					
	AFL	219		TSN 0					
PROC. REF: AMM 44-24-01, AMM 44-24-01	PROC. REF: AMM 44-24-01, AMM 44-24-01								
442403-0101	NO. 1 HIGH DEFINITION, AUDIO/VIDEO, INPUT							Component	ATA:44
PN:990-E4770-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:20117004504	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-24-03, AMM 44-24-03	PROC. REF: AMM 44-24-03, AMM 44-24-03								
442601-0101	LH RACK AUDIO AMPLIFIER							Component	ATA:44
PN:990-E0450-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:140513	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-26-01, AMM 44-26-01	PROC. REF: AMM 44-26-01, AMM 44-26-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 44 - CABIN SYSTEMS									
442701-0101		LH RACK MEDIA INTERFACE UNIT						Component	ATA:44
PN:990-5164-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20027003652	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-27-01, AMM 44-27-01PROC. REF: AMM 44-27-01, AMM 44-27-01									
443201-0101		ATG TRANSCEIVER						Component	ATA:44
PN:P34110-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3411000201670	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-32-01, AMM 44-32-01, AMM 44-32-02, AMM 44-32-02PROC. REF: AMM 44-32-01, AMM 44-32-01, AMM 44-32-02, AMM 44-32-02									
443203-0101		RH RACK CONFIGURATION MODULE						Component	ATA:44
PN:P14126	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1412625920	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-32-03, AMM 44-32-03PROC. REF: AMM 44-32-03, AMM 44-32-03									
443401-0101		WFF FWD ASE 900 MHZ DUAL DIRECTIONAL ANTENNA						Component	ATA:44
PN:P35500	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3550003619	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
443401-0102		WFF CENTER ASE 900 MHZ DUAL DIRECTIONAL ANTENNA						Component	ATA:44
PN:P35500	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:3550003620	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
ATA 45 - CENTRAL MAINT SYSTEM									
45-70-00-002 S		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (DOWNLOAD) OF ENGINE FAULT DATA						Service	ATA:45
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: AMM 73-21-00PROC. REF: AMM 73-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 45 - CENTRAL MAINT SYSTEM									
45-70-00-002 S		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (DOWNLOAD) OF ENGINE FAULT DATA							Service ATA:45
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: AMM 73-21-00PROC. REF: AMM 73-21-00									
45-70-00-003		NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:45
	MOS	29-Sep-21							
	HRS	0	4500 (+37/-37)		(4500) 4500	4537	3940.8 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
45-70-00-003		NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:45
	MOS	29-Sep-21							
	HRS	0	4500 (+37/-37)		(4500) 4500	4537	3940.8 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
45-70-00-004		NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:45
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
45-70-00-004		NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:45
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 45 - CENTRAL MAINT SYSTEM									
450001-0101		COCKPIT MAINTENANCE CONTROL PANEL ASSY							Component ATA:45
PN:433300-003	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:433300AA0227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 45-00-01, AMM 45-00-01PROC. REF: AMM 45-00-01, AMM 45-00-01									
ATA 49 - AIRBORNE AUXILIARY POWER									
49-11-01-001		APU - DETAILED INSPECTION OF AUXILIARY POWER UNIT (APU) AIR INLET							Service ATA:49
	MOS	20-Nov-20							
	HRS	0	3750 (+37/-37)		3750	3787	3209 (+37)		
	APUS	0							
PROC. REF: AMM 49-11-01PROC. REF: AMM 49-11-01									
49-11-01-001 S		DETAILED INSPECTION OF AUXILIARY POWER UNIT (APU) AIR INLET							Service ATA:49
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 49-11-01PROC. REF: AMM 49-11-01									
49-21-01-001		APU - GENERAL VISUAL INSPECTION OF AUXILIARY POWER UNIT (APU) UPPER INLET DUCT							Service ATA:49
	MOS	20-Nov-20							
	HRS	0	3750 (+37/-37)		3750	3787	3209 (+37)		
	APUS	0							
PROC. REF: LMM 49-20-20PROC. REF: LMM 49-20-20									
49-21-01-001		GENERAL VISUAL INSPECTION OF AUXILIARY POWER UNIT (APU) UPPER INLET DUCT							Service ATA:49
	MOS	29-Sep-21							
	HRS	0							
	AFL	0							
	APH	0	3750 (+37/-37)		3750	3787	3314 (+37)		
PROC. REF: LMM 49-20-20PROC. REF: LMM 49-20-20									
49-22-02-001		APU - APU COMPRESSOR ROTOR							Component ATA:49
PN:70721597-1	MOS	20-Nov-20		TSN 0				LIFE LIMIT	
SN:20-162246-03283	HRS	0	20000	TSN 0	20000		19459		
	APUS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
49-24-02-001		APU - APU TURBINE ROTOR							Component ATA:49
PN:70721725-5	MOS	20-Nov-20		TSN 0				LIFE LIMIT	
SN:20-156101-03691	HRS	0	10000	TSN 0	10000		9459		
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
49-24-04-001		APU - DETAILED INSPECTION CONTAINMENT RING AND TURBINE HOUSING							Service ATA:49
PN:3846564-1	MOS	20-Nov-20							
SN:UNKNOWN	HRS	0	10000 (+37/-37)		10000	10037	9459 (+37)		
	APUS	0							
PROC. REF: LMM 49-20-00PROC. REF: LMM 49-20-00									
49-30-05-001		APU - DISCARD OF APU FUEL FILTER							Service ATA:49
PN:PN	MOS	20-Nov-20						CATEGORY 9	
SN:UNKNOWN	HRS	0	1000 (+37/-37)		1000	1037	459 (+37)		
	APUS	0							
PROC. REF: LMM 49-30-50, LMM 49-30-50, AMM 49-31-01PROC. REF: LMM 49-30-50, LMM 49-30-50, AMM 49-31-01									
49-40-03-001		APU - DETAILED INSPECTION OF APU IGNITER PLUG							Service ATA:49
	MOS	20-Nov-20						CATEGORY 6	
	HRS	0	1600 (+37/-37)		1600	1637	1059 (+37)		
	APUS	0							
PROC. REF: AMM 49-42-01PROC. REF: AMM 49-42-01									
49-40-04-002		APU - DETAILED DIMENSIONAL INSPECTION OF APU STARTER BRUSH							Service ATA:49
PN:2704458-1	MOS	20-Nov-20							
SN:3713	HRS	0	1500 (+37/-37)		1500	1537	959 (+37)		
	APUS	0							
PROC. REF: AMM 49-26-02PROC. REF: AMM 49-26-02									
49-40-04-003		APU - DETAILED DIMENSIONAL INSPECTION OF APU STARTER BRUSH							Service ATA:49
PN:2704458-1	MOS/MSC	20-Nov-20	N/A						
SN:3713	HRS	0							
	APUS	0							
PROC. REF: AMM 49-26-02PROC. REF: AMM 49-26-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
49-90-04-001		APU - DISCARD OF APU OIL FILTER							Service ATA:49
	MOS	20-Nov-20						CATEGORY 6	
	HRS	0	1000 (+37/-37)		1000	1037	459 (+37)		
	APUS	0							
PROC. REF: AMM 49-91-01PROC. REF: AMM 49-91-01									
49-90-04-002		APU - DISCARD OF APU OIL							Service ATA:49
	MOS	20-Nov-20						LIFE LIMIT	
	HRS	0	1000 (+37/-37)		1000	1037	459 (+37)		
	APUS	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
490001		APU - GAS TURBINE ENGINE ASSEMBLY							Component ATA:49
PN:70720190-2	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:6012367042	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
490010 U		APU - PLATE							Component ATA:49
PN:S8382M28	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
490011 U		APU - (POS) LABEL							Component ATA:49
PN:S8454R89	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
490012 U		APU - (NEG) LABEL							Component ATA:49
PN:S8454R90	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
490013 U	APU - LABEL							Component	ATA:49
PN:S8496-15	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
491023-0101	OVERHEAD AUXILIARY POWER UNIT CONTROL PANEL							Component	ATA:49
PN:430700-001	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:430700AA0218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 49-10-02, AMM 49-10-02PROC. REF: AMM 49-10-02, AMM 49-10-02									
492010	APU - POWER SECTION ASSEMBLY							Component	ATA:49
PN:70720192-2	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:6012367042	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
492015	APU - FWD ROLLER-CYLINDRICAL BEARING							Component	ATA:49
PN:3842365-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:17-162111-08634	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
492020	APU - AFT ROLLER-CYLINDRICAL BEARING							Component	ATA:49
PN:3842366-2	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:19-162111-12843	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
492021	APU - PLANETARY ASSEMBLY							Component	ATA:49
PN:70720192-902	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:LA093897	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
492030		APU - PLANETARY SPUR GEAR SET						Component	ATA:49
PN:3860339-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:20-162447-04530	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
492040		APU - BALL BEARING						Component	ATA:49
PN:3822637-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:20-151725-00786	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
492050		APU - ACCESSORY DRIVE GEARBOX						Component	ATA:49
PN:70720921-2	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:LA093898	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: LMM 49-20-00PROC. REF: LMM 49-20-00									
492201		APU - COMPRESSOR MATCHED SEAL SET						Component	ATA:49
PN:70721584-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:00073	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
492404 U		APU - CONTAINMENT RING						Component	ATA:49
PN:3846564-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
492601		APU - GENERATOR MATCHED SEAL SET						Component	ATA:49
PN:70721719-2	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:00104	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
493020	APU - FUEL CONTROL ASSEMBLY							Component	ATA:49
PN:3883964-3	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:42657	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: LMM 49-30-20, LMM 49-30-20PROC. REF: LMM 49-30-20, LMM 49-30-20									
493025	APU - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component	ATA:49
PN:3601509-5	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:MS20-150493-04470	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
493027 U	APU - FUEL FILTER ELEMENT							Component	ATA:49
PN:PN	MOS/MSC	20-Nov-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
493030	APU - FUEL CONTROL TORQUE MOTOR							Component	ATA:49
PN:3883912-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:19-629	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
493051 U	APU - TURBINE NOZZLE							Component	ATA:49
PN:3846779-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
493260	APU - BRANCHED WIRING HARNESS							Component	ATA:49
PN:70720761-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:20-129505-00125	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: LMM 49-20-10, LMM 49-20-10PROC. REF: LMM 49-20-10, LMM 49-20-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
494001	APU - IGNITION UNIT							Component	ATA:49
PN:3876280-4	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:J20430001	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: LMM 49-40-01, LMM 49-40-01PROC. REF: LMM 49-40-01, LMM 49-40-01									
494030	APU - ENGINE STARTER MOTOR							Component	ATA:49
PN:2704458-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:3713	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
495010	APU - SHUTOFF BUTTERFLY VALVE							Component	ATA:49
PN:109804-7	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:3373	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
495020	APU - ELECTRO-MAGNETIC CONTROL VALVE							Component	ATA:49
PN:3181934-1	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:5803	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
496010	APU - IMMERSION THERMOCOUPLE							Component	ATA:49
PN:3876003-3	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:2015027700392	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: LMM 49-60-10, LMM 49-60-10PROC. REF: LMM 49-60-10, LMM 49-60-10									
496101-0101	LH RACK APU ELECTRONIC CONTROL UNIT							Component	ATA:49
PN:70720276-3	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:2119336-00163	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 49-61-01, AMM 49-61-01PROC. REF: AMM 49-61-01, AMM 49-61-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 49 - AIRBORNE AUXILIARY POWER									
499002		APU - SOAP OIL CHECK						Service	ATA:49
	MOS/MSC	20-Nov-20	A/R						
	HRS	0							
	APUS	0							
PROC. REF: SIL SIL APU-49, GENERIC NO REFPROC. REF: SIL SIL APU-49, GENERIC NO REF									
499020		APU - REMOTE OIL LEVEL SENSOR						Component	ATA:49
PN:70720760-2	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:2016222100304	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: LMM 49-90-20, LMM 49-90-20PROC. REF: LMM 49-90-20, LMM 49-90-20									
499901		APU - FORGING						Component	ATA:49
PN:3612986-111	MOS/MSC	20-Nov-20	O/C	TSN 0					
SN:20-162246-03283	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
49APU1		APU						Component	ATA:49
PN:70720189-2	MOS/MSC		E/C						
SN:P-365	HRS								
WC#: 49.APU1	AFL								
PROC. REF: AMM 49-10-01, AMM 49-10-01PROC. REF: AMM 49-10-01, AMM 49-10-01									
ATA 50 - CARGO COMPARTMENTS									
50-22-01-001 S		GENERAL VISUAL INSPECTION OF AFT CARGO COMPARTMENT NET						Service	ATA:50
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 50-22-00PROC. REF: AMM 50-22-00									
50-30-00-001 S		GENERAL VISUAL INSPECTION OF AFT CARGO COMPARTMENT LININGS AND PARTITIONS						Service	ATA:50
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 50 - CARGO COMPARTMENTS									
PROC. REF: AMM 50-30-00PROC. REF: AMM 50-30-00									
ATA 52 - DOORS									
52-10-00-001 S		DETAILED INSPECTION OF MAIN DOOR SEALS						Service	ATA:52
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00									
52-10-01-002 S		INTERNAL DETAILED INSPECTION OF MAIN DOOR SKIN, HANDLE BOX, FRAMES, HORIZONTAL BEAMS AND FASTENERS						Service	ATA:52
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00									
52-10-01-901		MAIN DOOR STRUCTURE - GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND SPLICES						Service	ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00									
52-10-01-902		MAIN DOOR STRUCTURE DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00									
52-10-02-001 S		INTERNAL DETAILED INSPECTION OF MAIN DOOR STOP FITTINGS AND FASTENERS AT DOOR AND FUSELAGE						Service	ATA:52
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
52-10-02-901		MAIN DOOR STOP FITTING AT DOOR AND FUSELAGE - DETAILED INSPECTION OF STOP FITTINGS AND ATTACHMENTS							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00									
52-10-02-902		MAIN DOOR STOP FITTING AT DOOR AND FUSELAGE - DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00									
52-13-00-001 S		GENERAL VISUAL INSPECTION OF MAIN DOOR BALANCING TORSION BAR							Service ATA:52
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 52-13-20PROC. REF: AMM 52-13-20									
52-13-02-001 S		LUBRICATION OF THE MAIN DOOR MECHANISM							Service ATA:52
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
52-13-02-002		DISCARD OF THE PINION OF THE MAIN DOOR MECHANISM							Service ATA:52
PN:PN	MOS	EFF							
SN:UNKNOWN	HRS								
	AFL	EFF	6000 (+25/-25)		6000 *	6025	5622 (+25)		
PROC. REF: AMM 52-13-24PROC. REF: AMM 52-13-24									
52-20-01-001 S		INTERNAL DETAILED INSPECTION OF EMERGENCY EXIT HATCH STRUCTURE							Service ATA:52
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-01-003		INTERNAL DETAILED INSPECTION OF EMERGENCY EXIT HATCH (TYPE IV) STRUCTURE							Service ATA:52
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-01-901		EMERGENCY EXIT HATCH STRUCTURE GENERAL VISUAL INSPECTION OF LOWER FRAMES, BEAMS AND SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-01-902		EMERGENCY EXIT HATCH STRUCTURE GENERAL VISUAL INSPECTION OF UPPER FRAMES, BEAMS AND SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-01-903		EMERGENCY EXIT HATCH STRUCTURE DETAILED INSPECTION OF SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-01-904		EMERGENCY EXIT HATCH STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - SKIN SURROUNDING RADIUS - REGION A NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:52
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
52-20-01-905		EMERGENCY EXIT HATCH STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - SKIN SURROUNDING CUTOUT EDGES - REGION B NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:52
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-01-906		EMERGENCY EXIT HATCH STRUCTURE DETAILED INSPECTION OF MACHINED FRAME SURFACE NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service ATA:52
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00									
52-20-20-001 S		GENERAL VISUAL INSPECTION OF EMERGENCY EXIT HATCH LOCKING AND ACTUATING MECHANISM							Service ATA:52
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 52-20-20PROC. REF: AMM 52-20-20									
52-20-21-001 S		DETAILED INSPECTION OF EMERGENCY EXIT HATCH RUBBER SEAL							Service ATA:52
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 52-20-21PROC. REF: AMM 52-20-21									
52-40-01-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF ELECTRONIC BAY ACCESS HATCH SKIN AND FASTENERS							Service ATA:52
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
52-40-01-002 S		INTERNAL DETAILED INSPECTION OF ELECTRONIC BAY ACCESS HATCH FRAME AND FASTENERS							Service ATA:52
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									
52-40-01-901		ELECTRONIC BAY ACCESS HATCH STRUCTURE - GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND SKIN							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									
52-40-01-902		ELECTRONIC BAY ACCESS HATCH STRUYCTURE - DETAILED INSPECTION OF FRAMES, BEAMS AND SKIN							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									
52-40-02-001 S		INTERNAL DETAILED INSPECTION OF ELECTRONIC BAY ACCESS HATCH STOP FITTINGS AT HATCH AND FUSELAGE							Service ATA:52
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									
52-40-02-901		ELECTRONIC BAY ACCESS HATCH STRUCTURE - GENERAL VISUAL INSPECTION OF STOP FITTINGS AND LATERAL SKIN							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									
52-40-02-902		ELECTRONIC BAY ACCESS HATCH STRUCTURE - DETAILED INSPECTION OF STOP FITTINGS AND LATERAL SKIN							Service ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 52-41-00PROC. REF: NDT 52-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
52-41-00-001 S		GENERAL VISUAL INSPECTION OF ELECTRONIC BAY ACCESS HATCH LOCKING, ACTUATING MECHANISM AND SEAL						Service	ATA:52
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 52-41-20PROC. REF: AMM 52-41-20									
52-71-02-001 S		OPERATIONAL CHECK OF MAIN DOOR SENSOR TARGETS						Service	ATA:52
	MOS	18-Feb-25	12 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:12
PROC. REF: AMM 52-71-20PROC. REF: AMM 52-71-20									
52-71-02-002 S		LUBRICATION OF THE MAIN DOOR SENSOR MECHANISM						Service	ATA:52
	MOS	18-Feb-25	24 (+15d/-15d)						
	HRS	449.8							
	AFL	324							
									PKG:24
PROC. REF: AMM 52-71-21PROC. REF: AMM 52-71-21									
52-72-21-001 S		OPERATIONAL CHECK OF CARGO COMPARTMENT DOOR SENSORS TARGETS						Service	ATA:52
	MOS	29-Sep-21	60						
	HRS	0							
	AFL	0							
	APH	0							
									PKG:40
PROC. REF: AMM 52-72-20PROC. REF: AMM 52-72-20									
52-73-01-001 S		OPERATIONAL CHECK OF EMERGENCY EXIT HATCH WARNING INDICATION						Service	ATA:52
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 52-73-20PROC. REF: AMM 52-73-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
52-74-01-001 S		OPERATIONAL CHECK OF ELECTRONIC BAY ACCESS HATCH WARNING INDICATION						Service	ATA:52
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 52-74-20PROC. REF: AMM 52-74-20									
521321-0101		MAIN-DOOR BALANCING-MECHANISM PINION SHAFT						Component	ATA:52
PN:PN	MOS/MSC	29-Sep-21	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-24, AMM 52-13-24PROC. REF: AMM 52-13-24, AMM 52-13-24									
522000-0101		EMERGENCY EXIT DOOR ASSY						Component	ATA:52
PN:550-13510-407	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001091128	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
523200-0101		AFT CARGO DOOR COMPLETION ASSY						Component	ATA:52
PN:550-13700-411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000019728	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-32-00, AMM 52-32-00PROC. REF: AMM 52-32-00, AMM 52-32-00									
524100-0301		COCKPIT (FWD ELEK COMPT) E-BAY ACCESS HATCH ASSEMBLY						Component	ATA:52
PN:550-13940-407	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001091016	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
524220-0101		RH FWD RAT DOOR ASSY						Component	ATA:52
PN:550-04701-409	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000020668	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-42-20, AMM 52-42-20PROC. REF: AMM 52-42-20, AMM 52-42-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
527120-0101		ROLLER SENSOR ASSY						Component	ATA:52
PN:550-15483-403	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:3698442	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
527120-0301		MAIN DOOR (CLOSED) LATCH SENSOR ASSEMBLY						Component	ATA:52
PN:550-15484-411	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:3714707	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-21, AMM 52-71-21, AMM 52-71-21, AMM 52-71-21PROC. REF: AMM 52-71-21, AMM 52-71-21, AMM 52-71-21, AMM 52-71-21									
527220-0102		ACTUATOR SENSOR						Component	ATA:52
PN:550-13739-405	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001086687	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
527220-0106		CARGO DOOR AFT PROXIMITY SENSOR						Component	ATA:52
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91311	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-72-20, AMM 52-72-20PROC. REF: AMM 52-72-20, AMM 52-72-20									
527220-0107		CARGO DOOR FORWARD PROXIMITY SENSOR						Component	ATA:52
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:91126	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
527220-0108		MAIN DOOR PROXIMITY SENSOR						Component	ATA:52
PN:80-019-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:87163	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20, AMM 52-71-21, AMM 52-71-21PROC. REF: AMM 52-71-20, AMM 52-71-20, AMM 52-71-21, AMM 52-71-21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
527220-0109		MAIN DOOR PROXIMITY SENSOR						Component	ATA:52
PN:80-019-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:87917	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20, AMM 52-71-21, AMM 52-71-21PROC. REF: AMM 52-71-20, AMM 52-71-20, AMM 52-71-21, AMM 52-71-21									
527220-0110		MAIN DOOR PROXIMITY SENSOR						Component	ATA:52
PN:80-019-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:89079	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20, AMM 52-71-21, AMM 52-71-21PROC. REF: AMM 52-71-20, AMM 52-71-20, AMM 52-71-21, AMM 52-71-21									
527220-0201		LH MLG PROXIMITY SENSOR						Component	ATA:52
PN:80-019-01	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:89094	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
53-10-02-902		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - DETAILED INSPECTION OF UPPER SKIN AND FASTENERS						Service	ATA:52
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
Z111-001 S		ZONAL INTERNAL GENERAL VISUAL INSPECTION OF RADOME						Service	ATA:52
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									
Z120-001 S		ZONAL GENERAL VISUAL INSPECTION OF ELECTRONIC BAY ACCESS HATCH						Service	ATA:52
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
Z811-001 S		ZONAL GENERAL VISUAL INSPECTION OF PASSENGER DOOR						Service	ATA:52
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
Z812-001 S		ZONAL GENERAL VISUAL INSPECTION OF CARGO DOOR						Service	ATA:52
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
Z820-001 S		ZONAL GENERAL VISUAL INSPECTION OF EMERGENCY EXIT HATCH						Service	ATA:52
	MOS	29-Sep-21	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00									
ATA 53 - FUSELAGE									
53-05-01-001 S		DETAILED INSPECTION OF FUSELAGE DRAINS						Service	ATA:53
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 53-05-00PROC. REF: AMM 53-05-00									
53-10-01-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-01-002 S		INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00, NDT 53-10-00PROC. REF: NDT 53-10-00, NDT 53-10-00									
53-10-01-003 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN SPLICE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-01-004		INTERNAL GENERAL VISUAL INSPECTION OF EXTERNAL SIDE OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service ATA:53
	MOS	29-Sep-21	120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-01-005		INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-002		INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE							Service ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-003 S		INTERNAL DETAILED INSPECTION OF WINDSHIELD AND SIDE WINDOW CUTOUT STRUCTURE							Service ATA:53
	MOS		T:60						
	HRS								
	AFL								
									PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-004 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF WINDSHIELD FRAME CENTER FITTING						Service	ATA:53
	MOS		T:60						
	HRS								
	AFL								
									PKG:40
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-005 S		INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE UPPER SKIN PANEL						Service	ATA:53
	MOS		T:120						
	HRS								
	AFL								
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-901		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS, BEAMS, WINDSHIELD FRAMES, WINDSHIELD FRAME SPLICES AND WINDSHIELD FRAME CENTER FITTINGS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00, NDT 53-10-00PROC. REF: NDT 53-10-00, NDT 53-10-00									
53-10-02-903		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (BOROSCOPE) OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00, NDT 53-10-00PROC. REF: NDT 53-10-00, NDT 53-10-00									
53-10-02-904		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE DETAILED INSPECTION OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT NOT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-02-905		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLEONLY TO AIRCRAFT NOT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-906		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE WINDOW TO FRAME JUNCTION (LH/RH)						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-02-907		FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE WINDOW FASTNER HOLES REGION						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-03-002 S		INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-03-901		FORWARD FUSELAGE LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-03-902		FORWARD FUSELAGE LOWER SKIN PANEL - DETAILED INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-04-001 S		EXTERNAL - DETAILED INSPECTION OF FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-04-002 S		INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-04-901		FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-04-902		FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN SPLICES (LONGITUDINAL AND CIRCUMFERENTIAL)						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-05-001 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-05-002 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-05-901		FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE PANEL (FORWARD AND AFT SIDE OF FORWARD PRESSURE BULKHEAD) AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-001 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-002 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-06-901		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF METALLIC BULKHEAD AND HORIZONTAL BEAM (FROM NON-PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-902		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF FITTING ANGLE RING, VERTICAL BEAM, T -SHAPE BEAM, CENTRAL FITTING (FROM NON- PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-903		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF METALLIC BULKHEAD AND HORIZONTAL BEAM (FROM PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00, NDT 53-10-00PROC. REF: NDT 53-30-00, NDT 53-10-00									
53-10-06-904		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF FITTING ANGLE RING, VERTICAL BEAM, T -SHAPE BEAM AND REAR RIBS (FROM PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-905		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FITTING ANGLE RING WEB, METALLIC BULKHEAD UPPER FLANGE AND T-SHAPE BEAM WEB (FROM NON-PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-06-906		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF REAR RIB CORNERS (FROM PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-06-907		FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF VERTICAL BEAM WEB IN HORIZONTAL BEAM REGION AND CENTRAL FITTING REAR FLANGE (FROM NON-PRESSURIZED SIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-07-901		NOSE LANDING GEAR COMPOSITE STRUCTURE DETAILED INSPECTION OF UPPER PANEL, SIDE PANEL AND FASTENERS (THROUGH NLG BAY INSIDE AND OUTSIDE)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-08-001 S		INTERNAL DETAILED INSPECTION OF NOSE LANDING GEAR BAY METALLIC STRUCTURE - LANDING GEAR SIDE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-08-002 S		INTERNAL DETAILED INSPECTION OF NOSE LANDING GEAR BAY METALLIC STRUCTURE - FORWARD FUSELAGE SIDE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-08-901		NOSE LANDING GEAR BAY METALLIC STRUCTURE DETAILED INSPECTION OF LATERAL PANELS, MACHINED FRAME 8, FASTENERS (FROM THE NON- PRESSURIZED SIDE - SURFACE)						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-08-902		NOSE LANDING GEAR BAY METALLIC STRUCTURE DETAILED INSPECTION OF LATERAL PANELS, MACHINED FRAME 8, FRAME 7, SHEAR CLIPS, VERTICAL BEAMS, FASTENERS (FROM THE PRESSURIZED SIDE - SURFACE)						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-08-903		NOSE LANDING GEAR BAY METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DRAG STAY FITTING AND MAIN FITING (TRUNNIONS), MAIN FLANGE						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-09-002		INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-09-901		FORWARD FUSELAGEELECTRONIC BAY ACCESSHATCH CUTOUTDETAILED INSPECTIONOF SKIN AROUND THEHATCH CUTOUT						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-09-902		FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT DETAILED INSPECTION OF FRAME 9 AND FRAME 10 AND RIBS AROUND THE HATCH CUTOUT							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-09-903		FORWARD FUSELAGEELECTRONIC BAY ACCESSHATCH CUTOUTSPECIAL DETAILED INSPECTION(EDDY CURRENTMETHOD) DOUBLERSKIN AROUND THEHATCH CUTOUT							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-09-904		FORWARD FUSELAGE ELETRONIC BAY ACCESS HATCH CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) DOUBLER SKIN AROUND THE HATCH CUTOUT							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-10-001 S		INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT FLOOR STRUCTURE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									
53-10-10-901		COCKPIT FLOOR STUCTURE - GENERAL VISUAL INSPECTION OF OF SEAT TRACK BEAMS AND CROSS BEAMS AND ATTACHMENTS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-01-901		CENTER FUSELAGE I UPPER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-01-902		CENTER FUSELAGE I UPPER SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-02-901		CENTER FUSELAGE I SIDE SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-02-902		CENTER FUSELAGE I SIDE SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-03-001 S		INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF CENTER FUSELAGE I LOWER SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-03-002 S		INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I LOWER SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-03-901		CENTER FUSELAGE I LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-03-902		CENTER FUSELAGE I LOWER SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-03-903		CENTER FUSELAGE I LOWER SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS ADJACENT TO WING FUSELAGE FAIRING STRAP						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-03-904		CENTER FUSELAGE I LOWER SKIN PANEL SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN UNDER WFF STRAPS ATTACHMENTS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-04-001 S		INTERNAL DETAILED INSPECTION OF CENTERFUSELAGE I LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES - EXTERNAL SIDE OF FUSELAGE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-04-002 S		INTERNAL DETAILED INSPECTION OF CENTERFUSELAGE I LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES - INTERNAL SIDE OF FUSELAGE ANDUNDER THE FLOOR							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-21-00, NDT 53-21-00PROC. REF: NDT 53-21-00, NDT 53-21-00									
53-21-04-003 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL SIDE OF FUSELAGE AND ABOVE THE FLOOR							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-04-901		CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES DETAILED INSPECTION OF SKIN OUTER SURFACE AND FASTENERS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-04-902		CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-04-903		CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN OUTER SURFACE AND FASTENERS WITH WING FUSELAGE FAIRING							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-05-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-05-002 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-05-901		CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-05-902		CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE - DETAILED INSPECTION OF DOUBLERS, UPPER BEAMS, LOWER BEAMS, FRAMES, BACK-UP FITTINGS, INTERCOSTALS AND SPLICES - SEARCHING FOR BROKEN ELEMENTS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-05-904		CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF FRAME 14 WEB NEAR TO STRINGER 11L						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-05-905		CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF DOORSTOP FITTINGS - SEARCHING FOR BROKEN ELEMENTS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-05-907		CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FRAME 16 WEB NEAR TO STRINGER 13L							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-06-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-06-002 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-06-901		CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURES GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, WINDOW FRAMES (MOLDINGS), SHEAR-CLIPS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-06-902		CENTER FUSELAGE 1 PASSENGER WINDOW CUTOUT SURROUND STRUCTURES - DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-21-07-001 S		INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I PASSENGER CABIN FLOOR STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-21-00PROC. REF: NDT 53-21-00									
53-22-01-901		CENTER FUSELAGE IIUPPER SKIN PANELDETAILED INSPECTIONOF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-01-902		CENTER FUSELAGE II UPPER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-02-001 S		INTERNAL GENERAL VISUAL INSPECTION OFCENTER FUSELAGE II SIDE SKIN PANEL - EXTERNALSIDE OF FUSELAGE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-02-002 S		INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II SIDE SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00									
53-22-02-902		CENTER FUSELAGE II SIDE SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-02-904		CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION (FUSELAGE INTERNAL SIDE) OF SKIN SURFACE AND FASTENERS							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-02-905		CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-03-001 S		INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF CENTER FUSELAGE II LOWER SKIN PANEL							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-03-002 S		INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II LOWER SKIN PANEL							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-03-003		SPECIAL DETAILED INSPECTION (BORESCOPE) OF CENTER FUSELAGE II LOWER SKIN PANEL BETWEEN FRAMES 33 AND 36 (ABOVE VENTRAL FUEL TANK)							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-03-901		CENTER FUSELAGE II LOWER SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-03-902		CENTER FUSELAGE II LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-03-903		CENTER FUSELAGE II LOWER SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-04-001 S		EXTERNAL - DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-04-002 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00									
53-22-04-003		EXTERNAL - DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-04-004		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-04-901		CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF SKIN SURFACE AND FASTENERSNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE LAVATORY AREA.							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-04-902		CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL SPLICESNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE LAVATORY AREA.							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-04-903		CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN UNDER WING FUSELAGE FAIRING						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-04-904		CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF SKIN SURFACE AND FASTENERSNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA.						Service	ATA:53
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-04-905		CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL SPLICESNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA.						Service	ATA:53
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-05-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-05-002 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-05-003		EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE (LEGACY 500 PRAETOR 600)						Service	ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-05-004		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE (LEGACY 500 PRAETOR 600)						Service	ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-05-901		CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-05-902		CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF DOUBLER, FRAMES, UPPER/ LOWER BEAMS, INTERCOSTALS, SPLICES AND ATTACHMENTS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-06-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-06-002 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00, NDT 53-22-00PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-06-003		EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE (LEGACY 500 PRAETOR 600)						Service	ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-06-004		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE (LEGACY 500 PRAETOR 600)						Service	ATA:53
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-06-901		CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURES GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, WINDOW FRAMES (MOLDINGS), SHEAR-CLIPS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-06-902		CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURES DETAILED INSPECTION OF SKIN AND FASTENERS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-07-001 S		INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II PASSENGER CABIN FLOOR STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-08-001 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTINGS						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-08-002		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II FRAME REINFORCEMENT TO VENTRAL FUEL TANK FITTINGS						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-08-901		CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING GENERAL VISUAL INSPECTION OF MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTINGS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-08-902		CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING DETAILED INSPECTION OF SKIN SURFACE						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-08-903		CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING DETAILED INSPECTION OF SKIN SURFACE							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-08-905		CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-09-001 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LOWER SKIN TO WING STUB ATTACHMENTS (UNDER THE FLOOR)							Service ATA:53
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-09-002 S		INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II BOTTOM SIDE OF LOWER SKIN TO WING STUB ATTACHMENTS (INTERNAL WING TO FUSELAGE FAIRING)							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-09-901		CENTER FUSELAGE II LOWER SKIN TO WING STUB ATTACHMENTS DETAILED INSPECTION OF MACHINED SPLICES AND FASTENERS AT LOWER SKIN TO WING STUB ATTACHMENTS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-10-001 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II TO WING STUB SPLICES							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-10-901		CENTER FUSELAGE II TO WING STUB SPLICES DETAILED INSPECTION OF SIDE SPLICES AND FASTENERS CLOSE TO SPAR II							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-10-902		CENTER FUSELAGE II TO WING STUB SPLICES DETAILED INSPECTION OF SIDE SPLICES AND FASTENERS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-10-903		CENTER FUSELAGE II TO WING STUB SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT) - L SPLICE FASTENED WITH SKIN AND C SPLICE							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-11-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II OXYGEN ACCESS CUTOUT							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-11-002 S		INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II OXYGEN ACCESS CUTOUT							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-11-901		CENTER FUSELAGE II OXYGEN ACCESS CUTOUT DETAILED INSPECTION OF SKIN AND FASTENERS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-11-903		CENTER FUSELAGE II OXYGEN ACCESS CUTOUT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - DOBLER OVER THE OYGEN ACCESS CUTOUT							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-11-905		CENTER FUSELAGE II OXYGEN ACCESS CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - OXYGEN ACCESS DOUBLER CORNER							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-22-11-906		CENTER FUSELAGE II OXYGEN ACCESS CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - OXYGEN ACCESS DOUBLER CORNER							Service ATA:53
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-22-11-907		CENTER FUSELAGE II OXYGEN ACCESS CUTOUT DETAILED INSPECTION OF DOUBLERS, SPLICES, FRAMES, SHEAR-CLIPS, STRINGERS AND MACHINED CUTOUT BOX							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-22-00PROC. REF: NDT 53-22-00									
53-23-00-901		FORWARD TANK DETAILED INSPECTION OF THE INTERNAL STRUCTURAL ELEMENTS							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									
53-23-00-902		FORWARD TANK DETAILED INSPECTION OF THE EXTERNAL STRUCTURAL ELEMENTS							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									
53-23-01-001		INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF THE FWD FUEL TANK UPPER SKIN							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									
53-23-03-001		INTERNAL GENERAL VISUAL INSPECTION OF FWD FUEL TANK (INTERNAL SIDE OF THE TANK)							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-23-03-002	INTERNAL GENERAL VISUAL INSPECTION OF FWD FUEL TANK LATERAL SKIN AND SPLICES (EXTERNAL SIDE OF THE TANK)								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									
53-23-04-001	INTERNAL DETAILED INSPECTION OF FWD FUEL TANK RIBS								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									
53-23-05-001	INTERNAL GENERAL VISUAL INSPECTION OF FWD FUEL TANK SPARS AND COMPLETION (EXTERNAL SIDE OF FWD FUEL TANK)								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-23-00PROC. REF: NDT 53-23-00									
53-24-00-901	VENTRAL TANK DETAILED INSPECTION OF THE INTERNAL STRUCTURAL ELEMENTS								Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									
53-24-00-902	VENTRAL TANK DETAILED INSPECTION OF TANK EXTERIOR STRUCTURAL ELEMENTS								Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-24-01-001	SPECIAL DETAILED INSPECTION (BORESCOPE) OF UPPER SIDE OF VENTRAL FUEL TANK UPPER SKIN								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									
53-24-01-002	INTERNAL GENERAL VISUAL INSPECTION OF VENTRAL FUEL TANK (INTERNAL SIDE OF THE TANK)								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									
53-24-03-003	INTERNAL GENERAL VISUAL INSPECTION OF VENTRAL FUEL TANK LATERAL PLANE PANEL								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									
53-24-04-001	INTERNAL DETAILED INSPECTION OF VENTRAL FUEL TANK RIBS WET AREAS (INTERNAL SIDE OF THE TANK)								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									
53-24-04-002	INTERNAL DETAILED INSPECTION OF VENTRAL FUEL TANK RIBS 01 AND 03 (EXTERNAL SIDE OF THE TANK)								Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-24-05-001		INTERNAL DETAILED INSPECTION OF VENTRAL FUEL TANK BEAMS, FITTINGS, BOLTS AND ATTACHING POINTS							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-24-00PROC. REF: NDT 53-24-00									
53-30-01-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE UPPER SKIN PANEL							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-01-002 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE UPPER SKIN PANEL							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-01-901		AFT FUSELAGE UPPER SKIN PANEL (FR37-FR50)/ (STGR7L-STGR7R) DETAILED INSPECTION OF SKIN BETWEEN FRAMES 37 AND 50, STRINGERS 7L AND 7R							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-01-902		AFT FUSELAGE UPPER SKIN PANEL (FR37-FR50)/ (STGR7L-STGR7R) DETAILED INSPECTION OF ALL FUSELAGE COMPONENTS BETWEEN FRAMES 37 AND 50, STRINGERS 7L AND 7R							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-02-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE SIDE SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-02-002 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-02-003 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF AFT FUSELAGE SIDE SKIN PANEL - BEHIND ROTOR BURST SHIELDS						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-02-901		AFT FUSELAGE SIDE SKIN PANEL (FR37FR50)/ (STGR7L-STGR15L, STGR7R-STGR15R) DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL BETWEEN FRAMES 37 AND 50, AND BETWEEN STRINGERS 7L AND 15L, 7R AND 15R						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-02-902		AFT FUSELAGE SIDE SKIN PANEL (FR37FR50)/ (STGR7L-STGR15L, STGR7R-STGR15R) DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL BETWEEN FRAMES 37 AND 50, AND BETWEEN STRINGERS 7L AND 15L, 7R AND 15R						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-03-002 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-03-901		AFT FUSELAGE LOWER SKIN PANEL (FR37FR42)/ (STR14R14L) DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL BETWEEN FRAMES 37 AND 42, STRINGERS 14L AND 14R						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-03-902		AFT FUSELAGE LOWER SKIN PANEL (FR37-FR42)/ (STGR14L-STGR14R) DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL BETWEEN FRAMES 37 AND 42, STRINGERS 14L AND 14R						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-04-001 S		EXTERNAL - DETAILED INSPECTION OF AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-04-002 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-04-901		AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AT AFT FUSELAGE SKIN JUNCTION AREAS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-04-902		AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AND SPLICES AT AFT FUSELAGE SKIN JUNCTION AREAS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-05-002 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE CARGO DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-05-901		AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE (FR40-FR45)/(STGR10L-STGR16L) DETAILED INSPECTION OF SKIN AND FASTENERS AT THE BAGGAGE DOOR SURROUNDING STRUCTURE BETWEEN FRAMES 40 AND 45, STRINGERS 10L AND 16L							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-05-902		AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE (FR40-FR45)/(STGR10L-STGR16L) DETAILED INSPECTION OF BAGGAGE DOOR SURROUNDING STRUCTURE BETWEEN FRAMES 40 AND 45, STRINGERS 10L AND 16L							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-06-001 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE TO PYLON CUTOUT STRUCTURE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-06-002 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE TO PYLON CUTOUT STRUCTURE							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-06-901		AFT FUSELAGE TO PYLON CUTOUT STRUCTURE (FR36-FR38)/(STGR07L-STGR08L, STGR07R- STGR08R) AND (FR38-FR50)/(STGR06L-STGR10L,STGR06R-STGR10R) DETAILED INSPECTION OF SKIN AND DOUBLER AT AFT FUSELAGE TO PYLON CUT OUTS BETWEEN FRAMES 36 AND 38, AND BETWEEN STRINGERS 7L AND 8L, 7R AND 8R, AND ALSO BETWEEN FRAMES 38 AND 50, AND BETWEEN STRINGERS 6L AND 10L,6R AND 10R							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-06-902		AFT FUSELAGE TO PYLON CUTOUT STRUCTURE (FR36-FR38)/(STGR07L-STGR08L, STGR07R- STGR08R) AND (FR38-FR50)/(STGR06L-STGR10L,STGR06R-STGR10R) DETAILED INSPECTION OF SKIN AND DOUBLER AT AFT FUSELAGE TO PYLON CUT OUTS BETWEEN FRAMES 36 AND 38, AND BETWEEN STRINGERS 7L AND 8L, 7R AND 8R, AND ALSO BETWEEN FRAMES 38 AND 50, AND BETWEEN STRINGERS 6L AND 10L, 6R AND 10R							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-07-001 S		INTERNAL DETAILED INSPECTION OF UPPER SIDE OF AFT FUSELAGE VERTICAL STABILIZER CONNECTION							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-07-002 S		INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF AFT FUSELAGE VERTICAL STABILIZER CONNECTION						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-07-901		AFT FUSELAGE VERTICAL STABILIZER CONNECTION (FR43-FR50)/(STGR03L-STGR03R) DETAILED INSPECTION OF FUSELAGE REGION SURROUNDING TO VT ATTACHMENT BETWEEN FRAMES 43 AND 50, STRINGERS 3L AND 3R						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-08-001 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE MACHINED FRAME 49						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-08-901		AFT FUSELAGE MACHINED FRAME 49 - DETAILED INSPECTION OF FRAME 49 AND STRUCTURAL COMPONENTS CONNECTED TO IT						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-08-902		AFT FUSELAGE MACHINED FRAME 49 - DETAILED INSPECTION OF SKIN AT REGION SURROUNDING TO FRAME 49						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-09-001 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (PRESSURIZED AREA)						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-09-002 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (UNPRESSURIZED AREA)						Service	ATA:53
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-09-003 S		INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE FROM FRAME 35 TO 37						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-09-901		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE RING BETWEEN FRAMES 35 AND 37						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-09-902		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN SPLICE AND SKIN AT CENTER FUSELAGE JUNCTION (PRESSURIZED AREA) BETWEEN FRAMES 35 AND 37						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00, NDT 53-30-00PROC. REF: NDT 53-30-00, NDT 53-30-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-09-903		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN SPLICE AND SKIN AT CENTER FUSELAGE JUNCTION (NONPRESSURIZED AREA) BETWEEN FRAMES 35 AND 37							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00, NDT 53-30-00PROC. REF: NDT 53-30-00, NDT 53-30-00									
53-30-09-904		AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUNFERENCIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN AT CENTER FUSELAGE JUNCTION BETWEEN FRAMES 35 AND 37							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-10-001 S		INTERNAL DETAILED INSPECTION OF UNPRESSURIZED AREA OF AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-10-002 S		INTERNAL DETAILED INSPECTION OF PRESSURIZED AREA OF AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-10-901		AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD DETAILED INSPECTION OF COMPOSITE PANEL (FORWARD SIDE OF PRESSURE BULKHEAD)							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00, NDT 53-30-00PROC. REF: NDT 53-30-00, NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-10-902		AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD DETAILED INSPECTION OF COMPOSITE PANEL (AFT SIDE OF PRESSURE BULKHEAD)							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-11-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE HYDRAULIC BAY ACCESS PANEL CUTOUT							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-11-002 S		INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE HYDRAULIC BAY ACCESS PANEL CUTOUT							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-11-901		AFT FUSELAGE HYDRAULIC BAY CUTOUT (FR49- FR50)/(STGR10L-STGR10R) DETAILED INSPECTION OF SKIN AT HYDRAULIC BAY CUTOUT, BETWEEN FRAMES 49 AND 50, STRINGERS 10L AND 10R							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-11-902		AFT FUSELAGE HYDRAULIC BAY CUTOUT (FR49- FR50)/(STGR10L-STGR10R) DETAILED INSPECTION OF SURROUND STRUCTURAL COMPONENTS TO HYDRAULIC BAY CUTOUT BETWEEN FRAMES 49 AND 50, STRINGERS 10L AND 10R							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-12-001 S		INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE CARGO COMPARTMENT FLOOR STRUCTURE						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-12-901		AFT FUSELAGE BAGGAGE COMPARTMENT FLOOR STRUCTURE - DETAILED INSPECTION OF BAGGAGE COMPARTMENT FLOOR STRUCTURE						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-13-001 S		INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE APU FITTINGS, AFT SIDE OF FIREWALL PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-13-002 S		INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE APU FITTINGS, FORWARD SIDE OF FIREWALL PANEL						Service	ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									
53-30-13-901		AFT FUSELAGE APU FITTING - DETAILED INSPECTION OF APU ATTACHMENTS						Service	ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-40-01-001 S		INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE ATTACHMENTS							Service ATA:53
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 53-40-00PROC. REF: NDT 53-40-00									
53-40-02-901		APU MOUNTING SYSTEM BRACKETS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE LUGS, FLANGES, NECKS AND ROOTS							Service ATA:53
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-40-00, AMM 49-12-03PROC. REF: NDT 53-40-00, AMM 49-12-03									
53-40-02-902		APU MOUNTING SYSTEM BRACKETS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE BOLTS HOLES							Service ATA:53
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 53-40-00PROC. REF: NDT 53-40-00									
530600-0101		PISO, CONJ							Component ATA:53
PN:550-05700-407	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001088361	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									
531002-0101		FORWARD FUSELAGE, ASSY							Component ATA:53
PN:555-06100-407	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001089017	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									
531002-0102		FUSELAGE ASSY							Component ATA:53
PN:555-12250-413	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001089507	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
531002-0103		CENTER FUSELAGE ASSY						Component	ATA:53
PN:555-16807-411	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001088362	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531002-0104		AFT FUSELAGE ASSY						Component	ATA:53
PN:555-45000-409	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001089308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531002-0201		AFT FUSELAGE / PYLON, ASSY						Component	ATA:53
PN:555-70000-409	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:SA21041	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531140-0101		NOSE RADOME						Component	ATA:53
PN:5217-100	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:177	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-11-00, AMM 53-11-00PROC. REF: AMM 53-11-00, AMM 53-11-00									
534000-0101		TAIL CONE TAIL CONE REWORK ASSY						Component	ATA:53
PN:550-07500-415	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000021021	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-40-00, AMM 53-40-00PROC. REF: AMM 53-40-00, AMM 53-40-00									
ATA 54 - NACELLES/PYLONS									
54-50-01-001 S		INTERNAL DETAILED INSPECTION OF PYLON FORWARD BEAM INCLUDING BEAMS, REINFORCEMENTS, STIFFENERS AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 54 - NACELLES/PYLONS									
54-50-01-901		PYLON FORWARD BEAM - DETAILED INSPECTION OF FWD AND AFT PYLON BEAMS						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-02-001 S		INTERNAL DETAILED INSPECTION OF PYLON AFT BEAM INCLUDING BEAMS AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-02-901		PYLON AFT BEAMS AND AFT MONT BASE STRUCTURES TO BEAM ATTACHMENTS GENERAL VISUAL INSPECTION OF AFT BEAMS, SPAR 3 AND 4, AND ATTACHMENTS TO FRAME 44 AND 45						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-02-902		PYLON AFT BEAM - DETAILED INSPECTION OF SKIN (ON AFT MOUNT REGION)						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-03-001 S		INTERNAL DETAILED INSPECTION OF PYLON MAIN BOX INCLUDING SKIN, STRINGERS, RIB, L PROFILE AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 54 - NACELLES/PYLONS									
54-50-03-002 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX, INCLUDING SKIN, L PROFILE AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-03-901		PYLON MAIN BOX GENERAL VISUAL INSPECTION OF PYLON BOX AND ALL STRUCTURES						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-03-902		PYLON BEAMS TO FUSELAGE FRAMES ATTACHMENTS - DETAILED INSPECTION OF OF REGION SURROUNDING TO PYLON BEAMS TO FRAMES ATTACHMENT. INSPECT FORWARD AND AFT BEAMS, FRAME 40 AND 41 BETWEEN STRINGERS 6L AND 10L, 6R AND 10R AND BOLTS						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-04-001 S		INTERNAL DETAILED INSPECTION OF FORWARD AND AFT PYLON BEAMS ATTACHMENTS TO MACHINED FRAMES, PINS AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 54-52-00, NDT 54-52-00PROC. REF: NDT 54-52-00, NDT 54-52-00									
54-50-04-901		PYLON BEAMS TO FUSELAGE FRAMES ATTACHMENTS DETAILED INSPECTION OF REGION SURROUNDING TO PYLON BEAMS TO FRAMES ATTACHMENT. INSPECT FORWARD AND AFT BEAM BETWEEN FRAMES 40 AND 41, STRINGERS 6L AND 10L, 6R AND 10R AND BOLTS						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 54 - NACELLES/PYLONS									
54-50-05-001 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF YOKES, GUSSETS AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-05-002		DETAILED INSPECTION OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS						Service	ATA:54
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-05-003 S		INTERNAL DETAILED INSPECTION OF EXTERNAL SIDE OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	APH	0							
									PKG:40
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-05-004 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS						Service	ATA:54
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	APH	0							
									PKG:40
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-05-901		PYLON YOKES AND BEAM ATTACHMENTS - DETAILED INSPECTION OF YOKE, BEAM AND ANY OTHER STRUCTURAL PARTS ATTACHED TO THEM						Service	ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 54 - NACELLES/PYLONS									
54-50-05-902		PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF YOKE LUGS							Service ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-05-903		PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (X-RAY) OF GUSSETS							Service ATA:54
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-05-904		PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF YOKE FLANGE							Service ATA:54
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-06-001 S		INTERNAL DETAILED INSPECTION OF MACHINED PART AT THE JUNCTION BETWEEN THE PYLON AFT BEAMS AND THE FIREWALL CLOSING RIB							Service ATA:54
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00									
54-50-06-901		PYLON AFT BEAMS AND AFT MONT BASE STRUCTURES TO BEAM ATTACHMENTS GENERAL VISUAL INSPECTION OF AFT BEAMS, SPAR 3 AND 4, AND ATTACHMENTS TO FRAME 44 AND 45							Service ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 54-52-00PROC. REF: NDT 54-52-00									
54-50-06-902		AFT MOUNT BASE STRUCTURE TO BEAM ATTACHMENTS - DETAILED INSPECTION OF AFT MOUNT							Service ATA:54
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty

ATA 54 - NACELLES/PYLONS

PROC. REF: NDT 54-55-00PROC. REF: NDT 54-55-00

545500-0101		AFT ENGINE PAD						Component	ATA:54
PN:550-71505-005	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:218B	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

545500-0102		AFT ENGINE PAD						Component	ATA:54
PN:550-71509-005	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:237B	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

ATA 55 - STABILIZERS

55-10-01-001 S		INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - INBOARD SIDE OF MIDDLE AND REAR RIBS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60

PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07

55-10-01-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - OUTBOARD SIDE OF MIDDLE AND REAR RIBS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60

PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07

55-10-01-003 S		INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - HINGE FITTINGS AND BACKUP FITTINGS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60

PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-01-901		FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER SPECIAL DETAILED INSPECTION (BOROSCOPE) OF HT RIB 1 - MIDDLE AND REAR SEGMENTS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									
55-10-01-902		FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER DETAILED INSPECTION OF HINGE BACK UP FITTINGS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00									
55-10-01-903		FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER DETAILED INSPECTION OF HINGE BODY, HINGE LUG, HINGE BOLTS, FASTENERS AND REMAINING COMPONENTS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00									
55-10-02-002 S		INTERNAL DETAILED INSPECTION OF INTERNAL SIDE OF HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS IN AREAS WITH ACCESS PANEL						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									
55-10-02-003 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS IN AREAS WITHOUT ACCESS PANEL						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-02-004 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER UPPER AND LOWER SKINS BETWEEN MACHINED RIBS IN CENTRAL REGION						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									
55-10-02-901		HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF UPPER AND LOWER SKIN PANELS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									
55-10-02-902		HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS DETAILED INSPECTION OF SURFACES OF UPPER AND LOWER SKINS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									
55-10-03-001 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER FORWARD SIDE OF THE FRONT SPAR						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05									
55-10-03-002 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER AFT SIDE OF THE REAR SPAR						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-03-003 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05									
55-10-03-004 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF HORIZONTAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05									
55-10-03-005 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER SPARS BETWEEN MACHINED RIBS IN CENTRAL REGION							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05									
55-10-03-901		HORIZONTAL STABILIZER SPARS - DETAILED INSPECTION OF SPARS JOINT (SKIN SURFACE)							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01									
55-10-03-902		HORIZONTAL STABILIZER SPARS - SPECIAL DETAILED INSPECTION(BOROSCOPE) OF SPARS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-04-001 S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER COMPOSITE RIBS IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07									
55-10-04-002 S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF HORIZONTAL STABILIZER COMPOSITE RIBS IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07									
55-10-04-901	HORIZONTAL STABILIZER COMPOSITE RIBS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF OF RIBS AND FASTENERS							Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07									
55-10-05-001 S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL STABILIZER LEADING EDGE							Service	ATA:55
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 55-13-01PROC. REF: NDT 55-13-01									
55-10-05-002 S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL STRUCTURE OF HORIZONTAL STABILIZER LEADING EDGE							Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-13-02PROC. REF: NDT 55-13-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-06-001 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-06-901		HORIZONTAL STABILIZER HINGE ELEVATOR FITTINGS - DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS LUGS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-06-902		HORIZONTAL STABILIZER HINGE ELEVATOR FITTINGS - DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS ATTACHMENTS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-07-001 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-07-901		HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS LUGS, PINS, AND ATTACHMENTS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-08-001 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS FRONT METALLIC RIBS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-08-002 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-08-901		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS DETAILED INSPECTION OF ACTUATOR SUPPORT FITTING PINS, BUSHINGS, FASTENERS AND LUGS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-08-902		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF METALLIC RIBS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-08PROC. REF: NDT 55-10-08									
55-10-08-903		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF ACTUATOR SUPPORT FITTING INBOARD FLANGES						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-10-00, NDT 55-10-00PROC. REF: NDT 55-10-00, NDT 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-10-08-905		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR SUPPORT FITTING OUTBOARD FLANGES							Service ATA:55
	MOS	29-Sep-21						AWL	
	HRS	0	7500		7500		6940.8		
	AFL	0	5000		5000		4622		
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00									
55-20-01-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF ELEVATOR MAIN BOX							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02									
55-20-01-003 S		INTERNAL DETAILED INSPECTION OF ELEVATOR CLOSURE RIBS AND FORWARD SIDE OF THE FRONT SPAR							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02									
55-20-01-901		ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) DETAILED INSPECTION OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02									
55-20-01-902		ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-20-02-001 S		INTERNAL DETAILED INSPECTION OF ELEVATOR HINGE FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08									
55-20-02-901		ELEVATOR HINGE FITTINGS DETAILED INSPECTION OF HINGE FITTINGS LUGS, PINS, AND FASTENERS REGION							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08									
55-20-03-001 S		INTERNAL DETAILED INSPECTION OF ELEVATOR ACTUATOR HINGE FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08									
55-20-03-901		ELEVATOR ACTUATOR HINGE FITTINGS DETAILED INSPECTION OF ACTUATOR FITTINGS LUGS, PINS, AND FASTENERS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08									
55-20-04-001 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF ELEVATOR BACKUP FITTING							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08									
55-20-04-901		ELEVATOR ACTUATOR HINGE FITTINGS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
PROC. REF: NDT 55-20-08PROC. REF: NDT 55-20-08									
55-30-01-001 S		INTERNAL DETAILED INSPECTION OF FIN-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-01-901		FIN TO FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER (RIBS, PINS, FITTINGS AND ATTACHMENTS) DETAILED INSPECTION OF PINS (BOLTS), FITTINGS AND FASTENERS (REMAINING COMPONENTS) - EXPOSED AREAS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-01-902		FIN TO FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER (RIBS, PINS, FITTINGS AND ATTACHMENTS) SPECIAL DETAILED INSPECTION (BOROSCOPE) OF METALLIC RIBS (FRONT, MID, REAR SEGMENTS), INCLUDING FITTINGS AND FASTENERS INSIDE MAIN BOX						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-02-001 S		INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-02-901		FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER (DOUBLER, FITTINGS, METALLIC RIBS, ATTACHMENTS TO SPAR AND PINS) DETAILED INSPECTION OF FITTINGS, LUGS, BUSHINGS AND PINS (BOLTS) - REMAINING COMPONENTS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-30-02-902		FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER (DOUBLER, FITTINGS, METALLIC RIBS, ATTACHMENTS TO SPAR AND PINS) SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DOUBLERS, RIBS AND FASTENERS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00									
55-30-03-002 S		INTERNAL DETAILED INSPECTION OF INTERNAL SIDE OF VERTICAL STABILIZER MAIN BOX SKIN IN AREAS WITH ACCESS PANEL						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01									
55-30-03-003 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF VERTICAL STABILIZER MAIN BOX SKIN IN AREAS WITHOUT ACCESS PANEL						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01									
55-30-03-901		VERTICAL STABILIZER COMPOSITE MAIN BOX SKINS - DETAILED INSPECTION OF SKIN AND MOLDURES (FRAMES)						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01									
55-30-04-001 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF THE VERTICAL STABILIZER FRONT SPAR						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-30-04-002 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF THE VERTICAL STABILIZER REAR SPAR							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									
55-30-04-003 S		INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									
55-30-04-004 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									
55-30-04-901		VERTICAL STABILIZER COMPOSITE SPARS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF SPARS AND FASTENERS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									
55-30-04-902		VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF FRONT SPAR (FORWARD SURFACE)							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-05, NDT 55-30-05, NDT 55-30-05PROC. REF: NDT 55-30-05, NDT 55-30-05, NDT 55-30-05									
55-30-04-903		VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF REAR SPAR (AFT SURFACE)							Service ATA:55
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									
55-30-04-904		VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF MAIN BOX SPARS							Service ATA:55
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05									
55-30-05-001 S		INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER TRAILING EDGE RIBS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07									
55-30-05-002 S		INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER MAIN BOX COMPOSITE RIBS IN AREAS WITH ACCESS PANEL							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07									
55-30-05-003 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER MAIN BOX COMPOSITE RIBS IN AREAS WITHOUT ACCESS PANEL							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07									
55-30-05-901		VERTICAL STABILIZER COMPOSITE RIBS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF RIBS AND FASTENERS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-07, NDT 55-30-07PROC. REF: NDT 55-30-07, NDT 55-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-30-05-902		VERTICAL STABILIZER COMPOSITE RIBS - DETAILED INSPECTION OF RIBS AND FASTENERS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07									
55-30-06-001 S		INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER RUDDER HINGE FITTINGS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-06-901		VERTICAL STABILIZER RUDDER HINGE FITTINGS - DETAILED INSPECTION OF LUGS, FITTINGS, BUSHINGS AND FASTENERS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-07-001 S		INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER RUDDER ACTUATOR FITTINGS						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-07-901		VERTICAL STABILIZER RUDDER ACTUATOR FITTINGS (FITTINGS AND PINS) - DETAILED INSPECTION OF LUGS, FITTINGS, BUSHINGS AND FASTENERS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-30-08-001 S		INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS, BACKUP FITTINGS AND UPPER SIDE OF RIB 6 ON VERTICAL STABILIZER						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-08-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER BOTTOM SIDE OF RIB 6						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07									
55-30-08-901		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) - DETAILED INSPECTION OF SUPPORT FITTING, FITTING PINS AND REMAING COMPONENTS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-08PROC. REF: NDT 55-30-08									
55-30-08-902		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACK-UP REINFORCEMENT, FORMED RIB, REMAINING AREAS OF MACHINED RIBS NOT REQUIRING HFEC AND FASTENERS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07									
55-30-08-903		HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) SPECIAL DETAILED INSPECTION (BOROSCOPE) OF MACHINED RIBS #6 AND #7 ON SPECIFIED AREA						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-40-01-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF RUDDER MAIN BOX						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-40-02PROC. REF: NDT 55-40-02									
55-40-01-003 S		INTERNAL DETAILED INSPECTION OF RUDDER CLOSURE RIBS AND FORWARD SIDE OF THE FRONT SPAR						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-40-05PROC. REF: NDT 55-40-05									
55-40-01-004 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF ALUMINUM RIBS INSIDE RUDDER MAIN BOX						Service	ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-40-07PROC. REF: NDT 55-40-07									
55-40-01-901		RUDDER MAIN BOX (SKIN, SPARS AND RIBS) DETAILED INSPECTION OF COMPOSITE SKINS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-40-02, NDT 55-40-02PROC. REF: NDT 55-40-02, NDT 55-40-02									
55-40-01-902		RUDDER MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SPARS AND RIBS						Service	ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-40-02PROC. REF: NDT 55-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-40-02-001 S		INTERNAL DETAILED INSPECTION OF RUDDER HINGE FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08									
55-40-02-901		RUDDER HINGE FITTINGS DETAILED INSPECTION OF RUDDER HINGE LUGS, PINS, AND ATTACHMENTS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-40-02PROC. REF: NDT 55-40-02									
55-40-03-001 S		INTERNAL DETAILED INSPECTION OF RUDDER ACTUATOR HINGE FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08									
55-40-03-901		RUDDER ACTUATOR HINGE FITTINGS DETAILED INSPECTION OF ACTUATOR FITTINGS LUGS, PINS, AND ATTACHMENTS							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00									
55-40-04-001 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF RUDDER BACKUP FITTINGS							Service ATA:55
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08									
55-40-04-901		RUDDER BACKUP FITTING - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING							Service ATA:55
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
PROC. REF: NDT 55-40-08PROC. REF: NDT 55-40-08									
553300-0101		TAIL LEADING EDGE HF ANTENNA ASSY						Component	ATA:55
PN:550-04281-411	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:BRA000022	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
553305-0101		TAIL VERTICAL STABILIZER ASSY						Component	ATA:55
PN:550-03500-431	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:9000020712	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4PROC. REF: AMM GENERIC 4									
ATA 56 - WINDOWS									
56-11-01-002		FUNCTIONAL CHECK (TORQUE) OF LEFT HAND WINDSHIELD ATTACHING BOLTS						Service	ATA:56
PN:NP-200401-7	MOS	29-Sep-21						CATEGORY 6	
SN:20071H6162	HRS	0	T:750 (+37/-37)		750	787	190.8 (+37)		
	AFL	0							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-01-002		FUNCTIONAL CHECK (TORQUE) OF RIGHT HAND WINDSHIELD ATTACHING BOLTS						Service	ATA:56
PN:NP-200401-8	MOS	12-May-25						CATEGORY 6	
SN:25069H8107	HRS	531.3	T:750 (+37/-37)		1281.3	1318.3	722.1 (+37)		
	AFL	358							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-02-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF COCKPIT WINDSHIELD RETAINERS AND BOLTS						Service	ATA:56
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 56-11-00PROC. REF: NDT 56-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 56 - WINDOWS									
56-11-02-901		COCKPIT WINDSHIELD FRAME - DETAILED INSPECTION OF WINDSHIELD FRAME (OUTBOARD RETAINER)							Service ATA:56
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 56-11-00PROC. REF: NDT 56-11-00									
56-12-01-002		FUNCTION CHECK (TORQUE) OF LEFT HAND COCKPIT SIDE WINDOW ATTACHING BOLTS							Service ATA:56
	MOS	29-Sep-21						CATEGORY 6	
	HRS	0	T:750 (+37/-37)		750	787	190.8 (+37)		
	AFL	0							
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00									
56-12-01-002		FUNCTIONAL CHECK (TORQUE) OF RIGHT HAND COCKPIT SIDE WINDOW ATTACHING BOLTS							Service ATA:56
	MOS	29-Sep-21						CATEGORY 6	
	HRS	0	T:750 (+37/-37)		750	787	190.8 (+37)		
	AFL	0							
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00									
56-12-01-003 S		DETAILED INSPECTION OF LEFT ACRYLIC COCKPIT SIDE WINDOW							Service ATA:56
PN:NP-200402-7	MOS	29-Sep-21							
SN:10126	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00									
56-12-01-003 S		DETAILED INSPECTION OF RIGHT ACRYLIC COCKPIT SIDE WINDOW							Service ATA:56
PN:NP-200402-8	MOS	29-Sep-21							
SN:10123	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00									
561100-0101		LEFT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-200402-7	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10126	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 56 - WINDOWS									
561100-0102		RIGHT ACRYLIC SIDE WINDOW						Component	ATA:56
PN:NP-200402-8	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:10123	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00									
561103-0101		LEFT GLASS HEATED WINDSHIELD ASSY						Component	ATA:56
PN:NP-200401-7	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:20071H6162	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
561103-0102		RIGHT GLASS HEATED WINDSHIELD ASSY						Component	ATA:56
PN:NP-200401-8	MOS/MSC	12-May-25	O/C	TSN 0					
SN:25069H8107	HRS	531.3		TSN 0					
	AFL	358		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
ATA 57 - WINGS									
57-10-01-001 S		INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB MAIN BOX UPPER SKIN						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-01-003 S		DETAILED INSPECTION OF WING STUB DRAIN						Service	ATA:57
	MOS	29-Sep-21	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: AMM 57-10-21PROC. REF: AMM 57-10-21									
57-10-01-901		WING STUB MAIN BOX UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE AND REINFORCEMENTS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-02-001 S		INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING STUB MAIN BOX LOWER SKIN AND SPLICES						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-02-002 S		INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB MAIN BOX LOWER SKIN AND SPLICES						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-02-901		WING STUB MAIN BOX LOWER SKIN AND SPLICES - DETAILED INSPECTION OF SKIN SURFACE AND SPLICES						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-02-902		WING STUB MAIN BOX LOWER SKIN AND SPLICES - DETAILED INSPECTION OF SKIN UNDER THE EXISTING SPLICES						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-02-903		WING STUB MAIN BOX LOWER SKIN AND SPLICES - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN BETWEEN THE SPLICES AND RIB FLANGES						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-10-03-001 S		INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB REAR BOX UPPER SKIN							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-03-002 S		INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING STUB REAR BOX UPPER SKIN							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-04-001 S		INTERNAL DETAILED INSPECTION OF WING STUB MAIN BOX							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-04-901		WING STUB MAIN BOX RIBS - DETAILED INSPECTION OF RIBS (CENTRAL RIB AND RIB#1) AND JOINTS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-05-001 S		INTERNAL DETAILED INSPECTION OF WING STUB REAR BOX RIBS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-10-05-901		WING STUB REAR BOX RIBS - DETAILED INSPECTION OF RIB #2							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-05-903		WING STUB REAR BOX RIBS - DETAILED INSPECTION OF RIB #1 (KEEL BEAM RIB)							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-05-904		WING STUB REAR BOX RIBS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ROD FITTING LUG							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-06-001 S		INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 1							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-06-002 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 1							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-06-003 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 1							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-06-901		WING STUB SPAR 1 AND STUB SIDE FITTINGS DETAILED INSPECTION OF WING STUB SPAR I AND STUB SIDE FITTINGS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-07-001 S		INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 2 AND THIRD CAP						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-07-002 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 2						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-07-003 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 2						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-07-901		WING STUB SPAR II, STUB SIDE FITTINGS AND THIRD CAP - DETAILED INSPECTION OF SPAR 2 (BOTH FACES), STUB SIDE FITTINGS, THIRD CAP AND FASTNERS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-10-08-001 S		INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 3							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-08-002 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 3							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-08-003 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 3							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-08-902		WING STUB SPAR III AND STUB SIDE FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF WING STUB SPAR III AFT SIDE							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-08-903		WING STUB SPAR III AND STUB SIDE FITTINGS DETAILED INSPECTION OF WING STUB SPAR III FWD SIDE AND STUB SIDE FITTINGS							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-10-09-001 S		INTERNAL DETAILED INSPECTION OF INBOARD SIDE OF WING STUB SPAR AND SKIN TO WING MAIN BOX TENSION JOINT						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-10-10-001 S		INTERNAL GENERAL VISUAL INSPECTION OF WING STUB REAR BOX SKID						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00									
57-20-01-002 S		INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WING MAIN BOX UPPER SKIN PANELS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-01-003 S		INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING MAIN BOX UPPER SKIN						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-02-001 S		INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING MAIN BOX LOWER SKIN PANELS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-20-02-002 S		INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING MAIN BOX LOWER SKIN PANELS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-02-901		WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - DETAILED INSPECTION OF MAIN BOX LOWER SKIN - CHORDWISE JOINTS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-02-902		WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF MAIN BOX LOWER SKIN PANELS, SPLICES, STRINGERS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-02-903		WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - DETAILED INSPECTION OF MAIN BOX LOWER SKIN - SURFACES NOT COVERED BY FAIRINGS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-03-001 S		INTERNAL DETAILED INSPECTION OF WING MAIN BOX RIBS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00, NDT 57-20-00PROC. REF: NDT 57-20-00, NDT 57-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-20-03-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SURFACE OF WING MAIN BOX DRY AREA							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	APH	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-03-901		WING MAIN BOX RIBS - DETAILED INSPECTION OF RIBS AND JOINTS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-03-902		WING MAIN BOX RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF ALL RIBS MOUSE HOLES							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-04-001 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 1							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-04-002 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING SPAR 1							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-20-04-901		WING MAIN BOX SPAR I - DETAILED INSPECTION OF JOINT BETWEEN SPAR I AND MAIN BOX LOWER SKIN - SPANWISE DIRECTION						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-05-001 S		INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING SPAR 2						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-05-002 S		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 2						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-05-901		WING MAIN BOX SPAR II - DETAILED INSPECTION OF JOINT BETWEEN SPAR II AND MAIN BOX ADJACENT SKINS - SPANWISE DIRECTION						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-06-001 S		INTERNAL DETAILED INSPECTION OF WING CANISTERS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-20-06-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SURFACE OF WING CANISTERS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-07-001 S		INTERNAL DETAILED INSPECTION OF WING MAIN BOX TO WING STUB TENSION JOINT AND BOLTS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-07-901		WING TO STUB ATTACHMENT DETAILED INSPECTION OF WING TO STUB BOLTS AND TENSION FITTINGS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-07-903		WING TO STUB ATTACHMENT DETAILED INSPECTION OF RIB #1							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-20-08-001 S		INTERNAL DETAILED INSPECTION OF WING SPARS ATTACHMENTS TO WINGLET							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-20-09-001 S		INTERNAL DETAILED INSPECTION OF WING MAIN BOX AILERON ACTUATOR SUPPORT FITTINGS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-20-00, NDT 57-20-00PROC. REF: NDT 57-20-00, NDT 57-20-00									
57-20-09-901		WING MAIN BOX AILERON ACTUATOR SUPPORT FITTINGS - DETAILED INSPECTION OF LUGS, FITTINGS AND FASTENERS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-20-00PROC. REF: NDT 57-20-00									
57-40-01-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF LEADING EDGE SKIN							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-40-00PROC. REF: NDT 57-40-00									
57-40-01-902		WING LEADING EDGE SKIN DETAILED INSPECTION OF SKIN AND SPLICES							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-40-00PROC. REF: NDT 57-40-00									
57-50-01-001 S		INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING TRAILING EDGE UPPER SKIN							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-50-01-002		INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WING TRAILING EDGE UPPER SKIN							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-01-901		WING LEADING EDGE SKIN - DETAILED INSPECTION OF SKIN AND SPLICES							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-01-902		WING TRAILING EDGE UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE INSIDE REGION OF WFF							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-02-001 S		INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING TRAILING EDGE LOWER SKIN							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-02-002		INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING TRAILING EDGE LOWER SKIN							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)		29-Sep-31	14-Oct-31	2271 d (+15)		
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-02-902		WING TRAILING EDGE LOWER SKIN - DETAILED INSPECTION OF FIXED TRAILING EDGE LOWER SKIN							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-02-903		WING TRAILING EDGE LOWER SKIN - DETAILED INSPECTION OF FIXED TRAILING EDGE LOWER SKIN SURFACE INSIDE REGION OF WFF							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-02-904		WING TRAILING EDGE LOWER SKIN SPECIAL DETAILED INSPECTION (X-RAY) OF FTE LOWER SKIN PANEL, UNDER REINFORCED DOUBLER							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-03-001 S		EXTERNAL - DETAILED INSPECTION OF AFT SIDE OF WING SPAR 3							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-03-002		INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 3							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)		29-Sep-26	14-Oct-26	445 d (+15)		
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-03-901		WING SPAR III - DETAILED INSPECTION OF SPAR III							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-50-03-902		WING SPAR III - DETAILED INSPECTION OF SPAR III OF SPAR III UPPER FLANGE BETWEEN RIBS #3A AND #4A (NEAR REAR TRUNNION)							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-03-904		WING SPAR III SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SPAR III AT ROD LINK							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-04-001		INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE RIBS							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)		29-Sep-26	14-Oct-26	445 d (+15)		
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00									
57-50-04-901		WING TRAILING EDGE RIBS - DETAILED INSPECTION OF RIB #4A, #5A, #6A AND #7A							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-05-001 S		INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE AILERON SUPPORT FITTINGS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00									
57-50-05-901		WING TRAILING EDGE AILERON SUPPORT FITTINGS - DETAILED INSPECTION OF WING TRAILING AILERON SUPPORT FITTINGS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-50-06-001 S		EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE SPOILER SUPPORT FITTINGS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-06-901		WING TRAILING EDGE SPOILER SUPPORT FITTINGS - DETAILED INSPECTION OF SPOILER HINGE FITTINGS AND ACTUATORS FITTINGS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-07-001 S		EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE FLAP ACTUATOR SUPPORT FITTINGS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00									
57-50-07-901		WING TRAILING EDGE FLAP ACTUATOR SUPPORT FITTINGS - DETAILED INSPECTION OF WING TRAILING EDGE - FLAP ACTUATOR SUPPORT FITTINGS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-001 S		INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE FLAP TRACK AND TRACK SUPPORT FITTINGS						Service	ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-50-08-901		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS - DETAILED INSPECTION OF SURFACE OF THE TORQUE BOX STRUCTURE						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-902		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE OF THE TRACK THROUGH THE CORNERS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-903		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF EDGE 1 FAIILED OF THE FLAP TRACKS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-904		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE LOWER FLANGE OF FLAP TRACKS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-905		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE OF THE FLAP TRACKS - CUTOUT						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-906		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE CUTOUT REGION OF THE FLAP TRACKS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-907		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF THE HOLES OF PINS THAT ATTACH FLAP TRACKS TO WING						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-08-908		WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SURFACE OF THE TRACK THROUGH THE CORNERS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-09-001 S		INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS INSIDE WING FUEL TANK						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-09-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF WING TRAILING EDGE ATTACHMENT TO FLAP TRACK SUPPORT FITTINGS INSIDE WING MAIN BOX DRY AREA						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-09-901		WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS - DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING, SPAR II AND SPAR III						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00, NDT 57-50-00PROC. REF: NDT 57-50-00, NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-50-09-904		WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING RIBS #11 AND #16, SPAR II AND BACKUP FITTINGS							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-001 S		EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE MAIN LANDING GEAR BAY							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-901		WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FRONT AND REAR TRUNNIONS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-902		WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF MLG ACT FITTING (AT LUG AND NEAR RIB 1A)							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-903		WING TRAILING EDGE MLG BAY SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE- STAY FITTING (FITTING AT FASTENERS, LUG AND NEAR LUG)							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-50-10-904		WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 1A AT CUT OUT							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-905		WING TRAILING EDGE MLG BAY - DETAILED INSPECTION OF RIB 1A AT MLG FITTINGS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-906		WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 2A AT CUT OUT							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-907		WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 3A AT REAR TRUNION							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-50-10-908		WING TRAILING EDGE MLG BAY DETAILED INSPECTION OF RIB #1A, #2A, AND #3A							Service ATA:57
	MOS	29-Sep-21						AWL	
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00									
57-51-01-001 S		EXTERNAL GENERAL VISUAL INSPECTION OF OF FLAP INBOARD COMPOSITE STRUCTURE							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-51-01-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP INBOARD COMPOSITE STRUCTURE							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-01-901		FLAP INBOARD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE UPPER SKIN, NOSE SKIN, BOTTOMSKIN, TRAILING EDGE, ACCESS PANEL AND FASTENERS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-02-001 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP INBOARD RIBS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-02-901		FLAP INBOARD RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF TRACK RIBS UPPER FLANGE AND SHEET RIB WEB CUT OUT							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-03-001 S		EXTERNAL - DETAILED INSPECTION OF FLAP INBOARD ROLLERS SUPPORT							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-51-00, NDT 57-51-00PROC. REF: NDT 57-51-00, NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-51-03-901		FLAP INBOARD ROLLERS SUPPORT - DETAILED INSPECTION OF ROLLER EXTERNAL BOLT						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00, NDT 57-51-00PROC. REF: NDT 57-51-00, NDT 57-51-00									
57-51-03-902		FLAP INBOARD ROLLERS SUPPORT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FLAP INBOARD ROLLER SUPPORT FLANGE CRACK						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-03-903		FLAP INBOARD ROLLERS SUPPORT DETAILED INSPECTION OF FLAP INBOARD ROLLER SUPPORT BOLT						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-03-904		FLAP INBOARD ROLLERS SUPPORT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF TRACK RIB 1 AT TRUNNION LUG						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-03-905		FLAP INBOARD ROLLER SUPPORT DETAILED INSPECTION OF OUTER SHAFT OF THE ROLLER FITTING						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-04-001 S		INTERNAL DETAILED INSPECTION OF FLAP INBOARD ACTUATOR SUPPORT FITTING						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-51-04-901		FLAP INBOARD ACTUATOR SUPPORT FITTING - SPECIAL DETAILED INSPECTION (ULTRASSONIC) OF ACTUATION LUG						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-51-04-902		FLAP INBOARD ACTUATOR SUPPORT FITTING - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING AT ACTUATION LUG						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00									
57-52-01-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP OUTBOARD COMPOSITE STRUCTURE						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-01-901		FLAP OUTBOARD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE UPPER SKIN, NOSE SKIN, BOTTOM SKIN, TRAILING EDGE, ACCESS, AND FASTENERS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-02-001 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP OUTBOARD RIBS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-52-00, NDT 57-52-00PROC. REF: NDT 57-52-00, NDT 57-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-52-02-901		FLAP OUTBOARD RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF RIBS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-03-001 S		INTERNAL DETAILED INSPECTION OF FLAP OUTBOARD CARRIAGES							Service ATA:57
	MOS	29-Sep-21	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:40
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-03-901		FLAP OUTBOARD CARRIAGES DETAILED INSPECTION OF CARRIAGES, ON SWING LINK ROD- END LUG							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-03-902		FLAP OUTBOARD CARRIAGES DETAILED INSPECTION OF CARRIAGES, ON MAIN CARRIAGE PIN							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-03-903		FLAP OUTBOARD CARRIAGES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF CARRIAGES, CRACK ON THE "RIBS"							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-03-904		FLAP OUTBOARD CARRIAGES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF CARRIAGES, CRACK ON THE FASTENERS HOLES							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-52-03-905		FLAP OUTBOARD CARRIAGES PINS - DISCARD							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: AMM 57-52-00PROC. REF: AMM 57-52-00									
57-52-04-001 S		EXTERNAL - DETAILED INSPECTION OF FLAP OUTBOARD CARRIAGES FITTINGS							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-52-00PROC. REF: NDT 57-52-00									
57-52-04-901		FLAP OUTBOARD CARRIAGE FITTING DETAILED INSPECTION OF SWING LINK AT TRACK RIBS, LUGS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-52-00, NDT 57-52-00PROC. REF: NDT 57-52-00, NDT 57-52-00									
57-60-01-002 S		SPECIAL DETAILED INSPECTION (BORESCOPE) OF AILERON MAIN BOX							Service ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									
57-60-01-901		AILERON MAIN BOX (SKIN, SPARS AND RIBS) - DETAILED INSPECTION OF COMPOSITE SKINS, SPARS AND RIBS							Service ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-60-01-902		AILERON MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SKINS, SPARS AND RIBS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									
57-60-02-001 S		INTERNAL DETAILED INSPECTION OF AILERON HINGE FITTINGS						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									
57-60-02-901		AILERON HINGE FITTINGS DETAILED INSPECTION OF AILERON HINGE FITTINGS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									
57-60-03-001 S		INTERNAL DETAILED INSPECTION OF AILERON ACTUATOR HINGE FITTING						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									
57-60-03-901		AILERON ACTUATOR FITTINGS DETAILED INSPECTION OF AILERON ACTUATOR FITTINGS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00									
57-70-01-901		SPOILER PANELS DETAILED INSPECTION OF COMPOSITE PANELS						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-70-02-001 S		EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTING						Service	ATA:57
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00									
57-70-02-902		SPOILER HINGE AND ACTUATOR FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF HINGE, ACTUATOR LUGS, AND FILLET						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00									
57-70-02-903		SPOILER HINGE AND ACTUATOR FITTINGS - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR FITTING STIFFNER						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00									
57-70-02-904		SPOILER HINGE AND ACTUATOR FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR FITTING ATTACHMENT FLANGE						Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	T:12750		12750		12190.8		
	AFL	0	T:8500		8500		8122		
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00									
570001-0321		LH WING FRONT ROOT LOWER SKIN						Component	ATA:57
PN:550-01203-007	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000015981	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
570001-0322		RH WING FRONT ROOT LOWER SKIN						Component	ATA:57
PN:550-01203-008	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016306	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0331		LH WING CTL ROOT LOWER SKIN						Component	ATA:57
PN:550-01204-011	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016307	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0332		RH WING CTL ROOT LOWER SKIN						Component	ATA:57
PN:550-01204-012	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016500	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0341		LH WING REAR ROOT LOWER SKIN						Component	ATA:57
PN:550-01205-007	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016311	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0342		RH WING REAR ROOT LOWER SKIN						Component	ATA:57
PN:550-01205-008	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016312	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0351		LH WING FRONT TIP LOWER SKIN						Component	ATA:57
PN:550-01206-001	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016292	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
570001-0352	RH WING FRONT TIP LOWER SKIN							Component	ATA:57
PN:550-01206-002	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016295	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0371	LH WING REAR TIP LOWER SKIN							Component	ATA:57
PN:550-01208-009	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016296	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0372	RH WING REAR TIP LOWER SKIN							Component	ATA:57
PN:550-01208-010	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:9000016299	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
570001-0381	LH WING - WINGLET ASSEMBLY							Component	ATA:57
PN:555-11800-403	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090505	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-35-00, AMM 57-35-00PROC. REF: AMM 57-35-00, AMM 57-35-00									
570001-0382	RH WING - WINGLET ASSEMBLY							Component	ATA:57
PN:555-11800-404	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090506	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-35-00, AMM 57-35-00PROC. REF: AMM 57-35-00, AMM 57-35-00									
572001-0101	COMPLETION, ASSY, LH-WING							Component	ATA:57
PN:555-01006-409	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001091004	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
572001-0201		COMPLETION, ASSY, RH-WING						Component	ATA:57
PN:555-01007-409	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001091003	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									
573500-0201		RH WING WINGLET PAINTING ASSY						Component	ATA:57
PN:555-46021-402	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001090899	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3PROC. REF: AMM GENERIC 3									
574000-0101		LH WING NO. 1 POLISHED LEADING EDGE						Component	ATA:57
PN:550-07800-407	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090669	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0102		RH WING NO. 1 POLISHED LEADING EDGE						Component	ATA:57
PN:550-07800-408	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090363	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0103		LH WING NO. 2 POLISHED LEADING EDGE						Component	ATA:57
PN:550-07900-407	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001089492	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0104		RH WING NO. 2 POLISHED LEADING EDGE						Component	ATA:57
PN:550-07900-408	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090927	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
574000-0105	LH WING NO. 3 POLISHED LEADING EDGE							Component	ATA:57
PN:555-08000-401	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001087880	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0106	RH WING NO. 3 POLISHED LEADING EDGE							Component	ATA:57
PN:555-08000-402	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0001090933	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
574301-0301	LEADING EDGE 3, STRUCT - LH WING, ASSY							Component	ATA:57
PN:555-08002-401	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001089971	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
574301-0302	LEADING EDGE 3, STRUCT - RH WING, ASSY							Component	ATA:57
PN:555-08002-402	MOS/MSC	29-Sep-21	O/C	TSN 0					
SN:0001090485	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00PROC. REF: AMM 57-40-00, AMM 57-40-00									
575108-0101	LH WING MECHANISM 2, ASSY							Component	ATA:57
PN:550-13146-407	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0202	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
575108-0102	RH WING MECHANISM 2, ASSY							Component	ATA:57
PN:550-13146-408	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0185	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
575208-0101	LH WING MECHANISM 4, ASSY							Component	ATA:57
PN:550-13130-405	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0198	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
575208-0102	RH WING MECHANISM 4, ASSY							Component	ATA:57
PN:550-13130-406	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0198	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
575208-0103	LH WING MECHANISM 3 ASSY							Component	ATA:57
PN:550-13110-405	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0196	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
575208-0104	RH WING MECHANISM 3 ASSY							Component	ATA:57
PN:550-13110-406	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:0198	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
C57-70-02-001	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTINGS							Service	ATA:57
	MOS	29-Sep-21							
	HRS	0	750		750		190.8		
	AFL	0							
									PKG:1
PROC. REF: NDT 57-70-00PROC. REF: NDT 57-70-00									
ATA 71 - POWER PLANT									
71-00-01-710-801-A	POWERPLANT - OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01									
71-00-02-710-801-A		POWERPLANT CONTROL PANEL - OPERATIONAL TEST							Service ATA:71
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-02PROC. REF: AMM 71-00-02									
71-10-00-001 S		GENERAL VISUAL INSPECTION OF FAN COWL DOORS, ACCESS PANELS AND ATTACHED HARDWARE							Service ATA:71
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00									
71-10-00-002 S		DETAILED INSPECTION OF FAN COWL DOOR SEALS							Service ATA:71
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 71-30-00PROC. REF: AMM 71-30-00									
71-10-00-003 S		GENERAL VISUAL INSPECTION OF ENGINE FAN COWL DOOR INLET SCOOPS AND VENTILATION GRILLS							Service ATA:71
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00									
71-20-01-001 S		RESTORATION LH LOWER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS	29-Sep-21						OVERHAUL	
SN:LK1002	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
71-20-01-001 S		RESTORATION LH PYLON AFT ENGINE MOUNT STEEL ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-5	MOS	29-Sep-21						OVERHAUL	
SN:LK0494	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-20-01-001 S		RESTORATION LH UPPER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS	29-Sep-21						OVERHAUL	
SN:LK0999	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-20-01-001 S		RESTORATION RH LOWER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS	29-Sep-21						OVERHAUL	
SN:LK1012	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-20-01-001 S		RESTORATION RH PYLON AFT ENGINE MOUNT STEEL ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-5	MOS	29-Sep-21						OVERHAUL	
SN:LK0487	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-20-01-001 S		RESTORATION RH UPPER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)							Service ATA:71
PN:LM-1007-SA20	MOS	29-Sep-21						OVERHAUL	
SN:LK0991	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
71-20-05-001 S	DETAILED INSPECTION OF ENGINE DISCRETE SOURCE DAMAGE CATCHER								Service ATA:71
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 71-20-05PROC. REF: AMM 71-20-05									
71-21-01-001 S	INTERNAL DETAILED INSPECTION OF ENGINE FORWARD MOUNTS AND PINS								Service ATA:71
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 71-20-00PROC. REF: NDT 71-20-00									
71-21-01-901	ENGINE FORWARD MOUNTING ASSEMBLY - SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF HOUSING								Service ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-21-01-902	ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ENGINE ATTACHMENT BOLTS								Service ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-21-01-903	ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF SLEEVE BOLT								Service ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-21-01-904	ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF FAILSAFE BOLT								Service ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
71-21-01-905		ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ALL OTHER ATTACHMENT HARDWARE						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-22-01-001 S		INTERNAL DETAILED INSPECTION OF ENGINE AFT MOUNTS AND PINS						Service	ATA:71
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 71-20-00PROC. REF: NDT 71-20-00									
71-22-01-901		ENGINE AFT MOUNTING ASSEMBLY - SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF HOUSING						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-22-01-902		ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ENGINE ATTACHMENT FAILSAFE BOLTS						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-22-01-903		ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF SLEEVE BOLTS						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
71-22-01-904		ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF PYLON ATTACHMENT BOLTS						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-22-01-905		ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ALL OTHER ATTACHMENT HARDWARE						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	T:7500		7500		6940.8		
	AFL	0	T:5000		5000		4622		
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71-60-00-001 S		DETAILED INSPECTION OF ENGINE NACELLE INLET						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)						
	AFL	0							
									PKG:1
PROC. REF: AMM 71-60-01PROC. REF: AMM 71-60-01									
710203-0101		CSL CENT POWERPLANT CONTROL PANEL ASSY						Component	ATA:71
PN:431900-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:431900AA0246	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-00-02, AMM 71-00-02PROC. REF: AMM 71-00-02, AMM 71-00-02									
711001-0101		LH INTEGRATED POWERPLANT ASSEMBLY						Component	ATA:71
PN:WBE7100E001-043	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:E0407	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-00-01, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01									
711001-0102		RH INTEGRATED POWERPLANT ASSEMBLY						Component	ATA:71
PN:WBE7100E001-044	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:E0408	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty

ATA 71 - POWER PLANT

PROC. REF: AMM 71-00-01, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01

711002-0101		LEFT LOWER FAN COWL DOOR ASSEMBLY						Component	ATA:71
PN:WBE7113E301-049	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PZ85	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM 71-10-02, AMM 71-10-02PROC. REF: AMM 71-10-02, AMM 71-10-02

711002-0102		RIGHT LOWER FAN COWL DOOR ASSEMBLY						Component	ATA:71
PN:WBE7114E301-049	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAF711419129	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM 71-10-02, AMM 71-10-02PROC. REF: AMM 71-10-02, AMM 71-10-02

711003-0101		LEFT UPPER FAN COWL ASSY						Component	ATA:71
PN:WBE7111E301-045	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PZ84	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM 71-10-01, AMM 71-10-01PROC. REF: AMM 71-10-01, AMM 71-10-01

711003-0102		RIGHT UPPER DOOR ASSY						Component	ATA:71
PN:WBE7112E301-045	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:HAF711219129	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM 71-10-01, AMM 71-10-01PROC. REF: AMM 71-10-01, AMM 71-10-01

712001 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE MOUNT POINTS						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							

PKG:5

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
712001 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE MOUNT POINTS						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
712002 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION FRONT FRAME ASSEMBLY						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
712002 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION FRONT FRAME ASSEMBLY						Service	ATA:71
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
712003-0101		LH PYLON AFT ENGINE MOUNT STEEL ISOLATOR						Component	ATA:71
PN:LM-1007-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LK0494	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-03, AMM 71-20-03PROC. REF: AMM 71-20-03, AMM 71-20-03									
712003-0102		RH PYLON AFT ENGINE MOUNT STEEL ISOLATOR						Component	ATA:71
PN:LM-1007-5	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LK0487	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-03, AMM 71-20-03PROC. REF: AMM 71-20-03, AMM 71-20-03									
712003-0103		LH UPPER FWD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LK0999	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01PROC. REF: AMM 71-20-01, AMM 71-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
712003-0104	RH UPPER FWD ENGINE MOUNT ISOLATOR							Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LK0991	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01	PROC. REF: AMM 71-20-01, AMM 71-20-01								
712003-0105	LH LOWER FWD ENGINE MOUNT ISOLATOR							Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LK1002	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01	PROC. REF: AMM 71-20-01, AMM 71-20-01								
712003-0106	RH LOWER FWD ENGINE MOUNT ISOLATOR							Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:LK1012	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01	PROC. REF: AMM 71-20-01, AMM 71-20-01								
716001-0101	LH ENG INLET ASSY							Component	ATA:71
PN:WBE7160E101-047	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PZ423	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01	PROC. REF: AMM 71-60-01, AMM 71-60-01								
716001-0102	RH ENG INLET ASSY							Component	ATA:71
PN:WBE7160E101-047	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:PZ424	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01	PROC. REF: AMM 71-60-01, AMM 71-60-01								
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:70040119-1	MOS/MSC		E/C						
SN:P131520	HRS								
WC#: 71.EN1	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
PROC. REF: AMM 71-00-01, AMM 71-00-01, SIL F731-88PROC. REF: AMM 71-00-01, AMM 71-00-01, SIL F731-88									
71EN2		NO. 2 ENGINE						Component	ATA:71
PN:70040119-1	MOS/MSC		E/C						
SN:P131518	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-01, AMM 71-00-01, SIL F731-88PROC. REF: AMM 71-00-01, AMM 71-00-01, SIL F731-88									
ATA 72 - ENGINE									
72-00-00-200-003-A01		NO. 1 ENGINE - OPTIONAL WATER WASH PROCEDURES FOR ENGINES WHICH OPERATE IN TROPICAL / INDUSTRIAL / MARINE / SALT OR CHEMICAL LADEN ENVIRONMENTS						Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-003-A01		NO. 2 ENGINE - OPTIONAL WATER WASH PROCEDURES FOR ENGINES WHICH OPERATE IN TROPICAL / INDUSTRIAL / MARINE / SALT OR CHEMICAL LADEN ENVIRONMENTS						Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-004-A01		NO. 1 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE TEMPERATURE LIMITS INSPECTION						Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-004-A01		NO. 2 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE TEMPERATURE LIMITS INSPECTION						Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-200-005-A01	NO. 1 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE N1 AND N2 SPEED LIMITS INSPECTION							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-005-A01	NO. 2 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE N1 AND N2 SPEED LIMITS INSPECTION							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-006-A01	NO. 1 ENGINE - EXAMINE ENGINES THAT SHOW HOT SECTION DISTRESS (BURN OUTS)							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-006-A01	NO. 2 ENGINE - EXAMINE ENGINES THAT SHOW HOT SECTION DISTRESS (BURN OUTS)							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-007-A01	NO. 1 ENGINE - EXAMINE ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTING							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-007-A01	NO. 2 ENGINE - EXAMINE ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTING							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-200-008-A01	NO. 1 ENGINE - EXAMINE ENGINES AFTER A CVG SYSTEM MALFUNCTION OR A COMPRESSOR STALL							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-008-A01	NO. 2 ENGINE - EXAMINE ENGINES AFTER A CVG SYSTEM MALFUNCTION OR A COMPRESSOR STALL							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-009-A01	NO. 1 ENGINE - EXAMINE ENGINES FOR METAL CONTAMINATION OF THE OIL SYSTEM							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-009-A01	NO. 2 ENGINE - EXAMINE ENGINES FOR METAL CONTAMINATION OF THE OIL SYSTEM							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-010-A01	NO. 1 ENGINE - EXAMINE ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-010-A01	NO. 2 ENGINE - EXAMINE ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service	ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-200-011-A01	NO. 1 ENGINE - EXAMINE ENGINES THAT HAVE INGESTED VOLCANIC ASH								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-011-A01	NO. 2 ENGINE - EXAMINE ENGINES THAT HAVE INGESTED VOLCANIC ASH								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-012-A01	NO. 1 ENGINE - EXAMINE ENGINES OPERATED AT VIBRATION LEVELS MORE THAN THE PERMITTED LIMITS								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-012-A01	NO. 2 ENGINE - EXAMINE ENGINES OPERATED AT VIBRATION LEVELS MORE THAN THE PERMITTED LIMITS								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-013-A01	NO. 1 ENGINE - EXAMINE ENGINES IMMERSED IN SALT WATER OR EXPOSED TO FIE EXTINGUISHER MATERIAL								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-013-A01	NO. 2 ENGINE - EXAMINE ENGINES IMMERSED IN SALT WATER OR EXPOSED TO FIE EXTINGUISHER MATERIAL								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-014-A01	NO. 1 ENGINE - EXAMINE ENGINES FOR FOD THAT HAVE BIRD STRIKES OR INGEST FOREIGN OBJECTS								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-014-A01	NO. 2 ENGINE - EXAMINE ENGINES FOR FOD THAT HAVE BIRD STRIKES OR INGEST FOREIGN OBJECTS								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-015-A01	NO. 1 ENGINE - PERFORM PERIODIC INSPECTIONS								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-00-00-200-015-A01	NO. 2 ENGINE - PERFORM PERIODIC INSPECTIONS								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-00-00-200-016-A01	NO. 1 ENGINE - PERFORM DIGITAL IMAGING (BORESCOPE) INSPECTION								Service ATA:72
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-200-016-A01	NO. 2 ENGINE - PERFORM DIGITAL IMAGING (BORESCOPE) INSPECTION								Service ATA:72
	MOS/MSC	29-Sep-21	O/C						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00								
72-00-00-200-017-A01	NO. 1 ENGINE - HOT SECTION INSPECTION								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00								
72-00-00-200-017-A01	NO. 2 ENGINE - HOT SECTION INSPECTION								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00								
72-00-00-200-018-A01	NO. 1 ENGINE - CORE ZONE INSPECTION								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00								
72-00-00-200-018-A01	NO. 2 ENGINE - CORE ZONE INSPECTION								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-200-020-A01	NO. 1 ENGINE - INSPECT COMPRESSOR GAS PATH COMPONENTS FOR ENGINES IDENTIFIED BY A TRENDING PROGRAM ALERT FOR PERFORMANCE LOSS								Service ATA:72
	MOS/MSC	05-Dec-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-200-020-A01	NO. 2 ENGINE - INSPECT COMPRESSOR GAS PATH COMPONENTS FOR ENGINES IDENTIFIED BY A TRENDING PROGRAM ALERT FOR PERFORMANCE LOSS								Service ATA:72
	MOS/MSC	05-Dec-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-610-011-A01	NO. 1 ENGINE - COMPRESSOR WASH PROCEDURE								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-610-011-A01	NO. 2 ENGINE - COMPRESSOR WASH PROCEDURE								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-012-A01	NO. 1 ENGINE - PERFORM VIBRATION SURVEY								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-700-012-A01	NO. 2 ENGINE - PERFORM VIBRATION SURVEY								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-014-A01	NO. 1 ENGINE - ACCOMPLISH ENGINE POWER ASSURANCE RUN								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-014-A01	NO. 2 ENGINE - ACCOMPLISH ENGINE POWER ASSURANCE RUN								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-015-A01	NO. 1 ENGINE - OIL PRESSURE ADJUSTMENT								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-015-A01	NO. 2 ENGINE - OIL PRESSURE ADJUSTMENT								Service ATA:72
	MOS/MSC	29-Sep-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-700-016-A01	NO. 1 ENGINE - PERFORM NO. 1 EGT PROBE TEST								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-016-A01	NO. 1 ENGINE - PERFORM NO. 2 EGT PROBE TEST								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-016-A01	NO. 2 ENGINE - PERFORM NO. 1 EGT PROBE TEST								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-700-016-A01	NO. 2 ENGINE - PERFORM NO. 2 EGT PROBE TEST								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-810-167-A01	NO. 1 ENGINE - TROUBLESHOOT MCID 1001, OMS MESSAGE- OIL PRESSURE SENSOR 1A								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-810-167-A01	NO. 2 ENGINE - TROUBLESHOOT MCID 1001, OMS MESSAGE- OIL PRESSURE SENSOR 1A								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-810-168-A01	NO. 1 ENGINE - TROUBLESHOOT MCID 1002, OMS MESSAGE- OIL PRESSURE SENSOR 1B								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-810-168-A01	NO. 2 ENGINE - TROUBLESHOOT MCID 1002, OMS MESSAGE- OIL PRESSURE SENSOR 1B								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-810-434-A01	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR METAL CONTAMINATION								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-810-434-A01	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR METAL CONTAMINATION								Service ATA:72
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-00-810-801-A01	NO. 1 ENGINE - PROCEDURE FOR ECU DOWNLOAD								Service ATA:72
	MOS/MSC	27-Jun-25	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	557.2							
	ENC	376							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-00-810-801-A01	NO. 2 ENGINE - PROCEDURE FOR ECU DOWNLOAD								Service ATA:72
	MOS/MSC	27-Jun-25	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	557.2							
	ENC	376							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
72-00-60-001 U	NO. 1 ENGINE - NO. 1 FLAT WASHER (V80205)								Component ATA:72
PN:NAS1149C0663R	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-00-60-001 U	NO. 2 ENGINE - NO. 1 FLAT WASHER (V80205)								Component ATA:72
PN:NAS1149C0663R	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-00-60-002 U	NO. 1 ENGINE - NO. 2 FLAT WASHER (V80205)								Component ATA:72
PN:NAS1149C0663R	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-00-60-002 U	NO. 2 ENGINE - NO. 2 FLAT WASHER (V80205)								Component ATA:72
PN:NAS1149C0663R	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-00-60-007 U		NO. 1 ENGINE - HYDRAULIC PUMP MOUNTING FLANGE						Component	ATA:72
PN:3036122-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-00-60-007 U		NO. 2 ENGINE - HYDRAULIC PUMP MOUNTING FLANGE						Component	ATA:72
PN:3036122-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-00-60-008 U		NO. 1 ENGINE - ADAPTER, GENERATOR EXHAUST DUCT						Component	ATA:72
PN:70040360-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-00-60-008 U		NO. 2 ENGINE - ADAPTER, GENERATOR EXHAUST DUCT						Component	ATA:72
PN:70040360-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-00-002		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	9000 (+750)		(9000) 9000	9750	8440.8 (+750)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-002		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	9000 (+750)		(9000) 9000	9750	8440.8 (+750)		
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-003		NO. 1 ENGINE - STAGE 2/3 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033069-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-156113-24805	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-003		NO. 1 ENGINE - STAGE 3/4 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033070-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-156113-24968	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-003		NO. 2 ENGINE - STAGE 2/3 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033069-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-156113-25149	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-003		NO. 2 ENGINE - STAGE 3/4 COMPRESSOR ROTOR ROTATING SEAL							Component ATA:72
PN:3033070-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-156113-25008	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-004		NO. 1 ENGINE - STAGE 1 COMPRESSOR BLISK							Component ATA:72
PN:3033053-7	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-03110	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-00-004		NO. 1 ENGINE - STAGE 2 COMPRESSOR BLISK							Component ATA:72
PN:3033063-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:2018244933795	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-004		NO. 1 ENGINE - STAGE 3 COMPRESSOR BLISK							Component ATA:72
PN:3033108-8	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-00771	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-004		NO. 1 ENGINE - STAGE 4 COMPRESSOR BLISK							Component ATA:72
PN:3033072-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:2018244934668	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-004		NO. 2 ENGINE - STAGE 1 COMPRESSOR BLISK							Component ATA:72
PN:3033053-7	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-01985	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-004		NO. 2 ENGINE - STAGE 2 COMPRESSOR BLISK							Component ATA:72
PN:3033063-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-02322	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-00-004		NO. 2 ENGINE - STAGE 3 COMPRESSOR BLISK							Component ATA:72
PN:3033108-8	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07963	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-004		NO. 2 ENGINE - STAGE 4 COMPRESSOR BLISK							Component ATA:72
PN:3033072-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-03240	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-005		NO. 1 ENGINE - HP SHAFT							Component ATA:72
PN:3033084-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-102045-08487	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-005		NO. 2 ENGINE - HP SHAFT							Component ATA:72
PN:3033084-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-102045-08481	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-006		NO. 1 ENGINE - CENTRIFUGAL COMPRESSOR ROTOR- IMPELLER							Component ATA:72
PN:3033207-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-00480	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-00-006		NO. 2 ENGINE - CENTRIFUGAL COMPRESSOR ROTOR- IMPELLER							Component ATA:72
PN:3033207-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-00452	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-007		NO. 1 ENGINE - VORTEX SPOILER							Component ATA:72
PN:70040037-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162045-00583	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-007		NO. 2 ENGINE - VORTEX SPOILER							Component ATA:72
PN:70040037-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162045-00493	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-011		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-30-00-011		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-01-001 U	NO. 1 ENGINE - TOWER SHAFT BEVEL GEARSHAFT							Component	ATA:72
PN:3033021-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-01-001 U	NO. 2 ENGINE - TOWER SHAFT BEVEL GEARSHAFT							Component	ATA:72
PN:3033021-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-02-001 U	NO. 1 ENGINE - NO. 2 AND NO. 3 BEARING HOUSING							Component	ATA:72
PN:70040462-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-02-001 U	NO. 2 ENGINE - NO. 2 AND NO. 3 BEARING HOUSING							Component	ATA:72
PN:70040462-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-05-001 U	NO. 1 ENGINE - NO. 3 BEARING SPRING WASHER							Component	ATA:72
PN:3033034-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-05-001 U	NO. 2 ENGINE - NO. 3 BEARING SPRING WASHER							Component	ATA:72
PN:3033034-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-05-003 U		NO. 1 ENGINE - NO. 3 BEARING TOWER SHAFT PINION GEAR						Component	ATA:72
PN:3033181-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-05-003 U		NO. 2 ENGINE - NO. 3 BEARING TOWER SHAFT PINION GEAR						Component	ATA:72
PN:3033181-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-002 U		NO. 1 ENGINE - SELF-LOCKING NUT (V70210)						Component	ATA:72
PN:525-124-9004	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-002 U		NO. 2 ENGINE - SELF-LOCKING NUT (V70210)						Component	ATA:72
PN:525-124-9004	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-003 U		NO. 1 ENGINE - CENTRIFUGAL COMPRESSOR IMPELLER SHROUD CASE						Component	ATA:72
PN:70041125-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-003 U		NO. 2 ENGINE - CENTRIFUGAL COMPRESSOR IMPELLER SHROUD CASE						Component	ATA:72
PN:70041125-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-10-004 U		NO. 1 ENGINE - STAGE 1 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040032-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-004 U		NO. 2 ENGINE - STAGE 1 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040032-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-005		NO. 1 ENGINE - STAGE 2 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040035-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04297	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10									
72-30-10-005		NO. 2 ENGINE - STAGE 2 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040035-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04318	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10									
72-30-10-006		NO. 1 ENGINE - STAGE 3 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040899-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04184	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10									
72-30-10-006		NO. 2 ENGINE - STAGE 3 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040899-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04189	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-10-007		NO. 1 ENGINE - STAGE 4 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040036-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04057	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10		PROC. REF: LMM 72-30-10, LMM 72-30-10							
72-30-10-007		NO. 2 ENGINE - STAGE 4 COMPRESSOR STATOR VANE						Component	ATA:72
PN:70040036-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-03850	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10		PROC. REF: LMM 72-30-10, LMM 72-30-10							
72-30-10-008		NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR DESWIRL						Component	ATA:72
PN:70040112-930	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-03314	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10		PROC. REF: LMM 72-30-10, LMM 72-30-10							
72-30-10-008		NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR DESWIRL						Component	ATA:72
PN:70040112-930	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-3300-01983	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10, LMM 72-30-10		PROC. REF: LMM 72-30-10, LMM 72-30-10							
72-30-10-009 U		NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR DIFFUSER						Component	ATA:72
PN:70040018-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-009 U		NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR DIFFUSER						Component	ATA:72
PN:70040018-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-30-10-010 U		NO. 1 ENGINE - COMPRESSOR INTLET VARIABLE GUIDE VANE						Component	ATA:72
PN:3033190-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-010 U		NO. 2 ENGINE - COMPRESSOR INTLET VARIABLE GUIDE VANE						Component	ATA:72
PN:3033190-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-011 U		NO. 1 ENGINE - INLET GUIDE VANE CASE						Component	ATA:72
PN:70040456-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-30-10-011 U		NO. 2 ENGINE - INLET GUIDE VANE CASE						Component	ATA:72
PN:70040456-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-00-001		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF ENGINE COMBUSTOR MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-40-00-001		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF ENGINE COMBUSTOR MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-40-00-003		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMBUSTOR MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-40-00-003		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMBUSTOR MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-40-10-001 U		NO. 1 ENGINE - PLATE (V96906)						Component	ATA:72
PN:MS9552-110	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-001 U		NO. 2 ENGINE - PLATE (V96906)						Component	ATA:72
PN:MS9552-110	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-002 U		NO. 1 ENGINE - NO. 1 FLAT WASHER (V80205)						Component	ATA:72
PN:NAS1149C0763R	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-002 U		NO. 2 ENGINE - NO. 1 FLAT WASHER (V80205)						Component	ATA:72
PN:NAS1149C0763R	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-40-10-004 U		NO. 1 ENGINE - NO. 1 BRACKET						Component	ATA:72
PN:3038419-11	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-004 U		NO. 2 ENGINE - NO. 1 BRACKET						Component	ATA:72
PN:3038419-11	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-005 U		NO. 1 ENGINE - NO. 2 BRACKET						Component	ATA:72
PN:3038419-11	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-005 U		NO. 2 ENGINE - NO. 2 BRACKET						Component	ATA:72
PN:3038419-11	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-006 U		NO. 1 ENGINE - NO. 3 BRACKET						Component	ATA:72
PN:3038788-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-006 U		NO. 2 ENGINE - NO. 3 BRACKET						Component	ATA:72
PN:3038788-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-40-10-007 U		NO. 1 ENGINE - NO. 4 BRACKET						Component	ATA:72
PN:3038788-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-007 U		NO. 2 ENGINE - NO. 4 BRACKET						Component	ATA:72
PN:3038788-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-008 U		NO. 1 ENGINE - SPRING CLIP BRACKET						Component	ATA:72
PN:3038461-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-008 U		NO. 2 ENGINE - SPRING CLIP BRACKET						Component	ATA:72
PN:3038461-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-009 U		NO. 1 ENGINE - DRAIN VALVE						Component	ATA:72
PN:771-5507-9101	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-009 U		NO. 2 ENGINE - DRAIN VALVE						Component	ATA:72
PN:771-5507-9101	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-40-10-010 U		NO. 1 ENGINE - COMBUSTOR SUPPORT						Component	ATA:72
PN:70040098-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-010 U		NO. 2 ENGINE - COMBUSTOR SUPPORT						Component	ATA:72
PN:70040098-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-011 U		NO. 1 ENGINE - NO. 1 INSERT, SCREW THREAD, KEY LOCKED (THIN WALL)						Component	ATA:72
PN:423-603-9033	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-011 U		NO. 2 ENGINE - NO. 1 INSERT, SCREW THREAD, KEY LOCKED (THIN WALL)						Component	ATA:72
PN:423-603-9033	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-012 U		NO. 1 ENGINE - NO. 2 INSERT, SCREW THREAD, KEY LOCKED (THIN WALL)						Component	ATA:72
PN:423-603-9035	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-012 U		NO. 2 ENGINE - NO. 2 INSERT, SCREW THREAD, KEY LOCKED (THIN WALL)						Component	ATA:72
PN:423-603-9035	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-40-10-013 U		NO. 1 ENGINE - NO. 1 STUD KEY LOCKED						Component	ATA:72
PN:682-557-2210	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-013 U		NO. 2 ENGINE - NO. 1 STUD KEY LOCKED						Component	ATA:72
PN:682-557-2210	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-014 U		NO. 1 ENGINE - NO. 2 STUD KEY LOCKED						Component	ATA:72
PN:682-557-2210	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-014 U		NO. 2 ENGINE - NO. 2 STUD KEY LOCKED						Component	ATA:72
PN:682-557-2210	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-015 U		NO. 1 ENGINE - NO. 3 STUD KEY LOCKED						Component	ATA:72
PN:682-557-2211	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-40-10-015 U		NO. 2 ENGINE - NO. 3 STUD KEY LOCKED						Component	ATA:72
PN:682-557-2211	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-001		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-001		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M77252	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15695	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE							Component ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15696	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15865	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15866	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15872	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15873	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15874	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20227	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20229	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20262	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M77269	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20264	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20265	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20267	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20270	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31199	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31201	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31234	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31235	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31236	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31239	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M82266	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31240	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M31241	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38892	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38893	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38894	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38895	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38896	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38897	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38898	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M83723	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M84883	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M90264	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M90788	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M92093	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M15694	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:18M74202	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22818	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22820	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22821	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22823	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22824	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22825	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24316	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24317	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24454	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24456	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M19012	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24457	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24458	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M24461	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M25420	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M25423	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M25424	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M25425	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M25476	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M25482	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M70237	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M19014	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M70290	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M70306	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M70313	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M70316	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M22076	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M22077	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M22080	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M22081	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M22082	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M19015	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M19017	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M19133	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-101		NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M19135	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22169	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-101		NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE						Component	ATA:72
PN:70040871-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19M22817	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09910	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09981	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M12868	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M12869	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M12871	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M12876	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17674	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17933	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20448	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20656	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20696	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09911	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M20706	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M26166	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M26167	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M26168	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M26169	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M29633	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30796	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30797	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30799	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30800	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09912	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30801	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30802	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30804	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30805	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30806	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09913	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09914	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09915	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09916	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09917	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M09918	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13160	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M14434	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M14435	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M14440	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M14700	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M14701	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17180	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17181	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17182	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17183	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17193	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13229	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17194	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17196	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M17197	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30842	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30843	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30844	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30845	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30846	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30847	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30849	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13230	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30850	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30851	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M30852	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38552	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M38555	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13239	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13248	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13252	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13253	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-201		NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M13254	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-201	NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20M14424	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-002-301	NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M77252	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15695	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15696	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15865	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15866	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15872	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15873	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15874	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20227	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20229	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20262	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M77269	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20264	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20265	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20267	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M20270	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31199	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31201	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31234	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31235	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31236	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31239	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M82266	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31240	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M31241	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38892	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38893	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38894	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38895	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 1 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38896	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38897	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M38898	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M83723	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M84883	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M90264	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M90788	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M92093	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M15694	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18M74202	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22818	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22820	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22821	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22823	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22824	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22825	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24316	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24317	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24454	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24456	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M19012	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24457	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24458	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M24461	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M25420	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M25423	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M25424	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M25425	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M25476	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M25482	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M70237	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M19014	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M70290	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M70306	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M70313	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M70316	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M22076	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M22077	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M22080	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M22081	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20M22082	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M19015	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-002-301	NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M19017	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M19133	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M19135	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22169	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-002-301	NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE CASTING							Component	ATA:72
PN:3035114-112	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19M22817	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01PROC. REF: LMM 72-51-01, LMM 72-51-01, LMM 72-51-01, LMM 72-51-01									
72-51-00-003	NO. 1 ENGINE - HP FORWARD COUPLER							Component	ATA:72
PN:3033133-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-1034-26339	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-003		NO. 2 ENGINE - HP FORWARD COUPLER							Component ATA:72
PN:3033133-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-1034-25402	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-005		NO. 1 ENGINE - STAGE 1 TURBINE (HP) DISK							Component ATA:72
PN:70040948-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07993	HRS	0		TSN 0					
	ENC	0	8700	TSN 0	(8700) 8700		8322		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-005		NO. 1 ENGINE - STAGE 2 TURBINE (HP) DISK							Component ATA:72
PN:3035123-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-01697	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-005		NO. 2 ENGINE - STAGE 1 TURBINE (HP) DISK							Component ATA:72
PN:70040948-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-03527	HRS	0		TSN 0					
	ENC	0	8700	TSN 0	(8700) 8700		8322		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-005		NO. 2 ENGINE - STAGE 2 TURBINE (HP) DISK							Component ATA:72
PN:3035123-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07740	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-00-006		NO. 1 ENGINE - HP TURBINE INTERSTAGE SEAL						Component	ATA:72
PN:3035134-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162045-00324	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-006		NO. 2 ENGINE - HP TURBINE INTERSTAGE SEAL						Component	ATA:72
PN:3035134-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162045-00037	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-009		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-00-009		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-001 U		NO. 1 ENGINE - NO. 1 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-001 U		NO. 2 ENGINE - NO. 1 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-002 U		NO. 1 ENGINE - NO. 2 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-002 U		NO. 2 ENGINE - NO. 2 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-003 U		NO. 1 ENGINE - NO. 3 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-003 U		NO. 2 ENGINE - NO. 3 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-004 U		NO. 1 ENGINE - NO. 4 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-004 U		NO. 2 ENGINE - NO. 4 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-005 U		NO. 1 ENGINE - NO. 5 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-005 U		NO. 2 ENGINE - NO. 5 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-006 U		NO. 1 ENGINE - NO. 6 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-006 U		NO. 2 ENGINE - NO. 6 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-007 U		NO. 1 ENGINE - NO. 7 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-007 U		NO. 2 ENGINE - NO. 7 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-008 U	NO. 1 ENGINE - NO. 8 STAGE 2 NOZZLE OUTER SEAL							Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-008 U	NO. 2 ENGINE - NO. 8 STAGE 2 NOZZLE OUTER SEAL							Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-009 U	NO. 1 ENGINE - NO. 9 STAGE 2 NOZZLE OUTER SEAL							Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-009 U	NO. 2 ENGINE - NO. 9 STAGE 2 NOZZLE OUTER SEAL							Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-010 U	NO. 1 ENGINE - NO. 10 STAGE 2 NOZZLE OUTER SEAL							Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-010 U	NO. 2 ENGINE - NO. 10 STAGE 2 NOZZLE OUTER SEAL							Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-011 U		NO. 1 ENGINE - NO. 11 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-011 U		NO. 2 ENGINE - NO. 11 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-012 U		NO. 1 ENGINE - NO. 12 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-012 U		NO. 2 ENGINE - NO. 12 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-013 U		NO. 1 ENGINE - NO. 13 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-013 U		NO. 2 ENGINE - NO. 13 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-014 U		NO. 1 ENGINE - NO. 14 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-014 U		NO. 2 ENGINE - NO. 14 STAGE 2 NOZZLE OUTER SEAL						Component	ATA:72
PN:3035058-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-015 U		NO. 1 ENGINE - STAGE 1 AIR FLOW BAFFLE						Component	ATA:72
PN:3035066-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-015 U		NO. 2 ENGINE - STAGE 1 AIR FLOW BAFFLE						Component	ATA:72
PN:3035066-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-016 U		NO. 1 ENGINE - STAGE 2 AIR FLOW BAFFLE						Component	ATA:72
PN:3035070-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-016 U		NO. 2 ENGINE - STAGE 2 AIR FLOW BAFFLE						Component	ATA:72
PN:3035070-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-017 U	NO. 1 ENGINE - HIGH PRESSURE TURBINE STAGE 2 RETAINER VANE							Component	ATA:72
PN:3035087-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-017 U	NO. 2 ENGINE - HIGH PRESSURE TURBINE STAGE 2 RETAINER VANE							Component	ATA:72
PN:3035087-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-018 U	NO. 1 ENGINE - METAL SEAL RING							Component	ATA:72
PN:3035088-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-018 U	NO. 2 ENGINE - METAL SEAL RING							Component	ATA:72
PN:3035088-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-019 U	NO. 1 ENGINE - SECOND-STAGE HIGH PRESSURE TURBINE NOZZLE BUSHING							Component	ATA:72
PN:3035090-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-019 U	NO. 2 ENGINE - SECOND-STAGE HIGH PRESSURE TURBINE NOZZLE BUSHING							Component	ATA:72
PN:3035090-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-020 U	NO. 1 ENGINE - HIGH PRESSURE TURBINE RETAINING RING							Component	ATA:72
PN:3035100-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-020 U	NO. 2 ENGINE - HIGH PRESSURE TURBINE RETAINING RING							Component	ATA:72
PN:3035100-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-021 U	NO. 1 ENGINE - STATIC SEAL							Component	ATA:72
PN:3035111-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-021 U	NO. 2 ENGINE - STATIC SEAL							Component	ATA:72
PN:3035111-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-022 U	NO. 1 ENGINE - HIGH PRESSURE TURBINE FIRST STAGE SEAL							Component	ATA:72
PN:70041109-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-022 U	NO. 2 ENGINE - HIGH PRESSURE TURBINE FIRST STAGE SEAL							Component	ATA:72
PN:70041109-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-023 U		NO. 1 ENGINE - HIGH PRESSURE TURBINE SECOND STAGE SEAL						Component	ATA:72
PN:3035131-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-023 U		NO. 2 ENGINE - HIGH PRESSURE TURBINE SECOND STAGE SEAL						Component	ATA:72
PN:3035131-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-024 U		NO. 1 ENGINE - RADIAL TYPE WAVE SEAL						Component	ATA:72
PN:651-544-9141	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-024 U		NO. 2 ENGINE - RADIAL TYPE WAVE SEAL						Component	ATA:72
PN:651-544-9141	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-025 U		NO. 1 ENGINE - RADIAL TYPE WAVE SEAL (MUSTACHE SEAL, HPT 1 SHROUD)						Component	ATA:72
PN:651-544-9217	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-025 U		NO. 2 ENGINE - RADIAL TYPE WAVE SEAL (MUSTACHE SEAL, HPT 1 SHROUD)						Component	ATA:72
PN:651-544-9217	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-026 U	NO. 1 ENGINE - RADIAL TYPE WAVE SEAL (MUSTACHE SEAL, HPT 2 SHROUD)							Component	ATA:72
PN:651-544-9218	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-026 U	NO. 2 ENGINE - RADIAL TYPE WAVE SEAL (MUSTACHE SEAL, HPT 2 SHROUD)							Component	ATA:72
PN:651-544-9218	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-027 U	NO. 1 ENGINE - DOUBLE HEXAGON EXTENDED MACHINE BOLT (V81343)							Component	ATA:72
PN:AS3236-06	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-027 U	NO. 2 ENGINE - DOUBLE HEXAGON EXTENDED MACHINE BOLT (V81343)							Component	ATA:72
PN:AS3236-06	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-028 U	NO. 1 ENGINE - BOLT (V81343)							Component	ATA:72
PN:AS3236-07	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-028 U	NO. 2 ENGINE - BOLT (V81343)							Component	ATA:72
PN:AS3236-07	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-029 U		NO. 1 ENGINE - FOWARD VANE BAFFLE						Component	ATA:72
PN:70040799-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-029 U		NO. 2 ENGINE - FOWARD VANE BAFFLE						Component	ATA:72
PN:70040799-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-030-001		NO. 1 ENGINE - NO. 1 HPT2 NOZZLE SEGMENT						Component	ATA:72
PN:3035141-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108253574	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 1 ENGINE - NO. 10 HPT2 NOZZLE SEGMENT						Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255951	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 1 ENGINE - NO. 11 HPT2 NOZZLE SEGMENT						Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255952	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 1 ENGINE - NO. 12 HPT2 NOZZLE SEGMENT						Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255953	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-030-001	NO. 1 ENGINE - NO. 13 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255954	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 14 HPT2 NOZZLE (WITH BORESCOPE PORT) SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255955	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 2 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254833	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 3 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254834	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 4 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254922	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 5 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-030-001	NO. 1 ENGINE - NO. 6 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255208	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 7 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255209	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 8 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255212	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 9 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255950	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 1 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254357	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 10 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255921	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-030-001	NO. 2 ENGINE - NO. 11 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255924	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 12 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255928	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 13 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255977	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 14 HPT2 NOZZLE (WITH BORESCOPE PORT) SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255979	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 2 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19108251889	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 3 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108253387	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-030-001	NO. 2 ENGINE - NO. 4 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108253458	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 5 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108253462	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 6 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254099	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 7 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255836	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 8 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255918	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 9 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255919	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-02-031 U	NO. 1 ENGINE - HIGH PRESSURE TURBINE STAGE 2 ALIGNMENT PLUGS, RETAINING RING							Component	ATA:72
PN:70040942-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-02-031 U	NO. 2 ENGINE - HIGH PRESSURE TURBINE STAGE 2 ALIGNMENT PLUGS, RETAINING RING							Component	ATA:72
PN:70040942-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-04-001 U	NO. 1 ENGINE - HIGH PRESSURE TURBINE, STAGE 1 NOZZLE SUPPORT							Component	ATA:72
PN:3035056-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-04-001 U	NO. 2 ENGINE - HIGH PRESSURE TURBINE, STAGE 1 NOZZLE SUPPORT							Component	ATA:72
PN:3035056-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-51-04-030-002	NO. 1 ENGINE - NO. 1 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254726	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 10 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256881	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-04-030-002	NO. 1 ENGINE - NO. 11 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256891	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 2 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254728	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 3 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254744	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 4 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254746	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 5 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254988	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 6 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256826	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-04-030-002	NO. 1 ENGINE - NO. 7 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256866	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 8 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256868	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 9 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256870	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 1 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254966	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 10 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256849	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 11 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256909	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-04-030-002	NO. 2 ENGINE - NO. 2 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108254998	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 3 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108255028	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 4 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256630	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 5 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256644	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 6 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256825	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 2 ENGINE - NO. 7 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256828	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-51-04-030-002		NO. 2 ENGINE - NO. 8 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256831	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 9 HPT1 NOZZLE SEGMENT							Component ATA:72
PN:70040855-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20108256832	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-001		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF ENGINE LP TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-001		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF ENGINE LP TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-004		NO. 1 ENGINE - LP TURBINE STUB SHAFT							Component ATA:72
PN:3035691-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:18-162246-06938	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-004		NO. 2 ENGINE - LP TURBINE STUB SHAFT							Component ATA:72
PN:3035691-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:18-162246-06936	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-006		NO. 1 ENGINE - LP TURBINE SHAFT							Component ATA:72
PN:3035689-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-169163-01809	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-006		NO. 2 ENGINE - LP TURBINE SHAFT							Component ATA:72
PN:3035689-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-169163-01815	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-007		NO. 1 ENGINE - LP TURBINE INTERSTAGE (LPT1/LPT2) ROTATING SEAL							Component ATA:72
PN:3035595-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-02970	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-007		NO. 2 ENGINE - LP TURBINE INTERSTAGE (LPT1/LPT2) ROTATING SEAL							Component ATA:72
PN:3035595-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-01615	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-008		NO. 1 ENGINE - DETAILED INSPECTION OF ENGINE EXIT GUIDE VANE ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: LMM 72-55-02PROC. REF: LMM 72-55-02									
72-55-00-008		NO. 2 ENGINE - DETAILED INSPECTION OF ENGINE EXIT GUIDE VANE ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: LMM 72-55-02PROC. REF: LMM 72-55-02									
72-55-00-010		NO. 1 ENGINE - STAGE 1 LP TURBINE DISK							Component ATA:72
PN:3035593-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07421	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-010		NO. 1 ENGINE - STAGE 2 LP TURBINE DISK							Component ATA:72
PN:3035661-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-08022	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-010		NO. 1 ENGINE - STAGE 3 LP TURBINE DISK							Component ATA:72
PN:3035663-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07507	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-010		NO. 2 ENGINE - STAGE 1 LP TURBINE DISK							Component ATA:72
PN:3035593-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07431	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-010		NO. 2 ENGINE - STAGE 2 LP TURBINE DISK							Component ATA:72
PN:3035661-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-00998	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-010		NO. 2 ENGINE - STAGE 3 LP TURBINE DISK							Component ATA:72
PN:3035663-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07478	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-012 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXHAUST MIXER NOZZLE AREA							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: LMM 78-10-01PROC. REF: LMM 78-10-01									
72-55-00-012 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXHAUST MIXER NOZZLE AREA							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: LMM 78-10-01PROC. REF: LMM 78-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-013		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-013		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-014		NO. 1 ENGINE - DETAILED INSPECTION OF EXIT GUIDE VANE (EGV) ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-014		NO. 2 ENGINE - DETAILED INSPECTION OF EXIT GUIDE VANE (EGV) ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26790	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29624	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29625	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29626	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29627	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29628	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29629	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29630	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29631	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29632	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29633	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26792	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29634	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29635	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29636	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29637	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29638	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29639	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29640	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29641	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29642	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29643	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26795	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29644	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29645	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29646	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29647	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29648	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29649	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29650	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29651	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29652	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29653	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26797	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29654	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29655	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29656	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29657	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29658	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29659	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29660	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29661	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29662	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29663	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26798	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29664	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29665	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29666	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29667	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29668	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29669	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29670	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26799	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM26800	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29622	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29623	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28189	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28198	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28199	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28200	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28201	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28202	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28203	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28204	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28205	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28206	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28207	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28190	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28208	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28209	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28210	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28211	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28212	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28213	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31847	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31848	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31849	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31850	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28191	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31851	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31852	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM318S3	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31854	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31855	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31856	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31857	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31858	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31859	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31860	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28192	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31861	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31862	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31863	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31864	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31865	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31866	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31867	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31868	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31869	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31870	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28193	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM31871	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM32734	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM32735	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM32736	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM32743	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM32744	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM32745	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28194	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28195	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-015		NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28196	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-015		NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 1 BLADE							Component ATA:72
PN:3035693-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28197	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74346	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74393	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM08405	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM12771	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM12772	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM12773	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM12774	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM12946	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14508	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14509	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14510	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74348	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14511	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14512	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14513	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14514	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14515	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14516	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14517	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14518	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14519	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14520	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74350	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14521	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14522	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14523	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14524	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14525	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM14526	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16027	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16028	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16029	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16030	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74370	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16031	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16032	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16033	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16034	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16035	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16036	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16037	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16038	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16039	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16040	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74376	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16042	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16043	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16044	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16045	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16046	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16047	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16048	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 57 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16049	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 58 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM16050	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 59 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM20883	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74378	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 60 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM20884	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 61 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM20885	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 62 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22523	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74379	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74381	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19HM74385	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22499	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22514	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22515	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22516	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23599	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23600	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23601	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23602	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23603	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23604	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23605	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22500	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23606	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23607	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23608	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23609	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23610	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23611	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23612	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23613	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23614	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23615	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22501	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23616	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23617	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23618	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23619	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23620	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23621	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23622	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23623	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23799	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23800	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22502	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23801	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23802	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23803	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23804	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23805	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23806	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23807	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23808	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23809	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23810	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22508	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23811	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23812	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23813	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23814	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23815	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23816	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23817	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 57 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23818	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 58 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23819	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 59 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23820	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22509	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 60 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23821	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-016		NO. 2 ENGINE - NO. 61 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23822	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 62 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM23823	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22510	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22511	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-016		NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 2 BLADE							Component ATA:72
PN:3035602-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM22512	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28474	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28705	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28706	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28707	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28708	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28709	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28710	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28711	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28712	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28713	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28714	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28695	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28715	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28716	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28717	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28718	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28719	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28770	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28771	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28772	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28773	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28774	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28696	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28775	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28776	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28777	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28778	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28779	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28780	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28781	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28782	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28783	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28784	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28697	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28785	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28786	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28787	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28788	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28789	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28790	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28791	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28792	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28793	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28794	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28698	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29297	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29298	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29299	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29300	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29301	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29302	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29303	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 57 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29304	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 58 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29305	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 59 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29306	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28699	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 60 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29307	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 61 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29308	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 62 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29309	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 63 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29310	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 64 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29311	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 65 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29312	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 66 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29313	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 67 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29314	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 68 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29315	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 69 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29316	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28702	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 70 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29317	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 71 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29318	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 72 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29319	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 1 ENGINE - NO. 73 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29320	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 74 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM29321	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28703	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM28704	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17476	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17485	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17486	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17487	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17488	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17489	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17490	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17491	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17492	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17493	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17494	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17477	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17495	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17496	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17497	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17498	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17499	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17500	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17898	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17899	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17900	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18250	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17478	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18751	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18752	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18753	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18754	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18755	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18756	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18757	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18758	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18759	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18760	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17479	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18761	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18762	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18764	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18765	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18766	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18767	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18768	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18769	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18770	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18771	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17480	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18772	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18773	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18774	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18802	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18803	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18804	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18805	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 57 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18806	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 58 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18807	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 59 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18808	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17481	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 60 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18809	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 61 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18810	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 62 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18811	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 63 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18812	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 64 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18813	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 65 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18814	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 66 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18815	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 67 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18816	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 68 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18817	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 69 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18818	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17482	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 70 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18819	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 71 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18820	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 72 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18821	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 73 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18822	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-00-017		NO. 2 ENGINE - NO. 74 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM18823	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17483	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-00-017		NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 3 BLADE							Component ATA:72
PN:3035609-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20HM17484	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-01-001 U		NO. 1 ENGINE - AFT BUFFER SUMP METAL TUBE ASSY							Component ATA:72
PN:3038244-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-55-01-001 U		NO. 2 ENGINE - AFT BUFFER SUMP METAL TUBE ASSY							Component ATA:72
PN:3038244-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-55-02-001		NO. 1 ENGINE - LOW PRESSURE TURBINE, STAGE 1 NOZZLE ASSEMBLY							Component ATA:72
PN:3035708-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04217	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-02-001		NO. 2 ENGINE - LOW PRESSURE TURBINE, STAGE 1 NOZZLE ASSEMBLY						Component	ATA:72
PN:3035708-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-182382-01119	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-02-002 U		NO. 1 ENGINE - LOW PRESSURE TURBINE, STAGE 2 NOZZLE ASSEMBLY						Component	ATA:72
PN:3035681-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-55-02-002 U		NO. 2 ENGINE - LOW PRESSURE TURBINE, STAGE 2 NOZZLE ASSEMBLY						Component	ATA:72
PN:3035681-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-55-02-003 U		NO. 1 ENGINE - LOW PRESSURE TURBINE, STAGE 3 NOZZLE ASSEMBLY						Component	ATA:72
PN:3035682-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-55-02-003 U		NO. 2 ENGINE - LOW PRESSURE TURBINE, STAGE 3 NOZZLE ASSEMBLY						Component	ATA:72
PN:3035682-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-55-02-004		NO. 1 ENGINE - LOW PRESSURE TURBINE, STAGE 1 ROTOR ASSEMBLY						Component	ATA:72
PN:3035692-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-07421	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-55-02-004		NO. 2 ENGINE - LOW PRESSURE TURBINE, STAGE 1 ROTOR ASSEMBLY						Component	ATA:72
PN:3035692-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-07431	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02									
72-55-02-005		NO. 1 ENGINE - EXIT GUIDE VANE NOZZLE						Component	ATA:72
PN:70040176-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-156101-01207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02									
72-55-02-005		NO. 2 ENGINE - EXIT GUIDE VANE NOZZLE						Component	ATA:72
PN:70040176-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-156101-01694	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02PROC. REF: LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02, LMM 72-55-02									
72-55-04-001		NO. 1 ENGINE - STATIONARY INNER SEAL						Component	ATA:72
PN:3035659-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04217	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-55-04-001		NO. 2 ENGINE - STATIONARY INNER SEAL						Component	ATA:72
PN:3035659-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-182382-01119	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-60-01-001 U		NO. 1 ENGINE - ACCESSORY GEARBOX BUILD UNIT - NO. 1 ELASTOMERIC BUSHING SLEEVE						Component	ATA:72
PN:3036164-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-60-01-001 U		NO. 2 ENGINE - ACCESSORY GEARBOX BUILD UNIT - NO. 1 ELASTOMERIC BUSHING SLEEVE						Component	ATA:72
PN:3036164-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-60-01-002 U		NO. 1 ENGINE - ACCESSORY GEARBOX BUILD UNIT - NO. 2 ELASTOMERIC BUSHING SLEEVE						Component	ATA:72
PN:3036164-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-60-01-002 U		NO. 2 ENGINE - ACCESSORY GEARBOX BUILD UNIT - NO. 2 ELASTOMERIC BUSHING SLEEVE						Component	ATA:72
PN:3036164-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-60-01-003 U		NO. 1 ENGINE - ACCESSORY GEARBOX MOUNT LINK						Component	ATA:72
PN:3036176-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-60-01-003 U		NO. 2 ENGINE - ACCESSORY GEARBOX MOUNT LINK						Component	ATA:72
PN:3036176-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-02-030-002		NO. 1 ENGINE - NO. 1 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-181958-55656	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002	NO. 1 ENGINE - NO. 10 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02172	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 11 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02176	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 12 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02188	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 13 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02200	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 14 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02213	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 15 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02214	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002	NO. 1 ENGINE - NO. 16 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02215	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 17 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02263	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 18 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02312	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 19 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02321	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 2 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01529	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 20 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02331	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002	NO. 1 ENGINE - NO. 21 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02376	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 22 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02386	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 3 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01534	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 4 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01972	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 5 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02008	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 6 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002	NO. 1 ENGINE - NO. 7 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02053	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 8 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02133	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 9 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02160	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 1 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-181958-45094	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 10 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01956	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 11 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01982	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002		NO. 2 ENGINE - NO. 12 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02010	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 13 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02027	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 14 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02060	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 15 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02101	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 16 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02112	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 17 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02155	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002	NO. 2 ENGINE - NO. 18 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02203	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 19 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02241	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 2 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-181958-55292	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 20 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02272	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 21 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02313	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 22 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-02349	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002	NO. 2 ENGINE - NO. 3 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-181958-55339	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 4 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01664	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 5 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01667	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 6 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01757	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 7 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01944	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 2 ENGINE - NO. 8 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01946	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-02-030-002		NO. 2 ENGINE - NO. 9 FAN BLADE						Component	ATA:72
PN:70040466-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-182297-01948	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-05-001 U		NO. 1 ENGINE - STATOR SCHROUD GROMMET						Component	ATA:72
PN:3037105-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-001 U		NO. 2 ENGINE - STATOR SCHROUD GROMMET						Component	ATA:72
PN:3037105-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-002 U		NO. 1 ENGINE - STATOR HUB GROMMET						Component	ATA:72
PN:3037107-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-002 U		NO. 2 ENGINE - STATOR HUB GROMMET						Component	ATA:72
PN:3037107-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-010 U		NO. 1 ENGINE - NO. 1 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-010 U		NO. 2 ENGINE - NO. 1 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-011 U		NO. 1 ENGINE - NO. 2 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-011 U		NO. 2 ENGINE - NO. 2 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-012 U		NO. 1 ENGINE - NO. 3 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-012 U		NO. 2 ENGINE - NO. 3 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-013 U		NO. 1 ENGINE - NO. 4 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-013 U		NO. 2 ENGINE - NO. 4 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-014 U		NO. 1 ENGINE - NO. 5 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-014 U		NO. 2 ENGINE - NO. 5 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-015 U		NO. 1 ENGINE - NO. 6 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-015 U		NO. 2 ENGINE - NO. 6 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-016 U		NO. 1 ENGINE - NO. 7 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-016 U		NO. 2 ENGINE - NO. 7 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-017 U		NO. 1 ENGINE - NO. 8 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-017 U		NO. 2 ENGINE - NO. 8 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-018 U		NO. 1 ENGINE - NO. 9 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-018 U		NO. 2 ENGINE - NO. 9 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-019 U		NO. 1 ENGINE - NO. 10 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-019 U		NO. 2 ENGINE - NO. 10 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-020 U		NO. 1 ENGINE - NO. 11 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-020 U		NO. 2 ENGINE - NO. 11 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-021 U		NO. 1 ENGINE - NO. 12 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-021 U		NO. 2 ENGINE - NO. 12 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-022 U		NO. 1 ENGINE - NO. 13 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-022 U		NO. 2 ENGINE - NO. 13 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-023 U		NO. 1 ENGINE - NO. 14 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-023 U		NO. 2 ENGINE - NO. 14 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-024 U		NO. 1 ENGINE - NO. 15 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-024 U		NO. 2 ENGINE - NO. 15 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-025 U		NO. 1 ENGINE - NO. 16 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-025 U		NO. 2 ENGINE - NO. 16 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-026 U		NO. 1 ENGINE - NO. 17 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-026 U		NO. 2 ENGINE - NO. 17 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-027 U		NO. 1 ENGINE - NO. 18 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-027 U		NO. 2 ENGINE - NO. 18 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-028 U		NO. 1 ENGINE - NO. 19 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-028 U		NO. 2 ENGINE - NO. 19 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-029 U		NO. 1 ENGINE - NO. 20 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-029 U		NO. 2 ENGINE - NO. 20 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-030 U		NO. 1 ENGINE - NO. 21 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-030 U		NO. 2 ENGINE - NO. 21 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-031 U		NO. 1 ENGINE - NO. 22 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-031 U		NO. 2 ENGINE - NO. 22 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-032 U		NO. 1 ENGINE - NO. 23 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-032 U		NO. 2 ENGINE - NO. 23 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-033 U		NO. 1 ENGINE - NO. 24 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-033 U		NO. 2 ENGINE - NO. 24 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-034 U		NO. 1 ENGINE - NO. 25 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-034 U		NO. 2 ENGINE - NO. 25 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-035 U		NO. 1 ENGINE - NO. 26 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-035 U		NO. 2 ENGINE - NO. 26 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-036 U		NO. 1 ENGINE - NO. 27 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-036 U		NO. 2 ENGINE - NO. 27 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-037 U		NO. 1 ENGINE - NO. 28 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-037 U		NO. 2 ENGINE - NO. 28 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-038 U		NO. 1 ENGINE - NO. 29 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-038 U		NO. 2 ENGINE - NO. 29 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-039 U		NO. 1 ENGINE - NO. 30 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-039 U		NO. 2 ENGINE - NO. 30 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-040 U		NO. 1 ENGINE - NO. 31 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-040 U		NO. 2 ENGINE - NO. 31 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-041 U		NO. 1 ENGINE - NO. 32 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-041 U		NO. 2 ENGINE - NO. 32 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-042 U		NO. 1 ENGINE - NO. 33 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-042 U		NO. 2 ENGINE - NO. 33 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-043 U		NO. 1 ENGINE - NO. 34 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-043 U		NO. 2 ENGINE - NO. 34 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-044 U		NO. 1 ENGINE - NO. 35 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-044 U		NO. 2 ENGINE - NO. 35 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-045 U		NO. 1 ENGINE - NO. 36 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-045 U		NO. 2 ENGINE - NO. 36 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-046 U		NO. 1 ENGINE - NO. 37 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-046 U		NO. 2 ENGINE - NO. 37 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-047 U		NO. 1 ENGINE - NO. 38 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-047 U		NO. 2 ENGINE - NO. 38 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-048 U		NO. 1 ENGINE - NO. 39 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-048 U		NO. 2 ENGINE - NO. 39 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-049 U		NO. 1 ENGINE - NO. 40 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-049 U		NO. 2 ENGINE - NO. 40 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-050 U		NO. 1 ENGINE - NO. 41 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-050 U		NO. 2 ENGINE - NO. 41 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-051 U		NO. 1 ENGINE - NO. 42 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-051 U		NO. 2 ENGINE - NO. 42 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-052 U		NO. 1 ENGINE - NO. 43 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-052 U		NO. 2 ENGINE - NO. 43 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-053 U		NO. 1 ENGINE - NO. 44 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-053 U		NO. 2 ENGINE - NO. 44 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-054 U		NO. 1 ENGINE - NO. 45 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-054 U		NO. 2 ENGINE - NO. 45 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-055 U		NO. 1 ENGINE - NO. 46 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-055 U		NO. 2 ENGINE - NO. 46 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-056 U		NO. 1 ENGINE - NO. 47 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-056 U		NO. 2 ENGINE - NO. 47 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-057 U		NO. 1 ENGINE - NO. 48 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-057 U		NO. 2 ENGINE - NO. 48 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-058 U		NO. 1 ENGINE - NO. 49 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-058 U		NO. 2 ENGINE - NO. 49 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-059 U		NO. 1 ENGINE - NO. 50 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-059 U		NO. 2 ENGINE - NO. 50 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-060 U		NO. 1 ENGINE - NO. 51 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-060 U		NO. 2 ENGINE - NO. 51 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-061 U		NO. 1 ENGINE - NO. 52 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-05-061 U		NO. 2 ENGINE - NO. 52 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-062 U		NO. 1 ENGINE - NO. 53 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-05-062 U		NO. 2 ENGINE - NO. 53 FAN STATOR VANE						Component	ATA:72
PN:70040191-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-06-001 U		NO. 1 ENGINE - NO. 1 REAR STRUT SUPPORT ASSEMBLY						Component	ATA:72
PN:70040140-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-06-001 U		NO. 2 ENGINE - NO. 1 REAR STRUT SUPPORT ASSEMBLY						Component	ATA:72
PN:70040140-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-06-002 U		NO. 1 ENGINE - NO. 2 REAR STRUT SUPPORT ASSEMBLY						Component	ATA:72
PN:70040140-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-06-002 U		NO. 2 ENGINE - NO. 2 REAR STRUT SUPPORT ASSEMBLY						Component	ATA:72
PN:70040140-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-06-003 U		NO. 1 ENGINE - NO. 3 REAR STRUT SUPPORT ASSEMBLY						Component	ATA:72
PN:70040141-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-06-003 U		NO. 2 ENGINE - NO. 3 REAR STRUT SUPPORT ASSEMBLY						Component	ATA:72
PN:70040141-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-10-001 U		NO. 1 ENGINE - FRONT FRAME SEAL PLATE						Component	ATA:72
PN:3037032-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-10-001 U		NO. 2 ENGINE - FRONT FRAME SEAL PLATE						Component	ATA:72
PN:3037032-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-10-002 U		NO. 1 ENGINE - FRANGIBLE NO. 1 BEARING SLEEVE						Component	ATA:72
PN:3037050-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-70-10-002 U		NO. 2 ENGINE - FRANGIBLE NO. 1 BEARING SLEEVE							Component ATA:72
PN:3037050-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-10-003 U		NO. 1 ENGINE - NO. 1 BEARING SEAL HOUSING ASSEMBLY							Component ATA:72
PN:70040458-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-70-10-003 U		NO. 2 ENGINE - NO. 1 BEARING SEAL HOUSING ASSEMBLY							Component ATA:72
PN:70040458-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
72-71-00-001		NO. 1 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: LMM 72-70-02PROC. REF: LMM 72-70-02									
72-71-00-001		NO. 2 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: LMM 72-70-02PROC. REF: LMM 72-70-02									
72-71-00-002		NO. 1 ENGINE - DISCARD OF LOW PRESSURE (LP) TURBINE FAN STUB SHAFT							Service ATA:72
	MOS	29-Sep-21						LIFE LIMIT	
	HRS	0							
	ENC	0	15000		(15000) 15000		14622		
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-71-00-002		NO. 2 ENGINE - DISCARD OF LOW PRESSURE (LP) TURBINE FAN STUB SHAFT							Service ATA:72
	MOS	29-Sep-21						LIFE LIMIT	
	HRS	0							
	ENC	0	15000		(15000) 15000		14622		
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10									
72-71-00-003		NO. 1 ENGINE - LP TURBINE DRIVE ARM							Component ATA:72
PN:3035610-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:1918244932171	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-003		NO. 2 ENGINE - LP TURBINE DRIVE ARM							Component ATA:72
PN:3035610-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-01335	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-006		NO. 1 ENGINE - FAN DISK							Component ATA:72
PN:70041043-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:2018244933182	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-006		NO. 2 ENGINE - FAN DISK							Component ATA:72
PN:70041043-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:2018244933186	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-71-00-007		NO. 1 ENGINE - FAN STUB SHAFT							Component ATA:72
PN:3037099-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:16-102045-01563	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10									
72-71-00-007		NO. 2 ENGINE - FAN STUB SHAFT							Component ATA:72
PN:3037099-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-102045-08132	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10									
72-71-00-009 S		NO. 1 ENGINE - DETAILED INSPECTION FAN STATOR ASSEMBLY							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: LMM 72-70-05, LMM 74-20-01PROC. REF: LMM 72-70-05, LMM 74-20-01									
72-71-00-009 S		NO. 2 ENGINE - DETAILED INSPECTION FAN STATOR ASSEMBLY							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: LMM 72-70-05, LMM 74-20-01PROC. REF: LMM 72-70-05, LMM 74-20-01									
72-71-00-010		NO. 1 ENGINE - SPINNER COVER RING							Component ATA:72
PN:70040460-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-156138-02016	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-71-00-010		NO. 2 ENGINE - SPINNER COVER RING							Component ATA:72
PN:70040460-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-5060-00892	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01									
72-71-00-011		NO. 1 ENGINE - SPINNER INNER RING							Component ATA:72
PN:70040459-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-5060-00915	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-011		NO. 2 ENGINE - SPINNER INNER RING							Component ATA:72
PN:70040459-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-5060-00907	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-012		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-012		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-71-00-014		NO. 1 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-014		NO. 2 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-015		NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN BLADES							Service ATA:72
	MOS	29-Sep-21							
	HRS	0							
	ENC	0	15000 (+750)		(15000) 15000	15750	14622 (+750)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-015		NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN BLADES							Service ATA:72
	MOS	29-Sep-21							
	HRS	0							
	ENC	0	15000 (+750)		(15000) 15000	15750	14622 (+750)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-016		NO. 1 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-70-02PROC. REF: LMM 72-70-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-71-00-016		NO. 2 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-70-02PROC. REF: LMM 72-70-02									
72-71-00-017		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-017		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-018		NO. 1 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-71-00-018		NO. 2 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
72-72-00-001		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASSSURFACE AREA BETWEEN INNER AND OUTER FANBYPASS DUCTS - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-72-00-001		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASSSURFACE AREA BETWEEN INNER AND OUTER FANBYPASS DUCTS - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-72-00-003		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-72-00-003		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:72
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720001		NO. 1 ENGINE - HTF7500 TURBO-FAN ENGINE POWER GROUP							Component ATA:72
PN:70040112-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093849	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720001		NO. 2 ENGINE - HTF7500 TURBO-FAN ENGINE POWER GROUP						Component	ATA:72
PN:70040112-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093760	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720003		NO. 1 ENGINE - FINAL OUT ASSEMBLY						Component	ATA:72
PN:70040119-902	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093847	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720003		NO. 2 ENGINE - FINAL OUT ASSEMBLY						Component	ATA:72
PN:70040119-902	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093758	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720004		NO. 1 ENGINE - ZONE 2 FIRE DETECTOR						Component	ATA:72
PN:70040430-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:8481	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-04, LMM 72-00-04PROC. REF: LMM 72-00-04, LMM 72-00-04									
720004		NO. 2 ENGINE - ZONE 2 FIRE DETECTOR						Component	ATA:72
PN:70040430-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:8482	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-04, LMM 72-00-04PROC. REF: LMM 72-00-04, LMM 72-00-04									
720005		NO. 1 ENGINE - FWD FAN BYPASS DUCT ASSEMBLY						Component	ATA:72
PN:70040300-902	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093865	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720005		NO. 2 ENGINE - FWD FAN BYPASS DUCT ASSEMBLY						Component	ATA:72
PN:70040300-902	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093776	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720006		NO. 1 ENGINE - TWO WAY ONE STAGE ELHYD SERVO VALVE						Component	ATA:72
PN:2718901	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:03195	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720006		NO. 2 ENGINE - TWO WAY ONE STAGE ELHYD SERVO VALVE						Component	ATA:72
PN:2718901	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:03168	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720007		NO. 1 ENGINE - THREE WAY ONE STAGE ELHYD SERVO VALVE						Component	ATA:72
PN:2718972	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:03178	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720007		NO. 2 ENGINE - THREE WAY ONE STAGE ELHYD SERVO VALVE						Component	ATA:72
PN:2718972	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:03212	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720008		NO. 1 ENGINE - 4 WAY 2 STAGE ELHYD SERVO VALVE						Component	ATA:72
PN:442197-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:ESVBD12975	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720008		NO. 2 ENGINE - 4 WAY 2 STAGE ELHYD SERVO VALVE						Component	ATA:72
PN:442197-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:ESVBD12976	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720010		NO. 1 ENGINE - SERVO VALVE BODY ASSEMBLY						Component	ATA:72
PN:2687749	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-3110	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720010		NO. 2 ENGINE - SERVO VALVE BODY ASSEMBLY						Component	ATA:72
PN:2687749	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-3136	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720013		NO. 1 ENGINE - ARMATURE ASSEMBLY						Component	ATA:72
PN:2684714-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-23883	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720013		NO. 2 ENGINE - ARMATURE ASSEMBLY						Component	ATA:72
PN:2684714-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-23900	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720014		NO. 1 ENGINE - TORQUE MOTOR BASE ASSEMBLY						Component	ATA:72
PN:2685627	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-130723	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720014		NO. 2 ENGINE - TORQUE MOTOR BASE ASSEMBLY						Component	ATA:72
PN:2685627	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-130589	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720015		NO. 1 ENGINE - TORQUE MOTOR ASSEMBLY SERVO VALVE						Component	ATA:72
PN:2685759-005	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:06848-130723	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720015		NO. 2 ENGINE - TORQUE MOTOR ASSEMBLY SERVO VALVE						Component	ATA:72
PN:2685759-005	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:06848-130589	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720020		NO. 1 ENGINE - MAIN BODY ASSEMBLY						Component	ATA:72
PN:82010896-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-OA4266W	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720020		NO. 2 ENGINE - MAIN BODY ASSEMBLY						Component	ATA:72
PN:82010896-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-OA4300W	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720023		NO. 1 ENGINE - MATCHED METERING VALVE AND SLEEVE ASSEMBLY						Component	ATA:72
PN:82010501-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-0440	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720023	NO. 2 ENGINE - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component	ATA:72
PN:82010501-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-0439	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720026	NO. 1 ENGINE - SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201681-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:10-A6025	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720026	NO. 2 ENGINE - SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201681-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:10-A6156	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720027	NO. 1 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:10-A6155	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720027	NO. 2 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:10-A6142	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720028	NO. 1 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:10-A6152	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720028		NO. 2 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER						Component	ATA:72
PN:4201680-1002	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:117-A4745	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720029		NO. 1 ENGINE - SILICON PRESSURE TRANSDUCER						Component	ATA:72
PN:4201681-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:10-A6022	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720029		NO. 2 ENGINE - SILICON PRESSURE TRANSDUCER						Component	ATA:72
PN:4201681-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:117-A4722	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720031		NO. 1 ENGINE - AS900 SENSOR						Component	ATA:72
PN:4244822-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:680214	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720031		NO. 2 ENGINE - AS900 SENSOR						Component	ATA:72
PN:4244822-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:680234	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720032		NO. 1 ENGINE - SENSOR						Component	ATA:72
PN:4244822-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:679167	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720032		NO. 2 ENGINE - SENSOR						Component	ATA:72
PN:4244822-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:629481	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720033		NO. 1 ENGINE - SENSOR						Component	ATA:72
PN:4201682-2004	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:680144	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720033		NO. 2 ENGINE - SENSOR						Component	ATA:72
PN:4201682-2004	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:678293	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720034		NO. 1 ENGINE - SENSOR						Component	ATA:72
PN:4201682-2004	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:680129	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720034		NO. 2 ENGINE - SENSOR						Component	ATA:72
PN:4201682-2004	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:630258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720041		NO. 1 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245012-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY0025-2026	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720041		NO. 2 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245012-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY9899-2025	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720042		NO. 1 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245012-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY8934-2021	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720042		NO. 2 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245012-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:HNW007510056	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720043		NO. 1 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245273-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY0175-2027	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720043		NO. 2 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245273-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY8398-2020	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720044		NO. 1 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY						Component	ATA:72
PN:4245273-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY8382-2020	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720044	NO. 2 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245273-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:HNW007493045	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720045	NO. 1 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY9163-2023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720045	NO. 2 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY9830-2025	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720046	NO. 1 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:CMY9141-2023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720046	NO. 2 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FNP0047-1809	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720060	NO. 1 ENGINE - TOWER SHAFT							Component	ATA:72
PN:3033197-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20P17125	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720060	NO. 2 ENGINE - TOWER SHAFT							Component	ATA:72
PN:3033197-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20P14958	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60									
720061	NO. 1 ENGINE - ACCESSORY BUILD UNIT HTF7000 GEARBOX							Component	ATA:72
PN:3036000-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20P36764	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60									
720061	NO. 2 ENGINE - ACCESSORY BUILD UNIT HTF7000 GEARBOX							Component	ATA:72
PN:3036000-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20P36714	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60PROC. REF: LMM 72-00-60, LMM 72-00-60									
720070	NO. 1 ENGINE - NOSE CONE							Component	ATA:72
PN:70040112-908	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:17-1034-07572	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720070	NO. 2 ENGINE - NOSE CONE							Component	ATA:72
PN:70040112-908	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-1034-26346	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720080	NO. 1 ENGINE - INLET GUIDE VANE (IGV) ASSEMBLY							Component	ATA:72
PN:70040112-914	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093859	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720080		NO. 2 ENGINE - INLET GUIDE VANE (IGV) ASSEMBLY						Component	ATA:72
PN:70040112-914	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093770	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720085		NO. 1 ENGINE - PLENUM ASSEMBLY						Component	ATA:72
PN:70040112-916	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-3300-03158	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720085		NO. 2 ENGINE - PLENUM ASSEMBLY						Component	ATA:72
PN:70040112-916	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-02759	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
722001		NO. 1 ENGINE - FAN INLET COMPOSITE HOUSING						Component	ATA:72
PN:70040190-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-114642-00485	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-20-01, LMM 72-20-01PROC. REF: LMM 72-20-01, LMM 72-20-01									
722001		NO. 2 ENGINE - FAN INLET COMPOSITE HOUSING						Component	ATA:72
PN:70040190-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-114642-00497	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-20-01, LMM 72-20-01PROC. REF: LMM 72-20-01, LMM 72-20-01									
723001		NO. 1 ENGINE - UPPER TOWERSHAFT HOUSING ASSEMBLY						Component	ATA:72
PN:3033022-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162620-00691	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REFPROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
723001		NO. 2 ENGINE - UPPER TOWERSHAFT HOUSING ASSEMBLY						Component	ATA:72
PN:3033022-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:6012346971	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REFPROC. REF: LMM 72-30-01, LMM 72-30-01, GENERIC NO REF									
723002		NO. 1 ENGINE - BEARING SET						Component	ATA:72
PN:3033023-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-06477	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723002		NO. 2 ENGINE - BEARING SET						Component	ATA:72
PN:3033023-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-06001	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723003		NO. 1 ENGINE - NO.2 BEARING RING CARBON SEAL						Component	ATA:72
PN:3033189-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00482	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723003		NO. 2 ENGINE - NO.2 BEARING RING CARBON SEAL						Component	ATA:72
PN:3033189-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00424	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723004		NO. 1 ENGINE - NO.2 BEARING RING CARBON SEAL						Component	ATA:72
PN:3033189-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00498	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
723004		NO. 2 ENGINE - NO.2 BEARING RING CARBON SEAL						Component	ATA:72
PN:3033189-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00460	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723005		NO. 1 ENGINE - #3 CARBON SEAL						Component	ATA:72
PN:3033035-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00836	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-05, LMM 72-30-05PROC. REF: LMM 72-30-05, LMM 72-30-05									
723005		NO. 2 ENGINE - #3 CARBON SEAL						Component	ATA:72
PN:3033035-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00769	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-05, LMM 72-30-05PROC. REF: LMM 72-30-05, LMM 72-30-05									
723006		NO. 1 ENGINE - BEARING SET						Component	ATA:72
PN:3033180-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162255-19120	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723006		NO. 2 ENGINE - BEARING SET						Component	ATA:72
PN:3033180-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162255-19142	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723007		NO. 1 ENGINE - AIRCRAFT-GAS TURBINE ENGINE FRONT FRAME						Component	ATA:72
PN:70040939-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-101376-00050	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
723007		NO. 2 ENGINE - AIRCRAFT-GAS TURBINE ENGINE FRONT FRAME						Component	ATA:72
PN:70040939-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-101376-00014	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723010		NO. 1 ENGINE - INLET GUIDE VANE (IGV) UNISON RING SET						Component	ATA:72
PN:3033142-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-113332-00085	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723010		NO. 2 ENGINE - INLET GUIDE VANE (IGV) UNISON RING SET						Component	ATA:72
PN:3033142-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-113332-00081	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723011		NO. 1 ENGINE - INLET GUIDE VANE (IGV) SUPPORT ASSEMBLY						Component	ATA:72
PN:3033163-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-109742-00161	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723011		NO. 2 ENGINE - INLET GUIDE VANE (IGV) SUPPORT ASSEMBLY						Component	ATA:72
PN:3033163-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-109742-00175	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723012 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMPRESSOR CASE						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
723012 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMPRESSOR CASE							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									
723013 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION HP/LP BLEED AIR AND ATS DUCTS							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723013 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION HP/LP BLEED AIR AND ATS DUCTS							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723014		NO. 1 ENGINE - SPECIAL DETAIL INSPECTION (BORESCOPE) OF ECS LP BLEED CHECK VALVE							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723014		NO. 2 ENGINE - SPECIAL DETAIL INSPECTION (BORESCOPE) OF ECS LP BLEED CHECK VALVE							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
724010		NO. 1 ENGINE - DIFFUSER CASE						Component	ATA:72
PN:70040475-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-181884-00467	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724010		NO. 2 ENGINE - DIFFUSER CASE						Component	ATA:72
PN:70040475-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-181884-00469	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724011		NO. 1 ENGINE - BLADE AIR COOLING SWIRL RING						Component	ATA:72
PN:70040476-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04771	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724011		NO. 2 ENGINE - BLADE AIR COOLING SWIRL RING						Component	ATA:72
PN:70040476-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04912	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724012		NO. 1 ENGINE - COMBUSTION CHAMBER ASSEMBLY						Component	ATA:72
PN:3034088-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-3300-02779	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10									
724012		NO. 2 ENGINE - COMBUSTION CHAMBER ASSEMBLY						Component	ATA:72
PN:3034088-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-02070	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
724102 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMBUSTOR CASE						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724102 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMBUSTOR CASE						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724110		NO. 1 ENGINE - COMBUSTION CHAMBER CASE						Component	ATA:72
PN:70040010-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-182173-00080	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10									
724110		NO. 2 ENGINE - COMBUSTION CHAMBER CASE						Component	ATA:72
PN:70040010-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-182173-00011	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10									
725001		NO. 1 ENGINE - TURBINE-AXIAL FLOW WHEEL						Component	ATA:72
PN:361655-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:G100207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725001		NO. 2 ENGINE - TURBINE-AXIAL FLOW WHEEL						Component	ATA:72
PN:361655-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:G100196	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725002 S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE CASE							Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725002 S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE CASE							Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725003	NO. 1 ENGINE - LPT STAGE 2 ROTOR ASSEMBLY							Component	ATA:72
PN:3035660-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-08022	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725003	NO. 2 ENGINE - LPT STAGE 2 ROTOR ASSEMBLY							Component	ATA:72
PN:3035660-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162246-00998	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725004	NO. 1 ENGINE - LPT STAGE 3 ROTOR ASSEMBLY							Component	ATA:72
PN:3035662-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-07507	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725004	NO. 2 ENGINE - LPT STAGE 3 ROTOR ASSEMBLY							Component	ATA:72
PN:3035662-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-07478	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725101		NO. 1 ENGINE - HPT STAGE 1 SEAL ASSEMBLY						Component	ATA:72
PN:70040210-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162246-03041	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725101		NO. 2 ENGINE - HPT STAGE 1 SEAL ASSEMBLY						Component	ATA:72
PN:70040210-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2018244933977	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725102		NO. 1 ENGINE - HPT STAGE 2 SEAL ASSEMBLY						Component	ATA:72
PN:3035093-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162246-01653	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725102		NO. 2 ENGINE - HPT STAGE 2 SEAL ASSEMBLY						Component	ATA:72
PN:3035093-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:1918244932604	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725103		NO. 1 ENGINE - HPT STAGE 2 ROTOR ASSEMBLY						Component	ATA:72
PN:3035135-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162246-01697	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725103		NO. 2 ENGINE - HPT STAGE 2 ROTOR ASSEMBLY						Component	ATA:72
PN:3035135-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-07740	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725104		NO. 1 ENGINE - HPT STAGE 1 ROTOR ASSEMBLY						Component	ATA:72
PN:70040856-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-07993	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725104		NO. 2 ENGINE - HPT STAGE 1 ROTOR ASSEMBLY						Component	ATA:72
PN:70040856-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-162246-03527	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725105		NO. 1 ENGINE - HPT 1ST/2ND STAGE SHROUD AND NOZZLE ASSEMBLY						Component	ATA:72
PN:70040112-904	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-04091	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725105		NO. 2 ENGINE - HPT 1ST/2ND STAGE SHROUD AND NOZZLE ASSEMBLY						Component	ATA:72
PN:70040112-904	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-3300-05123	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725106		NO. 1 ENGINE - LPT MODULE						Component	ATA:72
PN:70040112-906	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093853	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725106		NO. 2 ENGINE - LPT MODULE						Component	ATA:72
PN:70040112-906	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093764	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725107		NO. 1 ENGINE - HPT1 NOZZLE ASSEMBLY						Component	ATA:72
PN:70040112-910	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093855	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04									
725107		NO. 2 ENGINE - HPT1 NOZZLE ASSEMBLY						Component	ATA:72
PN:70040112-910	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093766	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04									
725108		NO. 1 ENGINE - HP TURBINE ROTOR CASE MATCHED SET						Component	ATA:72
PN:70041115-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2015030300031	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725108		NO. 2 ENGINE - HP TURBINE ROTOR CASE MATCHED SET						Component	ATA:72
PN:70041115-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:MS2015030300050	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725109		NO. 1 ENGINE - LPT1 NOZZLE						Component	ATA:72
PN:3035612-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-182273-00203	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725109		NO. 2 ENGINE - LPT1 NOZZLE						Component	ATA:72
PN:3035612-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-182273-00171	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725110		NO. 1 ENGINE - LPT1 CASE						Component	ATA:72
PN:70040102-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-182273-00821	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725110		NO. 2 ENGINE - LPT1 CASE						Component	ATA:72
PN:70040102-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-182273-00822	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725501		NO. 1 ENGINE - NO. 1 CARBON SEAL						Component	ATA:72
PN:3037037-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:16-169020-00293	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725501		NO. 2 ENGINE - NO. 1 CARBON SEAL						Component	ATA:72
PN:3037037-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-01292	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725504		NO. 1 ENGINE - NO. 4 CARBON SEAL						Component	ATA:72
PN:3035532-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-02239	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725504		NO. 2 ENGINE - NO. 4 CARBON SEAL						Component	ATA:72
PN:3035532-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-02141	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725505		NO. 1 ENGINE - NO. 5 CARBON SEAL						Component	ATA:72
PN:3035687-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169020-00220	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725505		NO. 2 ENGINE - NO. 5 CARBON SEAL						Component	ATA:72
PN:3035687-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-169020-02853	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725506		NO. 1 ENGINE - EGV-TUBE ASSEMBLY NOZZLE						Component	ATA:72
PN:70040175-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-156101-01207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725506		NO. 2 ENGINE - EGV-TUBE ASSEMBLY NOZZLE						Component	ATA:72
PN:70040175-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-156101-01694	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725514		NO. 1 ENGINE - MATCHED ROLLER NO. 4 BEARING SET						Component	ATA:72
PN:3035647-7	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-14631	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725514		NO. 2 ENGINE - MATCHED ROLLER NO. 4 BEARING SET						Component	ATA:72
PN:3035647-7	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-08228	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725526		NO. 1 ENGINE - NO. 5 CENTERING CAGE ROLLER BEARING SET						Component	ATA:72
PN:3035683-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-09574	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725526		NO. 2 ENGINE - NO. 5 CENTERING CAGE ROLLER BEARING SET						Component	ATA:72
PN:3035683-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-09570	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725527		NO. 1 ENGINE - NO. 5 BEARING HOUSING						Component	ATA:72
PN:3035705-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150568-00505	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01									
725527		NO. 2 ENGINE - NO. 5 BEARING HOUSING						Component	ATA:72
PN:3035705-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150568-00296	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01									
725528		NO. 1 ENGINE - ANNULAR BALL BEARING						Component	ATA:72
PN:3033024-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162255-18422	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725528		NO. 2 ENGINE - ANNULAR BALL BEARING						Component	ATA:72
PN:3033024-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162255-18429	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725530	NO. 1 ENGINE - AFT BEARING SUPPORT							Component	ATA:72
PN:70040112-918	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093861	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01									
725530	NO. 2 ENGINE - AFT BEARING SUPPORT							Component	ATA:72
PN:70040112-918	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:LA093772	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01PROC. REF: LMM 72-55-01, LMM 72-55-01									
726001	NO. 1 ENGINE - N2 SPEED SENSOR							Component	ATA:72
PN:3038501-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2012311203682	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05									
726001	NO. 2 ENGINE - N2 SPEED SENSOR							Component	ATA:72
PN:3038501-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2012311203690	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05									
726002	NO. 1 ENGINE - PMA ROTOR							Component	ATA:72
PN:3038506-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2964	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF									
726002	NO. 2 ENGINE - PMA ROTOR							Component	ATA:72
PN:3038506-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2964	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
726003		NO. 1 ENGINE - PMA STATOR ASSEMBLY						Component	ATA:72
PN:3038504-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2854	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF									
726003		NO. 2 ENGINE - PMA STATOR ASSEMBLY						Component	ATA:72
PN:3038504-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2852	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REFPROC. REF: LMM 76-10-10, LMM 76-10-10, GENERIC NO REF									
726005		NO. 1 ENGINE - OIL TEMPERATURE TRANSDUCER						Component	ATA:72
PN:3038701-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016901727622	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-03, LMM 79-30-03PROC. REF: LMM 79-30-03, LMM 79-30-03									
726005		NO. 2 ENGINE - OIL TEMPERATURE TRANSDUCER						Component	ATA:72
PN:3038701-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016901727634	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-03, LMM 79-30-03PROC. REF: LMM 79-30-03, LMM 79-30-03									
726006		NO. 1 ENGINE - CHIP DETECTOR						Component	ATA:72
PN:3038706-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016238100121	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02									
726006		NO. 2 ENGINE - CHIP DETECTOR						Component	ATA:72
PN:3038706-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016238100090	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
726007		NO. 1 ENGINE - OIL FILTER MODULE ASSEMBLY						Component	ATA:72
PN:3038727-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162287-02919	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-01, LMM 79-20-01		PROC. REF: LMM 79-20-01, LMM 79-20-01							
726007		NO. 2 ENGINE - OIL FILTER MODULE ASSEMBLY						Component	ATA:72
PN:3038727-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162287-02915	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-01, LMM 79-20-01		PROC. REF: LMM 79-20-01, LMM 79-20-01							
726008		NO. 1 ENGINE - OIL TANK PRESSURE VALVE						Component	ATA:72
PN:3038797-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150503-02752	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-08, LMM 79-20-08		PROC. REF: LMM 79-20-08, LMM 79-20-08							
726008		NO. 2 ENGINE - OIL TANK PRESSURE VALVE						Component	ATA:72
PN:3038797-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150503-02774	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-08, LMM 79-20-08		PROC. REF: LMM 79-20-08, LMM 79-20-08							
727001		NO. 1 ENGINE - FAN ROTOR ASSEMBLY						Component	ATA:72
PN:70041044-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2018244933182	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-02, LMM 72-70-02		PROC. REF: LMM 72-70-02, LMM 72-70-02							
727001		NO. 2 ENGINE - FAN ROTOR ASSEMBLY						Component	ATA:72
PN:70041044-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2018244933186	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-02, LMM 72-70-02		PROC. REF: LMM 72-70-02, LMM 72-70-02							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
727005		NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY						Component	ATA:72
PN:3037108-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20P36758	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05									
727005		NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY						Component	ATA:72
PN:3037108-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20P36681	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05									
727006 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FAN BY-PASS OUTER DUCT AND SYSTEMS (LRU) ATTACHMENTS (EXTERIOR)						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727006 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FAN BY-PASS OUTER DUCT AND SYSTEMS (LRU) ATTACHMENTS (EXTERIOR)						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727011		NO. 1 ENGINE - BEARING SET						Component	ATA:72
PN:3037038-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:16-162255-29423	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727011		NO. 2 ENGINE - BEARING SET						Component	ATA:72
PN:3037038-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162255-14719	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727012		NO. 1 ENGINE - NO. 1 BEARING HOUSING ASSEMBLY						Component	ATA:72
PN:70040457-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:16-150568-00683	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10									
727012		NO. 2 ENGINE - NO. 1 BEARING HOUSING ASSEMBLY						Component	ATA:72
PN:70040457-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150568-00003	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-10, LMM 72-70-10PROC. REF: LMM 72-70-10, LMM 72-70-10									
727016		NO. 1 ENGINE - BEARING SET						Component	ATA:72
PN:3037041-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-01765	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727016		NO. 2 ENGINE - BEARING SET						Component	ATA:72
PN:3037041-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162111-01800	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727110 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION AGB ASSEMBLY						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
727110 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION AGB ASSEMBLY							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727112 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE WIRING HARNESSES							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727112 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE WIRING HARNESSES							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727113		NO. 1 ENGINE - W4 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040314-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162599-07697	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01									
727113		NO. 2 ENGINE - W4 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040314-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162599-07710	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01									
727114		NO. 1 ENGINE - W3 BRANCHED WIRING HARNESS							Component ATA:72
PN:70040313-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162599-07651	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty

ATA 72 - ENGINE

727114		NO. 2 ENGINE - W3 BRANCHED WIRING HARNESS						Component	ATA:72
PN:70040313-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162599-07664	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01									
727115		NO. 1 ENGINE - W5 BRANCHED WIRING HARNESS						Component	ATA:72
PN:70040315-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162599-07736	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01									
727115		NO. 2 ENGINE - W5 BRANCHED WIRING HARNESS						Component	ATA:72
PN:70040315-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-162599-07732	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01									
727116 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE DRAIN SYSTEM/ATTACHMENT FITTINGS						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727116 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE DRAIN SYSTEM/ATTACHMENT FITTINGS						Service	ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
727120 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION BUFFER AIR TUBES							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727120 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION BUFFER AIR TUBES							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727124 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE MIXER NOZZLE AND THE CENTER BODY							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727124 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE MIXER NOZZLE AND THE CENTER BODY							Service ATA:72
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727126		NO. 1 ENGINE - INSPECT (COMPLETE) HYDROMECHANICAL UNIT							Service ATA:72
PN:442650	MOS	29-Sep-21							
SN:FHC2921	HRS	0	7000 (+750)		(7000) 7000	7750	6440.8 (+750)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
727126		NO. 2 ENGINE - INSPECT (COMPLETE) HYDROMECHANICAL UNIT							Service ATA:72
PN:442650	MOS	29-Sep-21							
SN:FHC2919	HRS	0	7000 (+750)		(7000) 7000	7750	6440.8 (+750)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
727130		NO. 1 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3036004-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169019-04077	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-61-01, LMM 72-61-01PROC. REF: LMM 72-61-01, LMM 72-61-01									
727130		NO. 2 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3036004-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169019-04076	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-61-01, LMM 72-61-01PROC. REF: LMM 72-61-01, LMM 72-61-01									
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95744	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95755	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95756	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95757	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95746	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95747	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95748	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95750	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95751	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95752	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95753	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAD95754	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE61139	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE62536	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE63151	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE63159	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE61718	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE61719	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE61720	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE61730	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE61733	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE62523	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE62524	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-001		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS	29-Sep-21							
SN:AAE62525	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:18-169016-04665	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:18-169016-04666	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:18-169016-04667	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-002		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:18-169016-04700	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:20-169016-00432	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:20-169016-00437	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:20-169016-00574	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-002		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 START FUEL NOZZLE							Service ATA:73
PN:3034073-1	MOS	29-Sep-21						OVERHAUL	
SN:20-169016-00576	HRS	0	2250 (+100)		(2250) 2250	2350	1690.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-004		NO. 1 ENGINE - DISCARD OF FUEL FILTER ELEMENT- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: AMM 73-10-06PROC. REF: AMM 73-10-06									
73-10-00-004		NO. 2 ENGINE - DISCARD OF FUEL FILTER ELEMENT- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:73
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: AMM 73-10-06PROC. REF: AMM 73-10-06									
73-10-00-005 S		NO. 1 ENGINE - VISUAL CHECK FUEL FILTER MECHANICAL DIFFERENTIAL PRESSURE INDICATOR							Service ATA:73
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-005 S		NO. 2 ENGINE - VISUAL CHECK FUEL FILTER MECHANICAL DIFFERENTIAL PRESSURE INDICATOR							Service ATA:73
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95744	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95755	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95756	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95757	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95746	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95747	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95748	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95750	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95751	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95752	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95753	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006		NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAD95754	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE61139	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE62536	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE63151	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE63159	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE61718	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE61719	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE61720	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE61730	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE61733	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE62523	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE62524	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-006		NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
PN:70040941-1	MOS/MSC	29-Sep-21	N/A						
SN:AAE62525	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-007		NO. 1 ENGINE - DISCARD OF ENGINE FUEL FILTER ELEMENT - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: AMM 73-10-06PROC. REF: AMM 73-10-06									
73-10-00-007		NO. 2 ENGINE - DISCARD OF ENGINE FUEL FILTER ELEMENT - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:73
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: AMM 73-10-06PROC. REF: AMM 73-10-06									
73-10-01-001 U		NO. 1 ENGINE - SELF-LOCKING NUT						Component	ATA:73
PN:525-123-9003	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-01-001 U		NO. 2 ENGINE - SELF-LOCKING NUT						Component	ATA:73
PN:525-123-9003	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
73-10-02-001 U		NO. 1 ENGINE - SELF-LOCKING NUT						Component	ATA:73
PN:525-124-9003	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
73-10-02-001 U		NO. 2 ENGINE - SELF-LOCKING NUT						Component	ATA:73
PN:525-124-9003	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
73-10-03-001 U		NO. 1 ENGINE - INTERNAL AND EXTERNAL PRESSURE C-SEAL						Component	ATA:73
PN:651-538-9507	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
73-10-03-001 U		NO. 2 ENGINE - INTERNAL AND EXTERNAL PRESSURE C-SEAL						Component	ATA:73
PN:651-538-9507	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
731000 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FUEL SYSTEM COMPONENTS AND TUBING						Service	ATA:73
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							

PKG:5

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
731000 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FUEL SYSTEM COMPONENTS AND TUBING						Service	ATA:73
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731002		NO. 1 ENGINE - FLOW DIVIDER BODY ASSEMBLY						Component	ATA:73
PN:2690213	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-A1463	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04									
731002		NO. 2 ENGINE - FLOW DIVIDER BODY ASSEMBLY						Component	ATA:73
PN:2690213	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-A1467	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04									
731003		NO. 1 ENGINE - FLOW DIVIDER MATCHED VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2688069	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150592-2845	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731003		NO. 2 ENGINE - FLOW DIVIDER MATCHED VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2688069	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150592-1837	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731004		NO. 1 ENGINE - FLOW DIVIDER						Component	ATA:73
PN:442425	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FDAZ2854	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
731004	NO. 2 ENGINE - FLOW DIVIDER							Component	ATA:73
PN:442425	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FDAZ2830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04PROC. REF: LMM 73-10-04, LMM 73-10-04									
731005	NO. 1 ENGINE - FUEL OIL HEATER							Component	ATA:73
PN:160658-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2948	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731005	NO. 2 ENGINE - FUEL OIL HEATER							Component	ATA:73
PN:160658-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2949	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731006	NO. 1 ENGINE - NO. 1 FILTER ASSEMBLY MODULE							Component	ATA:73
PN:442322	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FMJ2831	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-06, LMM 73-10-06PROC. REF: LMM 73-10-06, LMM 73-10-06									
731006	NO. 2 ENGINE - NO. 1 FILTER ASSEMBLY MODULE							Component	ATA:73
PN:442322	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FMJ2837	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-06, LMM 73-10-06PROC. REF: LMM 73-10-06, LMM 73-10-06									
731007	NO. 1 ENGINE - NO. 1 FILTER MODULE HOUSING ASSEMBLY							Component	ATA:73
PN:2688742	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-X-152608	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
731007		NO. 2 ENGINE - NO. 1 FILTER MODULE HOUSING ASSEMBLY						Component	ATA:73
PN:2688742	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-X-152618	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731008		NO. 1 ENGINE - NO. 1 MATCHED FILTER BYPASS VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687210	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-2402	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731008		NO. 2 ENGINE - NO. 1 MATCHED FILTER BYPASS VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687210	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-2438	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731010		NO. 1 ENGINE - MAIN FUEL PUMP						Component	ATA:73
PN:82011224-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150329-0483	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-10, LMM 73-10-10PROC. REF: LMM 73-10-10, LMM 73-10-10									
731010		NO. 2 ENGINE - MAIN FUEL PUMP						Component	ATA:73
PN:82011224-001	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150329-0505	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-10, LMM 73-10-10PROC. REF: LMM 73-10-10, LMM 73-10-10									
731012		NO. 1 ENGINE - MATCHED PRESSURIZING VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687693	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-2441	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
731012		NO. 2 ENGINE - MATCHED PRESSURIZING VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687693	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-2328	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731013		NO. 1 ENGINE - MATCHED BYPASS VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687957	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-1661	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731013		NO. 2 ENGINE - MATCHED BYPASS VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687957	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-1611	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731014		NO. 1 ENGINE - MATCHED VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687127	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-2475	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731014		NO. 2 ENGINE - MATCHED VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687127	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:150529-2554	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732001		NO. 1 ENGINE - MAIN FUEL CONTROL (HYDROMECHANICAL UNIT)						Component	ATA:73
PN:442650	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FHC2921	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732001		NO. 2 ENGINE - MAIN FUEL CONTROL (HYDROMECHANICAL UNIT)						Component	ATA:73
PN:442650	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:FHC2919	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-20-01, LMM 73-20-01		PROC. REF: LMM 73-20-01, LMM 73-20-01							
732025		NO. 1 ENGINE - NO. 1 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95744	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732025		NO. 2 ENGINE - NO. 1 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE61139	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732026		NO. 1 ENGINE - NO. 2 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95746	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732026		NO. 2 ENGINE - NO. 2 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE61718	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732027		NO. 1 ENGINE - NO. 3 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95747	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732027		NO. 2 ENGINE - NO. 3 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE61719	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732028		NO. 1 ENGINE - NO. 4 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95748	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732028		NO. 2 ENGINE - NO. 4 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE61720	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732029		NO. 1 ENGINE - NO. 5 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95750	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732029		NO. 2 ENGINE - NO. 5 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE61730	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732030		NO. 1 ENGINE - NO. 6 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95751	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732030		NO. 2 ENGINE - NO. 6 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE61733	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732031		NO. 1 ENGINE - NO. 7 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95752	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732031		NO. 2 ENGINE - NO. 7 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE62523	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732032		NO. 1 ENGINE - NO. 8 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95753	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732032		NO. 2 ENGINE - NO. 8 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE62524	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732033		NO. 1 ENGINE - NO. 9 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95754	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732033	NO. 2 ENGINE - NO. 9 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE62525	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732034	NO. 1 ENGINE - NO. 10 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95755	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732034	NO. 2 ENGINE - NO. 10 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE62536	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732035	NO. 1 ENGINE - NO. 11 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95756	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732035	NO. 2 ENGINE - NO. 11 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE63151	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732036	NO. 1 ENGINE - NO. 12 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAD95757	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732036		NO. 2 ENGINE - NO. 12 MAIN FUEL INJECTION NOZZLE						Component	ATA:73
PN:70040941-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:AAE63159	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732040		NO. 1 ENGINE - NO. 1 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-169016-04665	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732040		NO. 2 ENGINE - NO. 1 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169016-00432	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732041		NO. 1 ENGINE - NO. 2 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-169016-04666	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732041		NO. 2 ENGINE - NO. 2 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169016-00437	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							
732042		NO. 1 ENGINE - NO. 3 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-169016-04667	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03		PROC. REF: LMM 73-10-03, LMM 73-10-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732042		NO. 2 ENGINE - NO. 3 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169016-00574	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732043		NO. 1 ENGINE - NO. 4 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-169016-04700	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732043		NO. 2 ENGINE - NO. 4 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-169016-00576	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03PROC. REF: LMM 73-10-03, LMM 73-10-03									
732061 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE P3 SENSOR LINE						Service	ATA:73
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732061 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE P3 SENSOR LINE						Service	ATA:73
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
733001		NO. 1 ENGINE - FUEL PRESSURE SWITCH						Component	ATA:73
PN:3038066-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016216702106	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-01, LMM 73-30-01PROC. REF: LMM 73-30-01, LMM 73-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
733001	NO. 2 ENGINE - FUEL PRESSURE SWITCH							Component	ATA:73
PN:3038066-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016216702118	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-01, LMM 73-30-01	PROC. REF: LMM 73-30-01, LMM 73-30-01								
733002	NO. 1 ENGINE - FUEL FLOWMETER							Component	ATA:73
PN:70040305-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-152330-00376	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-02, LMM 73-30-02	PROC. REF: LMM 73-30-02, LMM 73-30-02								
733002	NO. 2 ENGINE - FUEL FLOWMETER							Component	ATA:73
PN:70040305-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:19-152330-00462	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-02, LMM 73-30-02	PROC. REF: LMM 73-30-02, LMM 73-30-02								
733005	NO. 1 ENGINE - DUAL FUNCTION FUEL SWITCH							Component	ATA:73
PN:2718964	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2862	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-05, LMM 73-30-05	PROC. REF: LMM 73-30-05, LMM 73-30-05								
733005	NO. 2 ENGINE - DUAL FUNCTION FUEL SWITCH							Component	ATA:73
PN:2718964	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2890	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-05, LMM 73-30-05	PROC. REF: LMM 73-30-05, LMM 73-30-05								
ATA 74 - IGNITION									
74-10-02-710-801-A	IGNITION CONTROL PANEL - OPERATIONAL TEST							Service	ATA:74
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 74-10-02	PROC. REF: AMM 74-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 74 - IGNITION									
74-20-00-002		NO. 1 ENGINE - DETAILED INSPECTION OF IGNITION LEAD ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001						Service	ATA:74
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01									
74-20-00-002		NO. 2 ENGINE - DETAILED INSPECTION OF IGNITION LEAD ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001						Service	ATA:74
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01									
74-20-00-003		NO. 1 ENGINE - DETAILED INSPECTION OF ENGINE IGNITION LEAD ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:74
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01									
74-20-00-003		NO. 2 ENGINE - DETAILED INSPECTION OF ENGINE IGNITION LEAD ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)						Service	ATA:74
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01									
741023-0101		CSL CENT IGNITION CONTROL PANEL ASSY						Component	ATA:74
PN:431800-002	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:431800AA0228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 74-10-02, AMM 74-10-02PROC. REF: AMM 74-10-02, AMM 74-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 74 - IGNITION									
741110		NO. 1 ENGINE - IGNITION EXCITER						Component	ATA:74
PN:3038100-6	MOS/MSC	29-Mar-22	O/C	TSN 15					
SN:2016250401806	HRS	79.6		TSN 79.6					
	ENC	66		TSN 66					
PROC. REF: LMM 74-10-01, LMM 74-10-01PROC. REF: LMM 74-10-01, LMM 74-10-01									
741110		NO. 2 ENGINE - IGNITION EXCITER						Component	ATA:74
PN:3038100-6	MOS/MSC	29-Mar-22	O/C	TSN 15					
SN:2016250401802	HRS	79.6		TSN 79.6					
	ENC	66		TSN 66					
PROC. REF: LMM 74-10-01, LMM 74-10-01PROC. REF: LMM 74-10-01, LMM 74-10-01									
ATA 75 - AIR									
75-20-01-001 U		NO. 1 ENGINE - RIGHT BOTTOM LOW PRESSURE COOLING METAL TUBE ASSY						Component	ATA:75
PN:3038283-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-20-01-001 U		NO. 2 ENGINE - RIGHT BOTTOM LOW PRESSURE COOLING METAL TUBE ASSY						Component	ATA:75
PN:3038283-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-20-01-002 U		NO. 1 ENGINE - RIGHT SIDE LOW PRESSURE COOLING METAL TUBE ASSY						Component	ATA:75
PN:3038283-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-20-01-002 U		NO. 2 ENGINE - RIGHT SIDE LOW PRESSURE COOLING METAL TUBE ASSY						Component	ATA:75
PN:3038283-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
75-20-01-003 U		NO. 1 ENGINE - LEFT LOW PRESSURE COOLING METAL TUBE ASSY						Component	ATA:75
PN:3038283-7	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-20-01-003 U		NO. 2 ENGINE - LEFT LOW PRESSURE COOLING METAL TUBE ASSY						Component	ATA:75
PN:3038283-7	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-20-07-001 U		NO. 1 ENGINE - AFT SUMP BRANCHED VENT METAL TUBE ASSY						Component	ATA:75
PN:3038767-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-20-07-001 U		NO. 2 ENGINE - AFT SUMP BRANCHED VENT METAL TUBE ASSY						Component	ATA:75
PN:3038767-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-21-00-003		NO. 1 ENGINE - HP TURBINE (HPT1) SEAL PLATE						Component	ATA:75
PN:70040044-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-03041	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-003		NO. 2 ENGINE - HP TURBINE (HPT1) SEAL PLATE						Component	ATA:75
PN:70040044-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:2018244933977	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
75-21-00-010		NO. 1 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:75
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-010		NO. 2 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:75
	MOS	29-Sep-21							
	HRS	0	4500 (+100)		(4500) 4500	4600	3940.8 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-011		NO. 1 ENGINE - HP TURBINE (HPT2) SEAL PLATE							Component ATA:75
PN:3035109-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162246-01653	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-011		NO. 2 ENGINE - HP TURBINE (HPT2) SEAL PLATE							Component ATA:75
PN:3035109-1	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:1918244932604	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-012		NO. 1 ENGINE - HPT1 SEAL PLATE (DRIVE ARM) COUPLER							Component ATA:75
PN:3035030-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-07780	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
75-21-00-012		NO. 2 ENGINE - HPT1 SEAL PLATE (DRIVE ARM) COUPLER							Component ATA:75
PN:3035030-3	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:19-162246-06042	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-013		NO. 1 ENGINE - HP TURBINE (HPT2) COUPLER							Component ATA:75
PN:3035053-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-1034-24749	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-013		NO. 2 ENGINE - HP TURBINE (HPT2) COUPLER							Component ATA:75
PN:3035053-2	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-1034-24007	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14622		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-014		NO. 1 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:75
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-21-00-014		NO. 2 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:75
	MOS/MSC	29-Sep-21	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
75-30-03-001 U	NO. 1 ENGINE - NO. 1 LARGE SBV OUTLET SEAL							Component	ATA:75
PN:3038242-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-03-001 U	NO. 2 ENGINE - NO. 1 LARGE SBV OUTLET SEAL							Component	ATA:75
PN:3038242-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-03-002 U	NO. 1 ENGINE - NO. 2 LARGE SBV OUTLET SEAL							Component	ATA:75
PN:3038242-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-03-002 U	NO. 2 ENGINE - NO. 2 LARGE SBV OUTLET SEAL							Component	ATA:75
PN:3038242-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-03-003 U	NO. 1 ENGINE - SELF-LOCKING NUT (V96906)							Component	ATA:75
PN:MS21043-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-03-003 U	NO. 2 ENGINE - SELF-LOCKING NUT (V96906)							Component	ATA:75
PN:MS21043-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
75-30-04-001 U		NO. 1 ENGINE - TRIM SBV OUTLET SEAL						Component	ATA:75
PN:3038243-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-04-001 U		NO. 2 ENGINE - TRIM SBV OUTLET SEAL						Component	ATA:75
PN:3038243-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-08-001 U		NO. 1 ENGINE - ACTUATOR MOUNT BRACKET ASSEMBLY						Component	ATA:75
PN:3033206-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-30-08-001 U		NO. 2 ENGINE - ACTUATOR MOUNT BRACKET ASSEMBLY						Component	ATA:75
PN:3033206-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
75-40-01-100-801-A01		NO. 1 ENGINE - T2 SENSOR - CLEANING						Service	ATA:75
PN:3038225-2	MOS/MSC	29-Sep-21	A/R						
SN:1916901761951	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01									
75-40-01-100-801-A01		NO. 2 ENGINE - T2 SENSOR - CLEANING						Service	ATA:75
PN:3038225-2	MOS/MSC	29-Sep-21	A/R						
SN:2016901761751	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
75-40-01-200-801-A01	NO. 1 ENGINE - T2 SENSOR INSPECTION - CHECK							Service	ATA:75
PN:3038225-2	MOS/MSC	29-Sep-21	A/R						
SN:1916901761951	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01	PROC. REF: LMM 75-40-01								
75-40-01-200-801-A01	NO. 2 ENGINE - T2 SENSOR INSPECTION - CHECK							Service	ATA:75
PN:3038225-2	MOS/MSC	29-Sep-21	A/R						
SN:2016901761751	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01	PROC. REF: LMM 75-40-01								
75-40-01-700-801-A01	NO. 1 ENGINE - T2 SENSOR TESTING							Service	ATA:75
PN:3038225-2	MOS/MSC	29-Sep-21	A/R						
SN:1916901761951	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01	PROC. REF: LMM 75-40-01								
75-40-01-700-801-A01	NO. 2 ENGINE - T2 SENSOR TESTING							Service	ATA:75
PN:3038225-2	MOS/MSC	29-Sep-21	A/R						
SN:2016901761751	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01	PROC. REF: LMM 75-40-01								
75-40-01-920-001-A01	NO. 1 ENGINE - T2 SENSOR							Component	ATA:75
PN:3038225-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:1916901761951	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-40-01, LMM 75-40-01	PROC. REF: LMM 75-40-01, LMM 75-40-01								
75-40-01-920-001-A01	NO. 2 ENGINE - T2 SENSOR							Component	ATA:75
PN:3038225-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016901761751	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-40-01, LMM 75-40-01	PROC. REF: LMM 75-40-01, LMM 75-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
752001 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE COOLING TUBES AND ATTACHMENT HARDWARE						Service	ATA:75
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 75-20-01PROC. REF: LMM 75-20-01									
752001 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE COOLING TUBES AND ATTACHMENT HARDWARE						Service	ATA:75
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 75-20-01PROC. REF: LMM 75-20-01									
752001-0101		LH ENGINE PNEUMATIC CHECK VALVE						Component	ATA:75
PN:70040388-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:548	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
752001-0102		RH ENGINE PNEUMATIC CHECK VALVE						Component	ATA:75
PN:70040388-1	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:552	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
753002		NO. 1 ENGINE - NO. 1 MAIN SURGE SOLENOID BLEED VALVE						Component	ATA:75
PN:540-1796-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:5840	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-03, LMM 75-30-03PROC. REF: LMM 75-30-03, LMM 75-30-03									
753002		NO. 2 ENGINE - NO. 1 MAIN SURGE SOLENOID BLEED VALVE						Component	ATA:75
PN:540-1796-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:5832	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-03, LMM 75-30-03PROC. REF: LMM 75-30-03, LMM 75-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
753003	NO. 1 ENGINE - NO. 2 MAIN SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1796-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:5849	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-03, LMM 75-30-03	PROC. REF: LMM 75-30-03, LMM 75-30-03								
753003	NO. 2 ENGINE - NO. 2 MAIN SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1796-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:5846	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-03, LMM 75-30-03	PROC. REF: LMM 75-30-03, LMM 75-30-03								
753004	NO. 1 ENGINE - TRIM SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1798-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2965	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-04, LMM 75-30-04	PROC. REF: LMM 75-30-04, LMM 75-30-04								
753004	NO. 2 ENGINE - TRIM SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1798-5	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2958	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-04, LMM 75-30-04	PROC. REF: LMM 75-30-04, LMM 75-30-04								
753006	NO. 1 ENGINE - CVG ACUTATOR							Component	ATA:75
PN:442321	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:ACD2840	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-06, LMM 75-30-06	PROC. REF: LMM 75-30-06, LMM 75-30-06								
753006	NO. 2 ENGINE - CVG ACUTATOR							Component	ATA:75
PN:442321	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:ACD2850	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-06, LMM 75-30-06	PROC. REF: LMM 75-30-06, LMM 75-30-06								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 75 - AIR									
753007		NO. 1 ENGINE - CVG ACTUATOR HOUSING ASSEMBLY						Component	ATA:75
PN:2687477	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-A1258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753007		NO. 2 ENGINE - CVG ACTUATOR HOUSING ASSEMBLY						Component	ATA:75
PN:2687477	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:005101-A1288	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753010 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE COMPRESSOR VG ASSEMBLY						Service	ATA:75
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753010 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE COMPRESSOR VG ASSEMBLY						Service	ATA:75
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 76 - ENGINE CONTROLS									
76-10-03-001 U		NO. 1 ENGINE - ADAPTER, MALE THREADED - DYNAMIC BEAM TO						Component	ATA:76
PN:104-558-9302	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
76-10-03-001 U		NO. 2 ENGINE - ADAPTER, MALE THREADED - DYNAMIC BEAM TO						Component	ATA:76
PN:104-558-9302	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 76 - ENGINE CONTROLS									
76-10-03-200-801-A01	NO. 1 ENGINE - P3 LEFT SIDE TUBE - INSPECTION/CHECK								Service ATA:76
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03									
76-10-03-200-801-A01	NO. 1 ENGINE - P3 RIGHT SIDE TUBE - INSPECTION/CHECK								Service ATA:76
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03									
76-10-03-200-801-A01	NO. 2 ENGINE - P3 LEFT SIDE TUBE - INSPECTION/CHECK								Service ATA:76
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03									
76-10-03-200-801-A01	NO. 2 ENGINE - P3 RIGHT SIDE TUBE - INSPECTION/CHECK								Service ATA:76
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 76-10-03PROC. REF: LMM 76-10-03									
76-10-05-200 S	NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU								Service ATA:76
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 76-10-05PROC. REF: LMM 76-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 76 - ENGINE CONTROLS									
76-10-05-200 S		NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU							Service ATA:76
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 76-10-05PROC. REF: LMM 76-10-05									
76-10-05-710-801-A		THRUST CONTROL QUADRANT (TCQ) - OPERATIONAL TEST							Service ATA:76
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 76-10-05PROC. REF: AMM 76-10-05									
76-10-10-001 U		NO. 1 ENGINE - PMA STATOR ASSEMBLY INSTALLATION KIT PACKING (V81349)							Component ATA:76
PN:M83248/1-022	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
76-10-10-001 U		NO. 2 ENGINE - PMA STATOR ASSEMBLY INSTALLATION KIT PACKING (V81349)							Component ATA:76
PN:M83248/1-022	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
76-10-10-002 U		NO. 1 ENGINE - PMA STATOR ASSEMBLY INSTALLATION KIT PACKING (V81349)							Component ATA:76
PN:M83248/1-017	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
76-10-10-002 U		NO. 2 ENGINE - PMA STATOR ASSEMBLY INSTALLATION KIT PACKING (V81349)							Component ATA:76
PN:M83248/1-017	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 76 - ENGINE CONTROLS									
76-10-10-003 U		NO. 1 ENGINE - PMA STATOR ASSEMBLY INSTALLATION KIT COVER ASSEMBLY (V70210)							Component ATA:76
PN:2714398-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
76-10-10-003 U		NO. 2 ENGINE - PMA STATOR ASSEMBLY INSTALLATION KIT COVER ASSEMBLY (V70210)							Component ATA:76
PN:2714398-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
76-20-00-004		NO. 1 ENGINE - N1 OVERSPEED SHUT-OFF DETECTOR							Component ATA:76
PN:3034256-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162151-00849	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
76-20-00-004		NO. 2 ENGINE - N1 OVERSPEED SHUT-OFF DETECTOR							Component ATA:76
PN:3034256-4	MOS	05-Dec-20		TSN 0				LIFE LIMIT	
SN:20-162151-00826	HRS	0	15000	TSN 0	(15000) 15000		14440.8		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
761001-0101		CSL CENT AL THROTTLE CONTROL LEVER ASSY							Component ATA:76
PN:3001-1M04	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:CD00254	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
761010 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE PERMANENT MAGNET ALTERNATOR (PMA)							Service ATA:76
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 76 - ENGINE CONTROLS									
761010 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE PERMANENT MAGNET ALTERNATOR (PMA)						Service	ATA:76
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
761020		NO. 1 ENGINE - A (ECU) ELECTRONIC CONTROL UNIT						Component	ATA:76
PN:2119576-4204	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:89-AP0062	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05									
761020		NO. 1 ENGINE - B (ECU) ELECTRONIC CONTROL UNIT						Component	ATA:76
PN:2119576-4204	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:89-AP0056	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05									
761020		NO. 2 ENGINE - A (ECU) ELECTRONIC CONTROL UNIT						Component	ATA:76
PN:2119576-4204	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:89-AP0090	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05									
761020		NO. 2 ENGINE - B (ECU) ELECTRONIC CONTROL UNIT						Component	ATA:76
PN:2119576-4204	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:89-AP0047	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-05, LMM 76-10-05PROC. REF: LMM 76-10-05, LMM 76-10-05									
ATA 77 - ENGINE INDICATING									
77-20-01-200-801-A01		NO. 1 ENGINE - NO. 1 EGT PROBE AND ASSEBMLY – INSPECTION/CHECK						Service	ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 77 - ENGINE INDICATING									
	ENC	0							
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									
77-20-01-200-801-A01	NO. 1 ENGINE - NO. 2 EGT PROBE AND ASSEBMLY – INSPECTION/CHECK								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									
77-20-01-200-801-A01	NO. 2 ENGINE - NO. 1 EGT PROBE AND ASSEBMLY – INSPECTION/CHECK								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									
77-20-01-200-801-A01	NO. 2 ENGINE - NO. 2 EGT PROBE AND ASSEBMLY – INSPECTION/CHECK								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									
77-20-01-700-801-A01	NO. 1 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - TESTING								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 77 - ENGINE INDICATING									
77-20-01-700-801-A01	NO. 1 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – TESTING								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01	PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 2 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - TESTING								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01	PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 2 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – TESTING								Service ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01	PROC. REF: LMM 77-20-01								
77-20-01-920-801-A01	NO. 1 ENGINE - NO. 1 EXHAUST GAS TEMPERATURE (EGT) PROBE								Component ATA:77
PN:70040125-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2015027700175	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-20-01, LMM 77-20-01	PROC. REF: LMM 77-20-01, LMM 77-20-01								
77-20-01-920-801-A01	NO. 1 ENGINE - NO. 2 EXHAUST GAS TEMPERATURE (EGT) PROBE								Component ATA:77
PN:70040125-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2015027700176	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-20-01, LMM 77-20-01	PROC. REF: LMM 77-20-01, LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 77 - ENGINE INDICATING									
77-20-01-920-801-A01	NO. 2 ENGINE - NO. 1 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component	ATA:77
PN:70040125-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2015027700177	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-20-01, LMM 77-20-01	PROC. REF: LMM 77-20-01, LMM 77-20-01								
77-20-01-920-801-A01	NO. 2 ENGINE - NO. 2 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component	ATA:77
PN:70040125-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2015027700183	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-20-01, LMM 77-20-01	PROC. REF: LMM 77-20-01, LMM 77-20-01								
77-42-01-710-801-A	EVENT MARKER TO CONFIG CONTROL PANEL - OPERATIONAL TEST							Service	ATA:77
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 77-42-01	PROC. REF: AMM 77-42-01								
771001	NO. 1 ENGINE - N1 SPEED SENSOR MONOPOLE							Component	ATA:77
PN:3038500-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-123112-03238	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-01, LMM 77-10-01	PROC. REF: LMM 77-10-01, LMM 77-10-01								
771001	NO. 2 ENGINE - N1 SPEED SENSOR MONOPOLE							Component	ATA:77
PN:3038500-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-123112-03204	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-01, LMM 77-10-01	PROC. REF: LMM 77-10-01, LMM 77-10-01								
771003	NO. 1 ENGINE - COMPENSATOR							Component	ATA:77
PN:3060735-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:1916909400812	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-03, LMM 77-10-03	PROC. REF: LMM 77-10-03, LMM 77-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 77 - ENGINE INDICATING									
771003		NO. 2 ENGINE - COMPENSATOR						Component	ATA:77
PN:3060735-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:1916909401130	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03									
771005 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION N2 SPEED SENSOR						Service	ATA:77
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05									
771005 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION N2 SPEED SENSOR						Service	ATA:77
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05									
771006		NO. 1 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER						Component	ATA:77
PN:2718896	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:3929	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771006		NO. 2 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER						Component	ATA:77
PN:2718896	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:3928	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771007		NO. 1 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER						Component	ATA:77
PN:2718897	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:3814	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 77 - ENGINE INDICATING									
771007		NO. 2 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER						Component	ATA:77
PN:2718897	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:3829	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771008		NO. 1 ENGINE - CORE ASSEMBLY						Component	ATA:77
PN:2372677-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:11201932	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771008		NO. 2 ENGINE - CORE ASSEMBLY						Component	ATA:77
PN:2372677-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:11201929	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
773001		NO. 1 ENGINE - VIBRATION SENSOR TRANSDUCER						Component	ATA:77
PN:3038503-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016328722918	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-30-01, LMM 77-30-01PROC. REF: LMM 77-30-01, LMM 77-30-01									
773001		NO. 2 ENGINE - VIBRATION SENSOR TRANSDUCER						Component	ATA:77
PN:3038503-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016328722897	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-30-01, LMM 77-30-01PROC. REF: LMM 77-30-01, LMM 77-30-01									
ATA 78 - EXHAUST									
78-10-01-001 U		NO. 1 ENGINE - EXHAUST MIXER NOZZLE						Component	ATA:78
PN:70040020-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
78-10-01-001 U		NO. 2 ENGINE - EXHAUST MIXER NOZZLE						Component	ATA:78
PN:70040020-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
78-10-01-002 U		NO. 1 ENGINE - EXHAUST CENTERBODY						Component	ATA:78
PN:70040021-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
78-10-01-002 U		NO. 2 ENGINE - EXHAUST CENTERBODY						Component	ATA:78
PN:70040021-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
78-30-00-001 S		DETAILED INSPECTION OF THRUST REVERSER SEALS						Service	ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-31-04PROC. REF: AMM 78-31-04									
78-30-00-003 S		DETAILED INSPECTION OF THRUST REVERSER PIVOT DOOR MOUNTING BEAMS						Service	ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
78-30-00-004 S		DETAILED INSPECTION OF S HOOK ASSEMBLIES						Service	ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-32-04PROC. REF: AMM 78-32-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
78-30-00-005 S		DETAILED INSPECTION OF PIVOT DOOR HOOKS							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-32-05PROC. REF: AMM 78-32-05									
78-30-00-006 S		DETAILED INSPECTION OF PIVOT DOORS							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
78-30-00-007 S		GENERAL VISUAL INSPECTION OF THRUST REVERSER FIREWALL							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
78-30-00-008 S		DETAILED INSPECTION OF PIVOT DOOR ACTUATORS AND ATTACHMENT HARDWARE							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-32-01PROC. REF: AMM 78-32-01									
78-30-00-009 S		DETAILED INSPECTION OF ELECTRO-HYDRAULIC LOCK ASSEMBLY							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-32-03PROC. REF: AMM 78-32-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
78-30-00-010 S		DETAILED INSPECTION OF HYDRAULIC LOCK ASSEMBLY							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	3750 (+37/-37)						
	AFL	0							
									PKG:15
PROC. REF: AMM 78-32-02PROC. REF: AMM 78-32-02									
78-30-00-012 S		OPERATIONAL CHECK OF ELECTRO-HYDRAULIC LOCK ASSEMBLY							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	7500 (+37/-37)						
	AFL	0							
									PKG:20
PROC. REF: AMM 78-32-03PROC. REF: AMM 78-32-03									
78-30-00-013 S		OPERATIONAL CHECK OF PIVOT DOOR ACTUATOR INTERNAL LOCK							Service ATA:78
	MOS	29-Sep-21							
	HRS	0	1500 (+37/-37)						
	AFL	0							
									PKG:5
PROC. REF: AMM 78-32-01PROC. REF: AMM 78-32-01									
78-31-01-001 S		INTERNAL DETAILED INSPECTION OF THRUST REVERSER HOOK LOCKINGS							Service ATA:78
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00									
78-31-02-001 S		INTERNAL GENERAL VISUAL INSPECTION OF THRUST REVERSER FRONT FLANGE							Service ATA:78
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:60
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
78-31-03-001 S		INTERNAL DETAILED INSPECTION OF THRUST REVERSER PIVOT SURROUNDING STRUCTURE AND PINS						Service	ATA:78
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00									
78-31-04-001 S		INTERNAL DETAILED INSPECTION OF THRUST REVERSER ACTUATOR FITTINGS AND SUPPORT FITTINGS						Service	ATA:78
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00									
78-31-05-001 S		INTERNAL DETAILED INSPECTION OF THRUST REVERSER REAR BULKHEAD						Service	ATA:78
	MOS	29-Sep-21	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
									PKG:90
PROC. REF: NDT 78-31-00PROC. REF: NDT 78-31-00									
783001		NO. 1 ENGINE - THRUST REVERSER SWITCH						Component	ATA:78
PN:70041063-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:00310	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 78-30-01, LMM 78-30-01PROC. REF: LMM 78-30-01, LMM 78-30-01									
783001		NO. 2 ENGINE - THRUST REVERSER SWITCH						Component	ATA:78
PN:70041063-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:00316	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 78-30-01, LMM 78-30-01PROC. REF: LMM 78-30-01, LMM 78-30-01									
783101-0101		LEFT THRUST REVERSER ASSEMBLY						Component	ATA:78
PN:32A712-04-0G	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TR421	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01, AMM 78-31-01PROC. REF: AMM 78-31-01, AMM 78-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
783101-0102	RIGHT THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:32A713-04-0G	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:TR426	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01, AMM 78-31-01	PROC. REF: AMM 78-31-01, AMM 78-31-01								
783101-0103	LEFT THRUST REVERSER INSTALLATION KIT							Component	ATA:78
PN:32A715-02-0G	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1649462	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01, AMM 78-31-01	PROC. REF: AMM 78-31-01, AMM 78-31-01								
783101-0104	RIGHT THRUST REVERSER INSTALLATION KIT							Component	ATA:78
PN:32A715-02-0G	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1653350	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01, AMM 78-31-01	PROC. REF: AMM 78-31-01, AMM 78-31-01								
783102-0101	LEFT THRUST REVERSER UPPER PIVOT DOOR							Component	ATA:78
PN:32E317-05-6U	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1649516	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-02, AMM 78-31-02	PROC. REF: AMM 78-31-02, AMM 78-31-02								
783102-0102	RIGHT THRUST REVERSER UPPER PIVOT DOOR							Component	ATA:78
PN:32E318-05-6U	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1649518	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-02, AMM 78-31-02	PROC. REF: AMM 78-31-02, AMM 78-31-02								
783103-0101	LEFT THRUST REVERSER LOWER PIVOT DOOR							Component	ATA:78
PN:32E303-05-6U	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1649515	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-03, AMM 78-31-03	PROC. REF: AMM 78-31-03, AMM 78-31-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
783103-0102	RIGHT THRUST REVERSER LOWER PIVOT DOOR							Component	ATA:78
PN:32E303-05-6U	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:1649517	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-31-03, AMM 78-31-03	PROC. REF: AMM 78-31-03, AMM 78-31-03								
783201-0101	LEFT THRUST REVERSER UPPER PIVOT DOOR ACTUATOR							Component	ATA:78
PN:P517A0001-05	MOS/MSC	20-Oct-22	O/C	TSO 8					
SN:20036742	HRS	178.1		TSN 4027.78, TSO 0					
	AFL			TSN 2471, TSO 0					
PROC. REF: AMM 78-32-01, AMM 78-32-01	PROC. REF: AMM 78-32-01, AMM 78-32-01								
783201-0102	RIGHT THRUST REVERSER UPPER PIVOT DOOR ACTUATOR							Component	ATA:78
PN:P517A0001-05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22285624	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-01, AMM 78-32-01	PROC. REF: AMM 78-32-01, AMM 78-32-01								
783201-0103	LEFT THRUST REVERSER LOWER PIVOT DOOR ACTUATOR							Component	ATA:78
PN:P517A0001-05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22285620	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-01, AMM 78-32-01	PROC. REF: AMM 78-32-01, AMM 78-32-01								
783201-0104	RIGHT THRUST REVERSER LOWER PIVOT DOOR ACTUATOR							Component	ATA:78
PN:P517A0001-05	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22286358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-01, AMM 78-32-01	PROC. REF: AMM 78-32-01, AMM 78-32-01								
783202-0101	LEFT THRUST REVERSER PRIMARY HYDRAULIC LOCK							Component	ATA:78
PN:P520A0001-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22269688	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-02, AMM 78-32-02	PROC. REF: AMM 78-32-02, AMM 78-32-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
783202-0102	RIGHT THRUST REVERSER PRIMARY HYDRAULIC LOCK							Component	ATA:78
PN:P520A0001-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22274050	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-02, AMM 78-32-02	PROC. REF: AMM 78-32-02, AMM 78-32-02								
783203-0101	LEFT THRUST REVERSER PRIMARY ELECTROHYDRAULIC LOCK							Component	ATA:78
PN:P521A0001-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22279124	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-03, AMM 78-32-03	PROC. REF: AMM 78-32-03, AMM 78-32-03								
783203-0102	RIGHT THRUST REVERSER PRIMARY ELECTROHYDRAULIC LOCK							Component	ATA:78
PN:P521A0001-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22281413	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-32-03, AMM 78-32-03	PROC. REF: AMM 78-32-03, AMM 78-32-03								
783302-0101	LEFT THRUST REVERSER DIRECTION CONTROL UNIT							Component	ATA:78
PN:P519A0001-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22254021	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-33-02, AMM 78-33-02	PROC. REF: AMM 78-33-02, AMM 78-33-02								
783302-0102	RIGHT THRUST REVERSER DIRECTION CONTROL UNIT							Component	ATA:78
PN:P519A0001-01	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22259517	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-33-02, AMM 78-33-02	PROC. REF: AMM 78-33-02, AMM 78-33-02								
783310-0101	GEN 1 ALUMINIUM ALLOY THRUST REVERSER ISOLATION CONTROL UNIT							Component	ATA:78
PN:P518A0001-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:21104096	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-33-01, AMM 78-33-01	PROC. REF: AMM 78-33-01, AMM 78-33-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
783310-0102	GEN 3 ALUMINIUM ALLOY THRUST REVERSER ISOLATION CONTROL UNIT							Component	ATA:78
PN:P518A0001-00	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:22137962	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-33-01, AMM 78-33-01	PROC. REF: AMM 78-33-01, AMM 78-33-01								
783401-0101	LEFT THRUST REVERSER UPPER LH SIDE STOW SWITCH							Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28921	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01	PROC. REF: AMM 78-34-01, AMM 78-34-01								
783401-0102	RIGHT THRUST REVERSER UPPER LH SIDE STOW SWITCH							Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28901	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01	PROC. REF: AMM 78-34-01, AMM 78-34-01								
783401-0103	LEFT THRUST REVERSER UPPER RH SIDE STOW SWITCH							Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28922	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01	PROC. REF: AMM 78-34-01, AMM 78-34-01								
783401-0104	RIGHT THRUST REVERSER UPPER RH SIDE STOW SWITCH							Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28902	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01	PROC. REF: AMM 78-34-01, AMM 78-34-01								
783401-0105	LEFT THRUST REVERSER LOWER LH SIDE STOW SWITCH							Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28923	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01	PROC. REF: AMM 78-34-01, AMM 78-34-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
783401-0106		RIGHT THRUST REVERSER LOWER LH SIDE STOW SWITCH						Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28903	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01PROC. REF: AMM 78-34-01, AMM 78-34-01									
783401-0107		LEFT THRUST REVERSER LOWER RH SIDE STOW SWITCH						Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28924	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01PROC. REF: AMM 78-34-01, AMM 78-34-01									
783401-0108		RIGHT THRUST REVERSER LOWER RH SIDE STOW SWITCH						Component	ATA:78
PN:83-990-168	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:28904	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-01, AMM 78-34-01PROC. REF: AMM 78-34-01, AMM 78-34-01									
783401-0109		LEFT THRUST REVERSER WIRING HARNESS						Component	ATA:78
PN:13W002-06-0G	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									
783401-0110		RIGHT THRUST REVERSER WIRING HARNESS						Component	ATA:78
PN:13W002-06-0G	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 5PROC. REF: AMM GENERIC 5									
783501-0101		LEFT THRUST REVERSER MULTIPLEXER HARNESS						Component	ATA:78
PN:13W007-04-0U	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02548	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-35-01, AMM 78-35-01PROC. REF: AMM 78-35-01, AMM 78-35-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 78 - EXHAUST									
783501-0102		RIGHT THRUST REVERSER MULTIPLEXER HARNESS						Component	ATA:78
PN:13W007-04-0U	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:02538	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-35-01, AMM 78-35-01	PROC. REF: AMM 78-35-01, AMM 78-35-01								
783501-0103		LEFT THRUST REVERSER LH SIDE DEPLOY SWITCH						Component	ATA:78
PN:83-990-140	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:05639	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-02, AMM 78-34-02	PROC. REF: AMM 78-34-02, AMM 78-34-02								
783501-0104		RIGHT THRUST REVERSER LH SIDE DEPLOY SWITCH						Component	ATA:78
PN:83-990-140	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:05643	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-02, AMM 78-34-02	PROC. REF: AMM 78-34-02, AMM 78-34-02								
783501-0105		LEFT THRUST REVERSER RH SIDE DEPLOY SWITCH						Component	ATA:78
PN:83-990-140	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:05640	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-02, AMM 78-34-02	PROC. REF: AMM 78-34-02, AMM 78-34-02								
783501-0106		RIGHT THRUST REVERSER RH SIDE DEPLOY SWITCH						Component	ATA:78
PN:83-990-140	MOS/MSC	12-Feb-21	O/C	TSN 0					
SN:05644	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-34-02, AMM 78-34-02	PROC. REF: AMM 78-34-02, AMM 78-34-02								
ATA 79 - OIL									
79-20-00-002 S		NO. 1 ENGINE - DISCARD OF ENGINE OIL FILTER ELEMENT						Service	ATA:79
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: AMM 79-20-01	PROC. REF: AMM 79-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
79-20-00-002 S		NO. 2 ENGINE - DISCARD OF ENGINE OIL FILTER ELEMENT							Service ATA:79
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: AMM 79-20-01PROC. REF: AMM 79-20-01									
79-20-00-003		NO. 1 ENGINE - SERVICING OF ENGINE OIL							Service ATA:79
	MOS	29-Sep-21							
	HRS	0	1500 (+100)		(1500) 1500	1600	940.8 (+100)		
	ENC	0							
PROC. REF: AMM 12-12-01PROC. REF: AMM 12-12-01									
79-20-00-003		NO. 2 ENGINE - SERVICING OF ENGINE OIL							Service ATA:79
	MOS	29-Sep-21							
	HRS	0	1500 (+100)		(1500) 1500	1600	940.8 (+100)		
	ENC	0							
PROC. REF: AMM 12-12-01PROC. REF: AMM 12-12-01									
79-20-01-001 U		NO. 1 ENGINE - OIL FILTER MODULE SEAL PLATE							Component ATA:79
PN:3036084-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
79-20-01-001 U		NO. 2 ENGINE - OIL FILTER MODULE SEAL PLATE							Component ATA:79
PN:3036084-2	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
79-30-00-003		NO. 1 ENGINE - VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS							Service ATA:79
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)		(750) 750	787	190.8 (+37)		
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
PROC. REF: AMM 79-32-00PROC. REF: AMM 79-32-00									
79-30-00-003	NO. 2 ENGINE - VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS								Service ATA:79
	MOS	29-Sep-21							
	HRS	0	750 (+37/-37)		(750) 750	787	190.8 (+37)		
	ENC	0							
PROC. REF: AMM 79-32-00PROC. REF: AMM 79-32-00									
79-30-04-200-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER – INSPECTION/CHECK								Service ATA:79
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04									
79-30-04-200-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER – INSPECTION/CHECK								Service ATA:79
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04									
79-30-04-700-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER – TESTING								Service ATA:79
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04									
79-30-04-700-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER – TESTING								Service ATA:79
	MOS/MSC	29-Sep-21	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04PROC. REF: LMM 79-30-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
79-30-04-920-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:3038700-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016206700219	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-04, LMM 79-30-04	PROC. REF: LMM 79-30-04, LMM 79-30-04								
79-30-04-920-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:3038700-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2016206700051	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-04, LMM 79-30-04	PROC. REF: LMM 79-30-04, LMM 79-30-04								
792006	NO. 1 ENGINE - DE-OIL VALVE							Component	ATA:79
PN:3038779-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150503-02754	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-06, LMM 79-20-06	PROC. REF: LMM 79-20-06, LMM 79-20-06								
792006	NO. 2 ENGINE - DE-OIL VALVE							Component	ATA:79
PN:3038779-3	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-150503-02829	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-06, LMM 79-20-06	PROC. REF: LMM 79-20-06, LMM 79-20-06								
792010	NO. 1 ENGINE - OIL PUMP							Component	ATA:79
PN:3038704-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-162407-00491	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-04, LMM 79-20-04	PROC. REF: LMM 79-20-04, LMM 79-20-04								
792010	NO. 2 ENGINE - OIL PUMP							Component	ATA:79
PN:3038704-6	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:18-162407-00715	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-04, LMM 79-20-04	PROC. REF: LMM 79-20-04, LMM 79-20-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
793005		NO. 1 ENGINE - REMOTE OIL LEVEL SENSOR						Component	ATA:79
PN:70040524-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-152330-00276	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-05, LMM 79-30-05PROC. REF: LMM 79-30-05, LMM 79-30-05									
793005		NO. 2 ENGINE - REMOTE OIL LEVEL SENSOR						Component	ATA:79
PN:70040524-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:20-152330-00271	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-05, LMM 79-30-05PROC. REF: LMM 79-30-05, LMM 79-30-05									
797118 S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OIL SYSTEM EXTERNAL PLUMBING						Service	ATA:79
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
797118 S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OIL SYSTEM EXTERNAL PLUMBING						Service	ATA:79
	MOS	29-Sep-21							
	HRS	0	4500 (+100)						
	ENC	0							
									PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 80 - STARTING									
80-10-00-001 S		NO. 1 ENGINE - DRAIN AIR TURBINE STARTER OIL SYSTEM						Service	ATA:80
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: AMM 12-12-03PROC. REF: AMM 12-12-03									
80-10-00-001 S		NO. 2 ENGINE - DRAIN AIR TURBINE STARTER OIL SYSTEM						Service	ATA:80
	MOS	29-Sep-21							
	HRS	0	750 (+100)						
	ENC	0							
									PKG:1
PROC. REF: AMM 12-12-03PROC. REF: AMM 12-12-03									
801001		NO. 1 ENGINE - AIR TURBINE STARTER						Component	ATA:80
PN:63506068-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:670	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 80-10-01, LMM 80-10-01PROC. REF: LMM 80-10-01, LMM 80-10-01									
801001		NO. 2 ENGINE - AIR TURBINE STARTER						Component	ATA:80
PN:63506068-1	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:663	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 80-10-01, LMM 80-10-01PROC. REF: LMM 80-10-01, LMM 80-10-01									
801002		NO. 1 ENGINE - ATS START CONTROL-PRESSURE REGULATING AND SHUTOFF VALVE						Component	ATA:80
PN:3215772-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2981	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 80-10-02, LMM 80-10-02PROC. REF: LMM 80-10-02, LMM 80-10-02									
801002		NO. 2 ENGINE - ATS START CONTROL-PRESSURE REGULATING AND SHUTOFF VALVE						Component	ATA:80
PN:3215772-4	MOS/MSC	05-Dec-20	O/C	TSN 0					
SN:2969	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 80-10-02, LMM 80-10-02PROC. REF: LMM 80-10-02, LMM 80-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS